

Processed Labeled Dataset Schema

Notes:

- `Timestamp` refers to a pandas datetime (`datetime64[ns]`).
- `date` refers to Python `datetime.date` .
- `ndarray` columns typically contain a NumPy array (list-like).
- `min_topic_size` is a number (e.g. 128,256,512) serve as parameter for BERTopic. Higher `min_topic_size` mean few and larger topics.
- `enteties` are post enteties such as hashtags, urls and account mentions.

Column	Type	Description
### Original Dataset Columns ###	-	-
postid	str	Unique identifier of the post.
post_text	str	The textual content of the post. The PII inside post_text such as mentions and URLs are hashed.
application_name	str	Hashed version of the name of the application or platform from which the post was made.
post_language	str	Language code of the original post as provided by the platform or detection pipeline.
in_reply_to_postid	str	Anonymized ID of the post this entry is replying to. <code>None</code> when not a reply.
in_reply_to_accountid	str	AAnonymized ID of the account the post is replying to. <code>None</code> when not a reply.
post_time	Timestamp	Timestamp indicating when the post was made.
accountid	str	Unique anonymized ID for the account that created the post.
account_profile_description	str	Description provided by the account holder in their profile.
follower_count	int64	Number of followers the account had at the time of data collection.
following_count	int64	Number of accounts the user was following at the time of data collection.
account_creation_date	date	Date when the account was created.
is_repost	bool_	Boolean indicator if the post is a repost.
reposted_accountid	str	Anonymized ID of the original account that made the reposted post. <code>None</code> when not a re-post.
reposted_postid	str	Anonymized ID of the original post that was reposted. <code>None</code> when not a re-post.
hashtags	ndarray	Hashtags included in the post content. Empty list when none found.
urls	ndarray	Hashed URLs shared within the post. Empty list when none found.

Column	Type	Description
<code>account_mentions</code>	<code>ndarray</code>	Anonymized ID of accounts mentioned within the post. Empty list when none found.
<code>is_control</code>	<code>bool_</code>	Boolean indicator marking whether the post is from a control (True) or IO (False) account.
### Added Columns ###	-	-
<code>clean_text_with_entities</code>	<code>str</code>	Cleaned text with entity strings preserved.
<code>clean_text_without_entities</code>	<code>str</code>	Cleaned text with entities removed or masked.
<code>translated_post</code>	<code>str</code>	Machine-translated version of the post to English. Original English posts was translated from and to english for normalization
<code>BERTopic_topic_<min_topic_size></code>	<code>int64</code>	Topic assignment from BERTopic using the <code>min_topic_size</code> configuration. <code>-1</code> often indicates outliers/unassigned (BERTopic default).
<code>BERTopic_prob_<min_topic_size></code>	<code>float32</code>	Probability/confidence of the BERTopic model to the chosen topic.
<code>ner_entities</code>	<code>ndarray</code>	Named entities extracted from the post. Empty list when none found.
<code><entity_type>_reuse_<time_window>_postids"</code>	<code>JSON</code>	Earlier posts within a <code>time_window</code> that share at least one entity from the <code><entity_type></code> . Note: This column may be unavailable due to system constraints.
<code><entity_type>_reuse_<time_window>_accountids</code>	<code>ndarray</code>	Account ids of the authors of the relevant posts.

Acknowledgments and Additional Details

This dataset is a derivative of the “**Labeled Datasets for Research on Information Operations.**”

For more details, including the schema of the original dataset see: <https://zenodo.org/records/14189193>

Ö. C. Seçkin, “Labeled Datasets for Research on Information Operations”. Zenodo, Nov 19, 2024. doi: 10.5281/zenodo.14189193.