

Explanation of Character Output (*filewords.py*):

- Test Case One:
 - D is printed as it is the first statement in main().
 - E is printed as all arguments are provided (no Index Errors).
 - A is printed as all arguments were provided and this is the first statement in print_words.
 - There are no errors; the file is written to and hence the except block is skipped. C is printed.
 - Since the function call was executed we are now back in main(). The next print is executed; F is printed to the screen.
 - The last statement in main() is printed; J.
- Test Case Two:
 - D is printed as it is the first statement in main().
 - E is printed as all arguments are provided (no Index Errors).
 - A is printed as all arguments were provided and this is the first statement in print_words.
 - B is printed as the file already exists and open is set to create (x).
 - There are no other errors; C is printed.
 - Since the function call was executed we are now back in main(). The next print is executed; F is printed to the screen.
 - The last statement in main() is printed; J.
- Test Case Three:
 - D is printed as it is the first statement in main().
 - E is printed as all arguments are provided (no Index Errors).
 - A is printed as all arguments were provided and this is the first statement in print_words.
 - K is printed as there is an error we did not handle; out is not a directory.
- Test Case Four:
 - D is printed as it is the first statement in main().
 - H is printed as we get a ValueError (Walter is not an integer).
 - The last statement in main() is printed; J.

