

BOARD PARTITIONS FOR A 5×7 BOARD WITH 5 BLOCKERS

This table is a resource for the paper “Towards a Classification of Blocked Rectangular Grids and an Application to Finite Tiling Problems” by Noah Jensen and Stephanie Treneer. The example that generates this table is that of a game board composed of 5×7 square cells and with 5 blockers placed on the board. This table lists a board partition, defined the referenced paper, K the subgroup of $\langle H, V \rangle$, the symmetry group of a rectangle, under which the board partition remains invariant, and each index $[\langle H, V \rangle : K]$. This table contains 276 entries.

Board partitions for a 5×7 board with 5 blockers

Board Partition	K	$[\langle H, V \rangle : K]$
(0,0,0,0,0,2,0,2,1)	$\langle H, V \rangle$	1
(0,0,0,0,0,3,0,1,1)	$\langle H \rangle$	2
(0,0,0,0,0,3,0,2,0)	$\langle H \rangle$	2
(0,0,0,0,1,1,1,1,1)	$\langle H, V \rangle$	1
(0,0,0,0,1,2,0,1,1)	$\langle e \rangle$	4
(0,0,0,0,1,2,0,2,0)	$\langle V \rangle$	2
(0,0,0,0,1,2,1,0,1)	$\langle H \rangle$	2
(0,0,0,0,1,2,1,1,0)	$\langle H \rangle$	2
(0,0,0,0,1,3,0,0,1)	$\langle e \rangle$	4
(0,0,0,0,1,3,0,1,0)	$\langle e \rangle$	4
(0,0,0,0,1,3,1,0,0)	$\langle H \rangle$	2
(0,0,0,0,2,0,2,0,1)	$\langle H, V \rangle$	1
(0,0,0,0,2,1,0,1,1)	$\langle V \rangle$	2
(0,0,0,0,2,1,1,0,1)	$\langle e \rangle$	4
(0,0,0,0,2,1,1,1,0)	$\langle V \rangle$	2
(0,0,0,0,2,1,2,0,0)	$\langle H \rangle$	2
(0,0,0,0,2,2,0,0,1)	$\langle e \rangle$	4
(0,0,0,0,2,2,0,1,0)	$\langle e \rangle$	4
(0,0,0,0,2,2,1,0,0)	$\langle e \rangle$	4
(0,0,0,0,2,3,0,0,0)	$\langle e \rangle$	4
(1,0,0,0,0,0,0,3,1)	$\langle e \rangle$	4
(1,0,0,0,0,0,1,2,1)	$\langle e \rangle$	4
(1,0,0,0,0,0,1,3,0)	$\langle e \rangle$	4
(1,0,0,0,0,0,2,1,1)	$\langle e \rangle$	4
(1,0,0,0,0,0,2,2,0)	$\langle e \rangle$	4
(1,0,0,0,0,1,0,2,1)	$\langle e \rangle$	4
(1,0,0,0,0,1,0,3,0)	$\langle e \rangle$	4
(1,0,0,0,0,1,1,1,1)	$\langle e \rangle$	4
(1,0,0,0,0,1,1,2,0)	$\langle e \rangle$	4
(1,0,0,0,0,1,2,0,1)	$\langle e \rangle$	4
(1,0,0,0,0,1,2,1,0)	$\langle e \rangle$	4
(1,0,0,0,0,2,0,1,1)	$\langle e \rangle$	4

Board Partition	K	$[\langle H, V \rangle : K]$
(1,0,0,0,0,2,0,2,0)	$\langle e \rangle$	4
(1,0,0,0,0,2,1,0,1)	$\langle e \rangle$	4
(1,0,0,0,0,2,1,1,0)	$\langle e \rangle$	4
(1,0,0,0,0,2,2,0,0)	$\langle e \rangle$	4
(1,0,0,0,0,3,0,0,1)	$\langle e \rangle$	4
(1,0,0,0,0,3,0,1,0)	$\langle e \rangle$	4
(1,0,0,0,0,3,1,0,0)	$\langle e \rangle$	4
(1,0,0,0,1,0,0,2,1)	$\langle e \rangle$	4
(1,0,0,0,1,0,0,3,0)	$\langle e \rangle$	4
(1,0,0,0,1,0,1,1,1)	$\langle e \rangle$	4
(1,0,0,0,1,0,1,2,0)	$\langle e \rangle$	4
(1,0,0,0,1,0,2,0,1)	$\langle e \rangle$	4
(1,0,0,0,1,0,2,1,0)	$\langle e \rangle$	4
(1,0,0,0,1,1,0,1,1)	$\langle e \rangle$	4
(1,0,0,0,1,1,0,2,0)	$\langle e \rangle$	4
(1,0,0,0,1,1,1,0,1)	$\langle e \rangle$	4
(1,0,0,0,1,1,1,1,0)	$\langle e \rangle$	4
(1,0,0,0,1,1,2,0,0)	$\langle e \rangle$	4
(1,0,0,0,1,2,0,0,1)	$\langle e \rangle$	4
(1,0,0,0,1,2,0,1,0)	$\langle e \rangle$	4
(1,0,0,0,1,2,1,0,0)	$\langle e \rangle$	4
(1,0,0,0,1,3,0,0,0)	$\langle e \rangle$	4
(1,0,0,0,2,0,0,1,1)	$\langle e \rangle$	4
(1,0,0,0,2,0,0,2,0)	$\langle e \rangle$	4
(1,0,0,0,2,0,1,0,1)	$\langle e \rangle$	4
(1,0,0,0,2,0,1,1,0)	$\langle e \rangle$	4
(1,0,0,0,2,0,2,0,0)	$\langle e \rangle$	4
(1,0,0,0,2,1,0,0,1)	$\langle e \rangle$	4
(1,0,0,0,2,1,0,1,0)	$\langle e \rangle$	4
(1,0,0,0,2,1,1,0,0)	$\langle e \rangle$	4
(1,0,0,0,2,2,0,0,0)	$\langle e \rangle$	4
(1,0,0,1,0,0,0,2,1)	$\langle H \rangle$	2
(1,0,0,1,0,0,0,3,0)	$\langle H \rangle$	2
(1,0,0,1,0,1,0,1,1)	$\langle H \rangle$	2
(1,0,0,1,0,1,0,2,0)	$\langle H \rangle$	2
(1,0,0,1,0,2,0,0,1)	$\langle H \rangle$	2
(1,0,0,1,0,2,0,1,0)	$\langle H \rangle$	2
(1,0,0,1,0,3,0,0,0)	$\langle H \rangle$	2
(1,0,0,1,1,0,0,1,1)	$\langle e \rangle$	4
(1,0,0,1,1,0,0,2,0)	$\langle e \rangle$	4
(1,0,0,1,1,0,1,0,1)	$\langle H \rangle$	2
(1,0,0,1,1,0,1,1,0)	$\langle H \rangle$	2
(1,0,0,1,1,1,0,0,1)	$\langle e \rangle$	4

Board Partition	K	$[\langle H, V \rangle : K]$
(1,0,0,1,1,1,0,1,0)	$\langle e \rangle$	4
(1,0,0,1,1,1,1,0,0)	$\langle H \rangle$	2
(1,0,0,1,1,2,0,0,0)	$\langle e \rangle$	4
(1,0,0,1,2,0,0,0,1)	$\langle e \rangle$	4
(1,0,0,1,2,0,0,1,0)	$\langle e \rangle$	4
(1,0,0,1,2,0,1,0,0)	$\langle e \rangle$	4
(1,0,0,1,2,1,0,0,0)	$\langle e \rangle$	4
(1,0,1,0,0,1,0,1,1)	$\langle R_{180} \rangle$	2
(1,0,1,0,0,2,0,0,1)	$\langle e \rangle$	4
(1,0,1,0,0,2,0,1,0)	$\langle e \rangle$	4
(1,0,1,0,0,3,0,0,0)	$\langle e \rangle$	4
(1,0,1,0,1,0,0,1,1)	$\langle e \rangle$	4
(1,0,1,0,1,0,0,2,0)	$\langle e \rangle$	4
(1,0,1,0,1,0,1,0,1)	$\langle R_{180} \rangle$	2
(1,0,1,0,1,1,0,0,1)	$\langle e \rangle$	4
(1,0,1,0,1,1,0,1,0)	$\langle e \rangle$	4
(1,0,1,0,1,1,1,0,0)	$\langle e \rangle$	4
(1,0,1,0,1,2,0,0,0)	$\langle e \rangle$	4
(1,0,1,0,2,0,0,0,1)	$\langle e \rangle$	4
(1,0,1,0,2,0,0,1,0)	$\langle e \rangle$	4
(1,0,1,0,2,0,1,0,0)	$\langle e \rangle$	4
(1,0,1,0,2,1,0,0,0)	$\langle e \rangle$	4
(1,1,0,0,0,0,2,0,1)	$\langle V \rangle$	2
(1,1,0,0,0,1,0,1,1)	$\langle V \rangle$	2
(1,1,0,0,0,1,1,0,1)	$\langle e \rangle$	4
(1,1,0,0,0,1,1,1,0)	$\langle V \rangle$	2
(1,1,0,0,0,1,2,0,0)	$\langle e \rangle$	4
(1,1,0,0,0,2,0,0,1)	$\langle e \rangle$	4
(1,1,0,0,0,2,0,1,0)	$\langle e \rangle$	4
(1,1,0,0,0,2,1,0,0)	$\langle e \rangle$	4
(1,1,0,0,0,3,0,0,0)	$\langle e \rangle$	4
(1,1,0,0,1,0,1,0,1)	$\langle V \rangle$	2
(1,1,0,0,1,0,2,0,0)	$\langle V \rangle$	2
(1,1,0,0,1,1,0,0,1)	$\langle e \rangle$	4
(1,1,0,0,1,1,0,1,0)	$\langle V \rangle$	2
(1,1,0,0,1,1,1,0,0)	$\langle e \rangle$	4
(1,1,0,0,1,2,0,0,0)	$\langle e \rangle$	4
(1,1,0,0,2,0,0,0,1)	$\langle V \rangle$	2
(1,1,0,0,2,0,1,0,0)	$\langle V \rangle$	2
(1,1,0,0,2,1,0,0,0)	$\langle e \rangle$	4
(1,1,1,0,0,0,0,1,1)	$\langle e \rangle$	4
(1,1,1,0,0,0,0,2,0)	$\langle e \rangle$	4
(1,1,1,0,0,0,1,0,1)	$\langle e \rangle$	4

Board Partition	K	$[\langle H, V \rangle : K]$
(1,1,1,0,0,0,1,1,0)	$\langle e \rangle$	4
(1,1,1,0,0,0,2,0,0)	$\langle e \rangle$	4
(1,1,1,0,0,1,0,0,1)	$\langle e \rangle$	4
(1,1,1,0,0,1,0,1,0)	$\langle e \rangle$	4
(1,1,1,0,0,1,1,0,0)	$\langle e \rangle$	4
(1,1,1,0,0,2,0,0,0)	$\langle e \rangle$	4
(1,1,1,0,1,0,0,0,1)	$\langle e \rangle$	4
(1,1,1,0,1,0,0,1,0)	$\langle e \rangle$	4
(1,1,1,0,1,0,1,0,0)	$\langle e \rangle$	4
(1,1,1,0,1,1,0,0,0)	$\langle e \rangle$	4
(1,1,1,0,2,0,0,0,0)	$\langle e \rangle$	4
(1,1,1,1,0,0,0,0,1)	$\langle H, V \rangle$	1
(1,1,1,1,0,1,0,0,0)	$\langle H \rangle$	2
(1,1,1,1,1,0,0,0,0)	$\langle V \rangle$	2
(2,0,0,0,0,0,0,2,1)	$\langle e \rangle$	4
(2,0,0,0,0,0,0,3,0)	$\langle e \rangle$	4
(2,0,0,0,0,0,1,1,1)	$\langle e \rangle$	4
(2,0,0,0,0,0,1,2,0)	$\langle e \rangle$	4
(2,0,0,0,0,0,2,0,1)	$\langle e \rangle$	4
(2,0,0,0,0,0,2,1,0)	$\langle e \rangle$	4
(2,0,0,0,0,1,0,1,1)	$\langle e \rangle$	4
(2,0,0,0,0,1,0,2,0)	$\langle e \rangle$	4
(2,0,0,0,0,1,1,0,1)	$\langle e \rangle$	4
(2,0,0,0,0,1,1,1,0)	$\langle e \rangle$	4
(2,0,0,0,0,1,2,0,0)	$\langle e \rangle$	4
(2,0,0,0,0,2,0,0,1)	$\langle e \rangle$	4
(2,0,0,0,0,2,0,1,0)	$\langle e \rangle$	4
(2,0,0,0,0,2,1,0,0)	$\langle e \rangle$	4
(2,0,0,0,0,3,0,0,0)	$\langle e \rangle$	4
(2,0,0,0,1,0,0,1,1)	$\langle e \rangle$	4
(2,0,0,0,1,0,0,2,0)	$\langle e \rangle$	4
(2,0,0,0,1,0,1,0,1)	$\langle e \rangle$	4
(2,0,0,0,1,0,1,1,0)	$\langle e \rangle$	4
(2,0,0,0,1,0,2,0,0)	$\langle e \rangle$	4
(2,0,0,0,1,1,0,0,1)	$\langle e \rangle$	4
(2,0,0,0,1,1,0,1,0)	$\langle e \rangle$	4
(2,0,0,0,1,1,1,0,0)	$\langle e \rangle$	4
(2,0,0,0,1,2,0,0,0)	$\langle e \rangle$	4
(2,0,0,0,2,0,0,0,1)	$\langle e \rangle$	4
(2,0,0,0,2,0,0,1,0)	$\langle e \rangle$	4
(2,0,0,0,2,0,1,0,0)	$\langle e \rangle$	4
(2,0,0,0,2,1,0,0,0)	$\langle e \rangle$	4
(2,0,0,1,0,0,0,1,1)	$\langle e \rangle$	4

Board Partition	K	$[\langle H, V \rangle : K]$
(2,0,0,1,0,0,0,2,0)	$\langle e \rangle$	4
(2,0,0,1,0,0,1,0,1)	$\langle e \rangle$	4
(2,0,0,1,0,0,1,1,0)	$\langle e \rangle$	4
(2,0,0,1,0,0,2,0,0)	$\langle e \rangle$	4
(2,0,0,1,0,1,0,0,1)	$\langle e \rangle$	4
(2,0,0,1,0,1,0,1,0)	$\langle e \rangle$	4
(2,0,0,1,0,1,1,0,0)	$\langle e \rangle$	4
(2,0,0,1,0,2,0,0,0)	$\langle e \rangle$	4
(2,0,0,1,1,0,0,0,1)	$\langle e \rangle$	4
(2,0,0,1,1,0,0,1,0)	$\langle e \rangle$	4
(2,0,0,1,1,0,1,0,0)	$\langle e \rangle$	4
(2,0,0,1,1,1,0,0,0)	$\langle e \rangle$	4
(2,0,0,1,2,0,0,0,0)	$\langle e \rangle$	4
(2,0,0,2,0,0,0,0,1)	$\langle H \rangle$	2
(2,0,0,2,0,0,0,1,0)	$\langle H \rangle$	2
(2,0,0,2,0,1,0,0,0)	$\langle H \rangle$	2
(2,0,0,2,1,0,0,0,0)	$\langle e \rangle$	4
(2,0,1,0,0,0,0,1,1)	$\langle e \rangle$	4
(2,0,1,0,0,0,0,2,0)	$\langle e \rangle$	4
(2,0,1,0,0,0,1,0,1)	$\langle e \rangle$	4
(2,0,1,0,0,0,1,1,0)	$\langle e \rangle$	4
(2,0,1,0,0,0,2,0,0)	$\langle e \rangle$	4
(2,0,1,0,0,1,0,0,1)	$\langle e \rangle$	4
(2,0,1,0,0,1,0,1,0)	$\langle e \rangle$	4
(2,0,1,0,0,1,1,0,0)	$\langle e \rangle$	4
(2,0,1,0,0,2,0,0,0)	$\langle e \rangle$	4
(2,0,1,0,1,0,0,0,1)	$\langle e \rangle$	4
(2,0,1,0,1,0,0,1,0)	$\langle e \rangle$	4
(2,0,1,0,1,0,0,1,0,0)	$\langle e \rangle$	4
(2,0,1,0,1,1,0,0,0)	$\langle e \rangle$	4
(2,0,1,0,2,0,0,0,0)	$\langle e \rangle$	4
(2,0,1,1,0,0,0,0,1)	$\langle e \rangle$	4
(2,0,1,1,0,0,0,1,0)	$\langle e \rangle$	4
(2,0,1,1,0,0,1,0,0)	$\langle e \rangle$	4
(2,0,1,1,0,1,0,0,0)	$\langle e \rangle$	4
(2,0,1,1,1,0,0,0,0)	$\langle e \rangle$	4
(2,0,2,0,0,0,0,0,1)	$\langle R_{180} \rangle$	2
(2,0,2,0,0,1,0,0,0)	$\langle e \rangle$	4
(2,0,2,0,1,0,0,0,0)	$\langle e \rangle$	4
(2,1,0,0,0,0,0,1,1)	$\langle e \rangle$	4
(2,1,0,0,0,0,0,2,0)	$\langle e \rangle$	4
(2,1,0,0,0,0,1,0,1)	$\langle e \rangle$	4
(2,1,0,0,0,0,1,1,0)	$\langle e \rangle$	4

Board Partition	K	$[\langle H, V \rangle : K]$
(2,1,0,0,0,0,2,0,0)	$\langle e \rangle$	4
(2,1,0,0,0,1,0,0,1)	$\langle e \rangle$	4
(2,1,0,0,0,1,0,1,0)	$\langle e \rangle$	4
(2,1,0,0,0,1,1,0,0)	$\langle e \rangle$	4
(2,1,0,0,0,2,0,0,0)	$\langle e \rangle$	4
(2,1,0,0,1,0,0,0,1)	$\langle e \rangle$	4
(2,1,0,0,1,0,0,1,0)	$\langle e \rangle$	4
(2,1,0,0,1,0,1,0,0)	$\langle e \rangle$	4
(2,1,0,0,1,1,0,0,0)	$\langle e \rangle$	4
(2,1,0,0,2,0,0,0,0)	$\langle e \rangle$	4
(2,1,0,1,0,0,0,0,1)	$\langle e \rangle$	4
(2,1,0,1,0,0,0,1,0)	$\langle e \rangle$	4
(2,1,0,1,0,0,1,0,0)	$\langle e \rangle$	4
(2,1,0,1,0,1,0,0,0)	$\langle e \rangle$	4
(2,1,0,1,1,0,0,0,0)	$\langle e \rangle$	4
(2,1,0,2,0,0,0,0,0)	$\langle e \rangle$	4
(2,1,1,0,0,0,0,0,1)	$\langle e \rangle$	4
(2,1,1,0,0,0,0,1,0)	$\langle e \rangle$	4
(2,1,1,0,0,0,1,0,0)	$\langle e \rangle$	4
(2,1,1,0,0,1,0,0,0)	$\langle e \rangle$	4
(2,1,1,0,1,0,0,0,0)	$\langle e \rangle$	4
(2,1,1,1,0,0,0,0,0)	$\langle e \rangle$	4
(2,1,2,0,0,0,0,0,0)	$\langle e \rangle$	4
(2,2,0,0,0,0,0,0,1)	$\langle V \rangle$	2
(2,2,0,0,0,0,1,0,0)	$\langle V \rangle$	2
(2,2,0,0,0,1,0,0,0)	$\langle e \rangle$	4
(2,2,0,0,1,0,0,0,0)	$\langle V \rangle$	2
(2,2,1,0,0,0,0,0,0)	$\langle e \rangle$	4
(3,0,0,0,0,0,0,1,1)	$\langle e \rangle$	4
(3,0,0,0,0,0,0,2,0)	$\langle e \rangle$	4
(3,0,0,0,0,0,1,0,1)	$\langle e \rangle$	4
(3,0,0,0,0,0,1,1,0)	$\langle e \rangle$	4
(3,0,0,0,0,0,2,0,0)	$\langle e \rangle$	4
(3,0,0,0,0,1,0,0,1)	$\langle e \rangle$	4
(3,0,0,0,0,1,0,1,0)	$\langle e \rangle$	4
(3,0,0,0,0,1,1,0,0)	$\langle e \rangle$	4
(3,0,0,0,0,2,0,0,0)	$\langle e \rangle$	4
(3,0,0,0,1,0,0,0,1)	$\langle e \rangle$	4
(3,0,0,0,1,0,0,1,0)	$\langle e \rangle$	4
(3,0,0,0,1,0,1,0,0)	$\langle e \rangle$	4
(3,0,0,0,1,1,0,0,0)	$\langle e \rangle$	4
(3,0,0,0,2,0,0,0,0)	$\langle e \rangle$	4
(3,0,0,1,0,0,0,0,1)	$\langle e \rangle$	4

Board Partition	K	$[\langle H, V \rangle : K]$
(3,0,0,1,0,0,0,1,0)	$\langle e \rangle$	4
(3,0,0,1,0,0,1,0,0)	$\langle e \rangle$	4
(3,0,0,1,0,1,0,0,0)	$\langle e \rangle$	4
(3,0,0,1,1,0,0,0,0)	$\langle e \rangle$	4
(3,0,0,2,0,0,0,0,0)	$\langle e \rangle$	4
(3,0,1,0,0,0,0,0,1)	$\langle e \rangle$	4
(3,0,1,0,0,0,0,1,0)	$\langle e \rangle$	4
(3,0,1,0,0,0,1,0,0)	$\langle e \rangle$	4
(3,0,1,0,0,1,0,0,0)	$\langle e \rangle$	4
(3,0,1,0,1,0,0,0,0)	$\langle e \rangle$	4
(3,0,1,1,0,0,0,0,0)	$\langle e \rangle$	4
(3,0,2,0,0,0,0,0,0)	$\langle e \rangle$	4
(3,1,0,0,0,0,0,0,1)	$\langle e \rangle$	4
(3,1,0,0,0,0,0,1,0)	$\langle e \rangle$	4
(3,1,0,0,0,0,1,0,0)	$\langle e \rangle$	4
(3,1,0,0,0,1,0,0,0)	$\langle e \rangle$	4
(3,1,0,0,1,0,0,0,0)	$\langle e \rangle$	4
(3,1,0,1,0,0,0,0,0)	$\langle e \rangle$	4
(3,1,1,0,0,0,0,0,0)	$\langle e \rangle$	4
(3,2,0,0,0,0,0,0,0)	$\langle e \rangle$	4
(4,0,0,0,0,0,0,0,1)	$\langle e \rangle$	4
(4,0,0,0,0,0,0,1,0)	$\langle e \rangle$	4
(4,0,0,0,0,0,1,0,0)	$\langle e \rangle$	4
(4,0,0,0,0,1,0,0,0)	$\langle e \rangle$	4
(4,0,0,0,1,0,0,0,0)	$\langle e \rangle$	4
(4,0,0,1,0,0,0,0,0)	$\langle e \rangle$	4
(4,0,1,0,0,0,0,0,0)	$\langle e \rangle$	4
(4,1,0,0,0,0,0,0,0)	$\langle e \rangle$	4
(5,0,0,0,0,0,0,0,0)	$\langle e \rangle$	4

DEPARTMENT OF MATHEMATICS, WETSERN WASHINGTON UNIVERSITY, BELLINGHAM, WA 98225

Email address: jensenn5@wwu.edu & noahj@pdx.edu

DEPARTMENT OF MATHEMATICS, WESTERN WASHINGTON UNIVERSITY, BELLINGHAM, WA 98225

Email address: trenees@wwu.edu