SuperPay

Payment gateway Iframe Integration Guide

V1.3

Revision History:

Date	Author	Version	Change Reference
May 26, 2025	SuperPay Frontend Team	1.0	First Version
Sep 25, 2025	Abdelrahman Ghoniem	1.1	Add I Frame URL creation using API
Sep 28, 2025	Moamen Megahed	1.2	Integration via SDK
Oct 27, 2025	Yassmin Taha	1.3	Add STS APIs serving IFrame

Contents

Introduction

This guide shows you how to collect necessary data to create needed url to create order through iframe

Request Body

Request Body Definition

To create an order that can be read through iframe we need to include merchant data, order data and signature for this order without these three objects we cannot create json body needed for iframe.

Request Body Sample

```
{
  "merchant": {
    "code": "SUPERPAY_MERCHANT01",
    "apiKey": "3m9QZ43pkV"
  },
  "order": {
    "merchantOrderId": " merchantOrderId01",
    "amount": 1000.00,
    "currency": "EGP"
  },
  "clientId":"customer01", //optional
  "signature": " 1cb7fdac9f62064eee92ae35bd9e0073a02b436f59050aefa31b41c54814194c"
}
```

Request Body Details

1- Merchant info that is provided from Superpay and consists of merchant code and apikey
2- Order info that is created from merchant side and is sent in details in format used in sample
3- ClientId which is unique identifier sent by merchant for each customer and allows tokenization for these customers
4- Signature which is unique identifier that confirms order details to insure that the order is created from merchant

Signature Creation

Signature Definition

Is unique identifier that consists of order details, which then is encrypted using HMAC hash mapping using SHA256 and gives output in hex format

Signature components

1- Order details which combines order id, amount and currency and is written in this
Format: merchantOrderId011000.00EGP
2- secret hash key used for encryption is IUJGqrfc5t
3- make sure that the hash function is SHA256 and output is in hex

Integrating with Iframe

Data passing

1. Create URL manually

After creation of the request body, then the body is encrypted using base64url, after that the encrypted data is sent through url

2. Create URL using API

a. **URL:** https://merchant.super-pay.com/ordertransaction/api/1/sts/iframe/url
b. **HTTP Method:** POST
c. **Request Body:** pass the JSON object like the sample that is mentioned earlier.
d. **Response Sample:**


```
{
    "status": "SUCCESS",
    "url": "https://merchant.super-pay.com/sp/pay/ewogICAgIm1lcmNoYW50IjogewogICAgICAgICJjb2RlIjogIlNVUEVSU
EFZX01FUkNIQU5UMDEiLAogICAgICAgICJhcGlLZXkiOiAiM205UVo0M3BrViIKICAgIH0sCiAgICAib3JkZXIiOiB7Ci
AgICAgICAgIm1lcmNoYW50T3JkZXJJZCI6ICIgbWVyY2hhbnRPcmRlcklkMDEiLAogICAgICAgICJhbW91bnQiOiAx
MDAwLjAwLAogICAgICAgICJjdXJyZW5jeSI6ICJFR1AiCiAgICB9LAogICAgImNsaWVudElkIjoiY3VzdG9tZXIwMSIsC
iAgICAic2lnbmF0dXJlIjogIiAxY2I3ZmRhYzlmNjIwNjRlZWU5MmFlMzViZDllMDA3M2EwMmI0MzZmNTkwNTBh ZWZhMzFiNDFjNTQ4MTQxOTRjIgp9Cg "
}
```


3. SDK Integration

A ready-to-use SDK function opens the payment iframe. Merchants only need to pass a configuration object with the required fields. The SDK handles the iframe, overlay, and display automatically.

1. Include the SDK
Add the SDK to your project:

```
<script src="path-to-sdk.js"></script>
```

2. Call the initiateIframe function
Pass the configuration object with the required fields, including the signature:

```
SuperPay.initiateIframe({
  merchantCode: "SUPERPAY_MERCHANT01",
  apiKey: "3m9QZ43pkV",
  orderId: "merchantOrderId01",
  amount: "1000.00",
  currency: "EGP",
  signature: "1cb7fdac9f62064eee92ae35bd9e0073a02b436f59050aefa31b41c54814194c",
```

```
  clientId: "customer01", // optional

  // Optional display options
  fullscreen: false,
  redirection: false,
  width:"60%",
  height:"80%",
});
```

Notes:

- The signature must still be generated on the merchant side using the secret key and HMAC-SHA256.
- If redirection is true, the user will be redirected to the payment page instead of opening an iframe.
- If fullscreen is true, the iframe will occupy the full screen.
- A default overlay and close button are included automatically.
- By default, if no options (redirection, fullscreen, width, or height) are set, the iframe opens as a popup.

URL sample

https://merchant.super-pay.com/sp/pay/ewogICAgIm1lcmNoYW50IjogewogICAgICAgICJjb2RlIjogIlNVUEVSU
EFZX01FUkNIQU5UMDEiLAogICAgICAgICJhcGlLZXkiOiAiM205UVo0M3BrViIKICAgIH0sCiAgICAib3JkZXIiOiB7Ci
AgICAgICAgIm1lcmNoYW50T3JkZXJJZCI6ICIgbWVyY2hhbnRPcmRlcklkMDEiLAogICAgICAgICJhbW91bnQiOiAx
MDAwLjAwLAogICAgICAgICJjdXJyZW5jeSI6ICJFR1AiCiAgICB9LAogICAgImNsaWVudElkIjoiY3VzdG9tZXIwMSIsC
iAgICAic2lnbmF0dXJlIjogIiAxY2I3ZmRhYzlmNjIwNjRlZWU5MmFlMzViZDllMDA3M2EwMmI0MzZmNTkwNTBh
ZWZhMzFiNDFjNTQ4MTQxOTRjIgp9Cg

Direct Payment without CVV (MOTO):

List Client Tokens API:

In case of your clients save their cards, you should hit list client token API to retrieve all client tokens.

URL

Method	URL
Get	https://<super_pay_paygate_domain>/ordertransaction/api/1/list-client-tokens

Request

Headers

Parameter Name	Type	Optional / Mandatory	Description
merchantCode	String	M	The merchant code
apiKey	String	M	apiKey of merchant channel, it's unique per channel.
session	String	M	Active session for requested merchant channel which received in Key Exchange API.
clientId	Sting	M	Client Identifier for merchant, which used before to save cards

Response

Parameter Name	Type	Optional / Mandatory	Description
status	String	M	SUCCESS / FAILURE
errorCode	String	C	Error code in case of FAILURE
descriptionArabic	String	C	Error description in Arabic in case of FAILURE
descriptionEnglish	String	C	Error description in English in case of FAILURE
cardTokens	List	M	List of saved card details
cardTokens.cardMaskedNumber	String	M	Saved card masked number like "5123******0008"
cardTokens.expiryMonth	String	M	Card Expiry Month
cardTokens.expiryYear	String	M	Card Expiry Year
cardTokens.token	String	M	Token which represent saved card at Superpay payment gateway
cardTokens.status	String	M	Token status "ACTIVE, SUSPENDED, BLOCKED"

Pay Order:

URL

Method	URL
Post	https://<super_pay_paygate_domain>/ordertransaction/api/1/motodirectpayorder

Request

Headers

Parameter Name	Type	Optional / Mandatory	Description
operation	String	M	Static value: PAY_ORDER
session	String	M	Active session for requested merchant channel which received in Key Exchange API.

Request Body Parameters

Parameter Name	Type	Optional / Mandatory	Description
paymentMethod	String	M	Payment method for this order "CARD"
merchant.code	String	M	The merchant code
merchant.apiKey	String	M	apiKey of merchant channel, it's unique value.
order.merchantOrderId	String	M	Unique order Id per Merchant
order.amount	Double	M	Order Amount in format xx.xx
order.currency	String	M	Currency "EGP"
clientId	Sting	C	Client Identifier for merchant, required in case you need to pay with already saved token
sourceOfFunds.cardInfo	String	M	Card Info Encrypted in HEX format using RSA Algorithm and Public Key which attached with sent session in header. in case pay with token, no need to send it.
sourceOfFunds.cardToken	String	C	In case of pay with already saved card, it represents card which client select. You can list all saved token for client using (list-client-tokens)
sourceOfFunds.payWithToken	Boolean	C	Yes, if will use already saved token
signature	String	M	HMAC hash created by combining (order. merchantOrderId + order.amount+ order.currency) using merchant secure hash key.

Clear Value of Card INFO:

When decrypt encrypted card info expect found below Body:

```
{  "cardNumber": "5123450000000008",
    "expiryMonth": "01",
    "expiryYear": "39",
    "cardHolderName": "test"}
```

Response

Parameter Name	Type	Optional / Mandatory	Description
status	String	M	SUCCESS / FAILURE

errorCode	String	C	Error code in case of FAILURE
descriptionArabic	String	C	Error description in Arabic in case of FAILURE
descriptionEnglish	String	C	Error description in English in case of FAILURE
merchantOrderId	String	M	merchant order id
paymentgwOrderId	String	M	Generated order id unique per system
creationTime	String	M	Order created time like "2023-09-24T09:54:38.432Z"
updatedTime	String	M	Last order updated time like "2023-09-24T09:54:38.432Z"
orderStatus	String	M	Order status "INIAITE_AUTHORIZE, REFUNDED, PARTIALLY_REFUNDED, PAY_COMPLETED, etc"
netAmount	String	M	Order net amount
totalAmount	String	M	Order total amount
refundedAmountTillNow	String	C	Order refunded amount till now
acquirer	String	M	Acquirer which transaction will go through "BM or NBE"
network	String	M	Network which transaction will go through "MPGS or VISA"

Merchant Notification:

This is API which merchant provide us with his endpoint to receive notification with order status after payment done if customer redirected to 3ds page. Merchant can send acknowledge to Superpay with Http response status 200 to log that merchant received notification.

URL

Method	URL
GET	https://< **merchant-Configured-endpoint** > response={orderParamters-Base64Encoded}

Notification Parameters

Parameter Name	Type	Optional / Mandatory	Description
status	String	M	SUCCESS / FAILURE
errorCode	String	C	Error code in case of FAILURE
descriptionArabic	String	C	Error description in Arabic in case of FAILURE
descriptionEnglish	String	C	Error description in English in case of FAILURE

merchantOrderId	String	M	merchant order id
paymentgwOrderId	String	M	Generated order id unique per system
creationTime	String	M	Order created time like "2023-09-24T09:54:38.432Z"
updatedTime	String	M	Last order updated time like "2023-09-24T09:54:38.432Z"
orderStatus	String	M	Order status "INIAITE_AUTHORIZE, REFUNDED, PARTIALLY_REFUNDED, PAY_COMPLETED, etc"
netAmount	String	M	Order net amount
totalAmount	String	M	Order total amount
refundedAmountTillNow	String	C	Order refunded amount till now
acquirer	String	M	Acquirer which transaction will go through "BM or NBE"
network	String	M	Network which transaction will go through "MPGS or VISA"

__Example of notification:__

https://<merchant-
Configured-endpoint>?response=eyJtZXJjaGFudE9yZGVySWQiOiJzMnMwMDAxIiwibmV0QW1vdW50Ijo2NDA
uNSwiY3VycmVuY3kiOiJFR1AiLCJwYXltZW50Z3dPcmRlcklkIjoiZjAwNDAxZDFkOTZkNDY3NWI5MWRkMTY1OG
NkODEyZjUiLCJ0b3RhbEFtb3VudCI6NjQwLjUsImRvd25QYXltZW50QW1vdW50IjowLCJpc2Rvd25QYXltZW50T3
JkZXIiOmZhbHNlLCJjcmVhdGlvblRpbWUiOiIyMDI1LTAyLTEwVDExOjAyOjQ4LjU2MDc1IiwidXBkYXRlZFRpbWUi
OiIyMDI1LTAyLTEwVDExOjAzOjAyLjA1MzQ2MjE0MiIsIm9yZGVyU3RhdHVzIjoiUEFZX0NPTVBMRVRFRCIsInBhe
W1lbnRNZXRob2QiOiJDQVJEIiwibWVyY2hhbnRDb2RlIjoiU1VQRVJQQVlfTUVSQ0hBTlQwMSIsImFjcXVpcmVyIj
oiQk0iLCJuZXR3b3JrIjoiTVBHUyIsImNoYW5uZWxJbnRlcm5hbFJlZiI6Im9vLTU4YjQtNDFiOS05ODAzLTZkN2RmN
GE0ODIwNCIsInN0YXR1cyI6IlNVQ0NFU1MifQ

__Key Exchange API For Refund:__

For each order request on superPay paygate channel must have Active session and Public key to encrypt any need data in order requests. Key Specifications: RSA Key, Length 2048.

URL

Method	URL
Post	https://<super_pay_paygate_domain>/ordertransaction/api/1/sts/keyexchange

Request

__Headers__

Parameter Name	Type	Optional / Mandatory	Description
operation	String	M	Static value: KEY_EXCHANGE

Body

Parameter Name	Type	Optional / Mandatory	Description
merchantCode	String	M	The merchant code
apiKey	String	C	apiKey of merchant channel, it's unique per channel.
referenceNumber	String	C	In case of payment Link flow, you should send ref number instead of apiKey
requestTime	String	M	Current time
signature	String	M	HMAC hash created by combining (merchantCode + apiKey+ requestTime) using merchant secure hash key.

Response

Parameter Name	Type	Optional / Mandatory	Description
status	String	M	SUCCESS / FAILURE
errorCode	String	C	Error code in case of FAILURE
descriptionArabic	String	C	Error description in Arabic in case of FAILURE
descriptionEnglish	String	C	Error description in English in case of FAILURE
keyModulus	String	M	Modulus of Public Key
keyExponent	String	M	Exponent of Public Key
keyPem	String	M	Public Key in PEM format
session	String	M	JWT session linked to a merchant channel and an active key It has a time limit that will run out.
creationTime			Current time
merchantTokenizationAllowed	Boolean	M	Yes, if allowed for a merchant tokenization feature
signature	String	M	HMAC hash created by combining (session) using specific key agreed between server/client

Refund Order API:

This API support full refund and partial refund you can send amount you want to refund.

URL

Method	URL
post	https://<super_pay_paygate_domain>/ordertransaction/api/1/refund

Request

Headers

Parameter Name	Type	Optional / Mandatory	Description
session	String	M	Active session for requested merchant channel which received in Key Exchange API.

Request Body Parameters

Parameter Name	Type	Optional / Mandatory	Description
paymentgwOrderId	String	M	Generated order id unique per system
merchantOrderId	String	M	Unique order Id per Merchant
refundAmount	Double	M	Order Amount in format xx.xx
merchantCode	String	M	Merchant code
currency	String	M	Currency “EGP”
signature	String	M	HMAC hash created by combining (order. merchantOrderId + paymentgwOrderId + refundAmount) using merchant secure hash key.

Response

Parameter Name	Type	Optional / Mandatory	Description
status	String	M	SUCCESS / FAILURE
errorCode	String	C	Error code in case of FAILURE
descriptionArabic	String	C	Error description in Arabic in case of FAILURE
descriptionEnglish	String	C	Error description in English in case of FAILURE
merchantOrderId	String	M	merchant order id
paymentgwOrderId	String	M	Generated order id unique per system
creationTime	String	M	Order created time like "2023-09-24T09:54:38.432Z"
updatedTime	String	M	Last order updated time like "2023-09-24T09:54:38.432Z"
orderStatus	String	M	Order status “INIAITE_AUTHORIZE, REFUNDED, PARTIALLY_REFUNDED, PAY_COMPLETED, etc”
netAmount	String	M	Order net amount
totalAmount	String	M	Order total amount
refundedAmountTillNow	String	C	Order refunded amount till now

acquirer	String	M	Acquirer which transaction will go through “BM or NBE”
network	String	M	Network which transaction will go through “MPGS or VISA”

Get Order Status API:

URL

Method	URL
GET	https://<super_pay_paygate_domain>/ordertransaction/api/1/order/< **merchantOrderId**>

Request

Headers

Parameter Name	Type	Optional / Mandatory	Description
session	String	M	Active session for requested merchant channel which received in Key Exchange API.
merchantCode	String	M	Current Merchant Code

URL Parameters

Parameter Name	Type	Optional / Mandatory	Description
merchantOrderId	String	M	Merchant order id which merchant iniate order with

Response

Parameter Name	Type	Optional / Mandatory	Description
status	String	M	SUCCESS / FAILURE
errorCode	String	C	Error code in case of FAILURE
descriptionArabic	String	C	Error description in Arabic in case of FAILURE
descriptionEnglish	String	C	Error description in English in case of FAILURE
merchantOrderId	String	M	merchant order id
paymentgwOrderId	String	M	Generated order id unique per system
creationTime	String	M	Order created time like `"2023-09-24T09:54:38.432Z"`
updatedTime	String	M	Last order updated time like `"2023-09-24T09:54:38.432Z"`
orderStatus	String	M	Order status “`INIAITE_AUTHORIZE`, `REFUNDED`, `PARTIALLY_REFUNDED`, `PAY_COMPLETED`, `etc`”
netAmount	String	M	Order net amount
totalAmount	String	M	Order total amount

refundedAmountTillNow	String	C	Order refunded amount till now
acquirer	String	M	Acquirer which transaction will go through "BM or NBE"
network	String	M	Network which transaction will go through "MPGS or VISA"

References:

Request Signature Calculation (HMAC calculation)

Request signature rely on HMAC calculation to verify the data integrate.

HMAC calculation steps:

1. Concatenate the request parameters (each request requires specific fields to be included in HMAC calculation) values in one string.
2. Calculate the hash of the above string using SHA256 and secret Key agreed in each flow.
3. Convert the result HMAC Bytes to hex.

Postman collection for all APIs:

SuperPay Card Payment APIs.postm

Reference links:

- For SHA256 Hashing: https://www.javainuse.com/hmac
- For RSA Encryption/Decryption: https://www.devglan.com/online-tools/rsa-encryption-decryption
- Base64 to Hex: https://base64.guru/converter/decode/hex
- Iframes Documentation: https://developer.cybersource.com/content/dam/docs/cybs/en-us/payer-authentication/developer/all/rest/payer-auth.pdfs

End of document