



[\(/user/myaccount.aspx\)](/user/myaccount.aspx)



[\(/cart/viewcart.aspx\)](/cart/viewcart.aspx)



Part Number/Keywords

## ICC / Intervox BRT1615P-06-C

[Back](#) | [Industrial Controls \(/industrial-controls/\)](/industrial-controls/) / [Light Towers & Audibles \(/industrial-controls/light-towers-audibles/\)](/industrial-controls/light-towers-audibles/) / [Electronic Sounders \(/light-towers-audibles/electronic-sounders/\)](/light-towers-audibles/electronic-sounders/) / [BRT1615P-06-C \(/icc-intervox-brt1615p-06-c/70115817/\)](/icc-intervox-brt1615p-06-c/70115817/)

All Products

Manufacturers



[\(/search/productview.aspx?SKU=70115817\)](/search/productview.aspx?SKU=70115817)

*Image may be a representation.*

*See specs for product details.*

All Products

Manufacturers



[\(/icc-intervox/\)](#)

Transducer; Acoustic; 30 mA; 6 VDC; 2200 Hz; -20 to degC; 2 Pins; 16 mm

Manufacturer #: BRT1615P-06-C

Allied Stock #: 70115817

-

1

+

ADD TO CART

#### Resources



[Datasheet \(/m/d/f29b27c8a24c90d4528371f09490d914.pdf\)](#)

[View More from ICC / Intervox >> \(/icc-intervox/\)](#)

#### Pricing (USD) & Availability

##### Standard Pricing

**\$1.97** (Each)

1	\$1.97
10	\$1.88
25	\$1.79

##### Availability

1461 can ship immediately.

[Request Lead Time \(/cart/deliveryquote.aspx?PartNumber=70115817\)](#)

Minimum Quantity: 1

Multiples Of: 1

#### Product Specifications

Product Attribute	Attribute Value
-------------------	-----------------

Current Rating	30 mA
----------------	-------

Diameter, Hole	0.7 mm
----------------	--------

Frequency	2200 Hz
-----------	---------

Height	0.571" (14.5mm)
--------	-----------------

[All Products](#)

[Manufacturers](#)

Length	0.629" (16mm)
Operating Temperature	-20 to +60 °C
Operation	Continuous
Primary Type	Transducer
Product Header	Electro-Acoustic Transducer
Series	BRT1615 Series (/light-towers-audibles/electronic-sounders/?a10=ICC / Intervox&n8479=BRT1615 Series)
Sound Level	85 to 95 dB
Supply Voltage	6 VDC
Termination	Pins
Tone	Continuous
Type	Electro-Acoustic

Overview

ICC / Intervox Electro-Acoustic Transducers:

Extremely small, lightweight, and dependable, Intervox® magnetic transducers were designed to fulfill limited space requirements without sacrificing sound quality. Intervox® transducers use lower frequency tones than traditional piezo devices and are available in a variety of sizes, shapes and terminations for specific applications. Some pin-type units are sealed for wave-solder washing. Intervox® has also designed a series of transducers with surface mount technology.

The Intervox® line of buzzers, transducers, piezo alarms, sounders, speakers and microphones were created to provide the design engineer with the ultimate choices in technology. Designed primarily for OEM applications, they are distinctive in virtually any environment. Intervox® components achieve a level of reliability, efficiency, and clear, penetrating sound quality. For dependability and long life, choose Intervox®.

[VIEW ALL ICC / INTERVOX LIGHT TOWERS & AUDIBLES ▶ \(/light-towers-audibles/electronic-sounders/?a10=ICC / Intervox\)](/light-towers-audibles/electronic-sounders/?a10=ICC / Intervox)