


set up or used a continuous integration system to automate the running of tests and continuously deployed their code to their laaS or PaaS provider





set up or used a continuous integration system to automate the running of tests and continuously deployed their code to their laaS or PaaS provider

A Jenkins server was installed and configured on Uffo (a virtual machine hosted within the Noblis Innovation and Collaboration Center (NICC) hosting environment). The primary Jenkins job is titled "myCabinetDev". This job pulls the prototype's code from the Github repository, runs the testing suite, compiles the war file and then deploys the prototype to the Tomcat application server on Uole (an externally facing virtual machine hosted in the NICC).




Page generated: Jun 27, 2015 3:10-51 PM RESTAPI Jenkins ver. 1.699.1

This is the home screen for the Jenkins application.




set up or used a continuous integration system to automate the running of tests and continuously deployed their code to their laaS or PaaS provider



Build history for primary job.




set up or used a continuous integration system to automate the running of tests and continuously deployed their code to their laaS or PaaS provider



Detailed information for the primary job including it's test results.




set up or used a continuous integration system to automate the running of tests and continuously deployed their code to their laaS or PaaS provider



This is the primary page for the prototype's software repository. The git repository is hosted by Github.




set up or used a continuous integration system to automate the running of tests and continuously deployed their code to their laaS or PaaS provider



This graphs depicts the commit history over the course of the development period.




set up or used a continuous integration system to automate the running of tests and continuously deployed their code to their laaS or PaaS provider



This graph shows the branch history of the repository.



set up or used a continuous integration system to automate the running of tests and continuously deployed their code to their laaS or PaaS provider



This is a summary of the most recent commits to the repository.