EU SAE Workbench

Quick start and folder map

Open START_HERE.html in the package for clickable guides and the full documentation catalogue.

1. Extract and prepare

Extract the whole application ZIP. Install R 4.2 or later using a version approved by your organization. Keep the package folders together. The launcher installs missing R packages on first use, so allow an internet connection and time for setup. It reuses Pandoc or downloads a verified copy for HTML/Word reporting.

2. Open the guided application

Open Start_Here and use the launcher for your computer. Keep its terminal window open while working. Choose New model run, or Load saved configuration to continue with saved settings.

3. Run the seven steps

Choose your input files, check variable mappings and model settings, then run Check data readiness in Step 6. In Step 7, select Run model. AI report writing is optional and requires separate consent.

Windows	Start_Here/Start_Wizard.bat
macOS	Start_Here/Start_Wizard.command
Linux	bash Start_Here/Start_Wizard.command

Read Guides 1, 2 and 3

Open docs/instructions/English/, Polish/ or Greek/. Each language has the three guides as PDF and editable PowerPoint. The PDFs are the reading copies. Additional references are currently in English.

Find current and saved results

outputs/ is reused by later runs. app_runs/ holds dated run folders. app_runs/_last_setup_files contains saved-setup support files and is not a run archive. A newly extracted package has no generated reports yet.

Review and retain your results

Use Open the report and Open the run folder when the run finishes. Review diagnostics, uncertainty and any AI advice before using the findings. Save a separate copy of the Word report before editing it.

Current report	outputs/final_report.html - Open in a browser after a completed run. Keep outputs/data beside it for linked workbooks.
Editable report	outputs/final_report.docx - Open in Word. Save a separate working copy before editing.
Consolidated results	outputs/data/EU_SAE_results.xlsx - Excel estimates, changes and diagnostics when the relevant steps complete.
Figures and diagnostic tables	outputs/figures/ and outputs/tables/ - Maps, plots and detailed diagnostics from the current run.
A previous run	app_runs/<run folder>/outputs/ - Archived results; the parent run folder contains saved configuration and logs. Retain original inputs separately.

Folder map

Start_Here/	Launchers and detailed startup help.
Data/	Supplied Spain and synthetic examples. Your own approved inputs can be elsewhere.
docs/instructions/English, Polish, Greek/	Language folders containing Guides 1-3; PDF for reading, PPTX for editing.
docs/guidance/	Guidelines, methodology alignment, deviations and technical notes.
docs/validation/	Current validation, limitations and historical QER evidence.
docs/maintenance/	Release history and procedures; navigation source files.
docs/templates/	Internal Word-report template; keep it with the application.
outputs/ and app_runs/	Current results and archived runs, respectively.
R/, scripts/, tests/, tools/, www/	Application code, checks, builders and interface resources. No routine editing is needed.

Help

For startup problems, read Start_Here/README.md and startup_setup.log. If analysis completes without a report, inspect the run log for Pandoc or Word-conversion messages. The Guides and notes menu links to the same documentation catalogue.