



USER MANUAL · ENGLISH EDITION

Business Process Map User Manual

Draw processes as flowcharts, manage them as versions, finalize through approval.

Company process-map system • As of 2026-09-30

What's inside

01	Getting Started	3–6	02	Home · Finding & Managing Maps	7–15
03	Editing · The Basics	16–25	04	Node Data	26–31
05	Subprocesses	32–40	06	Versions & Approval	41–47
07	Comparing Versions	48–52	08	Import · Export · AI	53–57
09	Framework & Linkage Canvas	58–68	10	Notifications · Notices · Collaboration	69–73

01

Getting Started

Sign in, learn the screens, and understand your role on a map.

Signing in

Keycloak SSO

[Sign in with Keycloak](#) with your company account.

Auto sign-in · deep links


After the first time you're signed in automatically and land on the screen you opened.

LDAP servers

An ID/password form instead. Admin-issued [local accounts](#) work too.

Development

[Sign in with a test account](#) .



— Login screen (development example)

Screens at a glance

Top tabs

Maps · Notices · Inbox.

Top bar


Manual (KO/EN, search), Feedback, the bell, **Settings**, 한/EN toggle.

Personal dashboard

Right side of Home. Profile · five activity tiles · six sections.

Quick search

Press **/** on the map list or in the manual.



Roles and visibility

Owner

Everything. Edit, manage collaborators, approvers and visibility, delete.

Editor

Edit the map and its draft versions.

Viewer

Read-only. Browse, compare, comment.

Approver

Review and approve or reject submitted versions.

Owning department

One per map. Its members hold Editor automatically.

Visibility

Public is viewable by everyone, **Private** by collaborators and approvers only.

Category admins

Framework-only role. They edit and confirm the linkage canvases of their category and below (Ⓢ).

02

Home • Finding & Managing Maps

Browse maps by org tree or framework; create, copy, and manage settings.

Finding maps & the detail panel

Org tree

Browse by department, yours pinned on top. Managed canvases sit in an **L5 canvases** group.

Search and two filter rows

All/Public/Private and **Sort** on top. Status · Role · Issues · **Type** below.

Detail panel


Click a card. Owner, owning department, members, version history.

Owner unconfirmed

Interview-imported maps. Cleared by Transfer ownership.

Notes

Read-only interview source notes and owner-managed **Notes**. Collaborators edit right on the card.



Personal dashboard & delayed navigation

Six sections

Recently opened · Framework · My department · My documents · Needs approval · Recent changes. Profile and tiles stay pinned.

My department

Your department's own maps. Sub-departments fold into one line, widened by the **scope dropdown**.

Status | Version tabs


Distribution on the My department and My documents cards. Click a legend to filter.

N more

A few rows per section. A map in several sections gets a **left accent bar** on hover.

Delayed one-click navigation

Tiles and rows run after a **0.6 s countdown**. Click the layer to cancel.



— Home personal dashboard

The Framework pill · assign, move, hand off

Framework pill

On the card: **Add to framework** · **Unassign** · **Transfer slot** . L5 only.

Apply now vs request

That L5's admin or a sysadmin applies at once. Anyone else files a request the L5 admins decide.

Move to another L5


Both L5s' admins approve. A **progress (n/m)** banner shows meanwhile; withdrawable.

Delete · copy-and-retire

Same path. **Copy inherits the slot** or **Free the slot** .

Category summary card

Click a category row. Children, L5s, maps, admins, subtree confirmation.



People cards & org info

Person card

Hover a name 0.7 s or click. KO/EN names, title, org path, Open messenger.

Right-click a name


[Send message](#) · [Info](#) .

Org info modal

Click a department card. Members, sub-organizations, path upward.

Name order

Follows your language setting. Korean UI puts Korean names first.



Creating a map

New map

Name · description · visibility.

Owning department required

Org-tree picker. Its members always hold Editor.

At least one approver


A map cannot be created without one.

Initial collaborators

People, teams or groups as Viewer/Editor. Sorted by org proximity.

Draw right away

Start and End are pre-seeded. [Create from CSV](#) builds a pre-filled map.



The screenshot shows a 'New map' dialog box with the following fields and options:

- Name:** A text input field containing 'Purchasing Approval'.
- Description:** A text input field with the placeholder text 'What is this process map about? (optional)'.
- Owning department (required):** A dropdown menu with the placeholder text 'Search by name or initial consonant...'.
- Visibility:** Two radio buttons, 'Public' (selected) and 'Private'.
- Initial collaborators:** A section with the text 'Search below to add editors or viewers.' and a search input field with the placeholder text 'Search by name or initial consonant...'.
- Required approvers (≥1):** A section with the text 'Search below to add approvers.' and a search input field with the placeholder text 'Search by name or initial consonant...'.
- Buttons:** 'Cancel' and 'Create' buttons at the bottom right.
- Footer:** A red text label 'Select the owning department.'

Copying & replacing the original

Copy

Published maps only. Pick the version; the copy opens as a new draft.

Replace the original

Check "Move the original to the trash". The copy keeps the name, the original is trashed for 7 days.

Rosters carry over


Collaborators and approvers are pre-loaded to review, then notified.

Slot on copy

A slotted original goes through approval. **Inherit** or **Free** the slot.

Plain deletion

7 days in the trash, then purged. Restore under Settings → Scheduled deletion.



Map Settings · Collaborators

Add Viewer / Editor

People, teams or user groups. Default list sorted by org proximity.

Staged changes

To add / Change / Remove pills, applied with **Save changes**, dropped with **Discard**.

Forecast icons


⚡ instant, ⌚ needs approval (removing or demoting an Editor).

Approval pending

Tag on pending requests. Hover your own to **Withdraw**.

Undo

Right after saving, revert that one save.



Map Settings · name, visibility & more

Name · owning department

Owner/admin change instantly, editors file a request.
Derived Editor access follows the new department.

Conditions & GMP card

Details tab of interview-imported maps. Settle GMP and start/end conditions next to the source text.

Visibility change

Needs approval. Impact preview plus deciding approvers;
withdraw while pending.


Subprocess designation

Needs a published version.

[Attributes](#) / [Metric tiles](#) / [Detail tiles](#) (⑤).

Danger Zone

Transfer ownership, delete map (Owner only).



03

Editing • The Basics

The editor, canvas navigation, creating and connecting nodes, tidying and saving.

The editor at a glance

Top bar

Map menu · version selector · undo/redo · library · AI · Save.

Side panels

Outline tree and shortcut card on the left, inspector (Properties / Map / Approval / Activity) on the right.

Node display fields


Map tab **Node display** or the **eye icon** card next to the zoom pill.

Framework chip

Top-left on registered maps. Expand to jump to sibling maps.

AI consultant balloon

On a brand-new map. Start opens the interview (Ⓢ).



Moving around the canvas

Wheel

Vertical pan. **Shift** + wheel horizontal, **Ctrl** + wheel zoom.

Pan and box-select


Hold **Space** and drag to pan. Drag empty canvas to box-select.

Right-click

Context menu for node, edge or canvas.

Auto shift

When a node grows, nodes below shift on screen. Saved coordinates stay.



Creating nodes

Add

Right-click the canvas or **Add node** in the inspector.

Five types


Start (one) · Process · Decision · End (one primary) · Subprocess.

Rename

Double-click or **F2**. **Enter** commits, **Shift+Enter** breaks the line.

Copy · duplicate

Ctrl+C/V across maps, **Ctrl** +drag duplicates.
Duplicate names get (2).



Connecting nodes

Drag a handle

Dropping on a node's body connects to the default handle (snap preview).

Splits use a decision or a parallel exit

One-of-several uses a **Decision** (Yes/No labels); concurrent work uses a right-click **Parallel exit** (two or more). Start is parallel by default.

Edge labels


Right-click or **F2**. Line breaks supported.

Line style

Per edge: curved / stepped / straight. Change all in the Map tab's **Edge style**.

Drop zones

Drag a node near another to insert before / after / swap / group.



Parallel exits and flow pulse

Turn on

Right-click a node, **Parallel exit**. Subprocesses pick per end.

Rule

A parallel exit needs two or more connections. No insert prompt.

Hover badge


N in parallel above the node. A faint inner line.

Flow pulse

Parallel dots run in step to three quarters. Decision dots stop, blink, then one branch moves on.

Reduced motion

Hidden when the OS reduce-motion setting is on.



Tidying · layout, groups, bulk edit

Auto layout

Horizontal `Shift+L` · vertical `Shift+K`. The main path snaps to one line.

Group

Select 2+ nodes, `Ctrl+G`. Double-click the title to rename, drag it to move.

Axis lock · align · distribute

`Shift` +drag locks the axis, `Alt+W/C/T/X` aligns, `Alt+R/V` distributes.

Group bulk edit

Pick a field under Attributes / Metrics / I/O and set or clear it for every member.

Search & following the flow

Node search

/ . Korean **chosung** supported; matches jump and highlight.

Outline

Click an entry to focus that node.

Along the flow


Tab / Shift+Tab next/previous node, expanded children included.

Flow highlight

] / [grow or shrink. Incoming teal, outgoing orange, selected violet.

Node comments

Ctrl+Enter sends. Read-only users can comment too.



Saving & validation

Autosave

About 2 s after you stop. The Save button shows Saving / Saved / Failed.

Editing needs

A draft (#Draft / #Rejected) plus **your checkout**. Otherwise read-only.

Save checklist

One Start · one primary End · unique End names · splits use a decision or a parallel exit (parallel exits two or more).

Pending downgrade

While your permission downgrade is pending, checkout and submission are refused.

Shortcuts at a glance

Editing

`Ctrl+C/V` copy · `Ctrl` +drag duplicate · `Ctrl+Z` / `Ctrl+Shift+Z` ·
`Delete` · `F2` rename · `Shift+Enter` line break

Tidying

`Shift+L/K` auto layout · `Ctrl+G` group · `Alt+W/C/T/X` align · `Alt+R/V`
distribute · `Shift` +drag axis lock

More

[More shortcuts](#) at the bottom of the Outline keys card.

Canvas

`Space` pan · `Ctrl` +wheel zoom · `/` search · `S` subprocess list · `Esc`
cancel / close

Navigation

`Tab` / `Shift+Tab` along the flow · `]` / `[` highlight · `Alt+←/→` collapse
panels · `Ctrl+Shift+E` PNG · `Ctrl+Enter` send

04

Node Data

Attributes, per-run metrics, GMP classification, I/O & conditions, and links.

Node attributes

Title · description

Double-click or F2 renames. Body double-click or **Edit info** opens the edit dialog.

BPM attributes

Assignee (org directory) · Role · department (auto) · System · color.

Role


A role name separate from the assignee. Catalog autocomplete, aliases become canonical.

System

Matched to the system list. Unknown values become **Other** + source note.

GMP · link

Direct / Indirect / Non-GMP pill locks the color. URLs show as a badge.



The node edit dialog (tiles)

Tiles

Type & color · **Attributes** · **seven metrics** · **I/O & conditions** .

In-place popover

Click a tile and type where you clicked. Enter applies, Esc cancels.

Instant sync


Values reach the node and inspector immediately. The footer is just **Done** ; undo is **Ctrl+Z** .

Cost tile

₩ / \$ tabs pick one currency. The other clears on save.

Previous / next nodes

Dock cards on both sides slide into editing the neighbor.



Roles & the system catalog

Role row

Under Assignee in the inspector. Admin role list autocomplete; free text is kept.

Assignee 2 : Role 1

One tile row in the edit and SP designation dialogs. Filled tiles show only the chip.

Other + source note


Systems outside the list. With a different note present: replace / append / cancel.

On canvas

Role at rest, **assignee chip** about 1 s after hover or select.

Warning color

Departments or people missing from the org chart. Roles are not checked.



Per-run metrics (seven)

Per single run

Duration · touch time · cost (₩/\$) · headcount · annual volume · FTE.

h.mm notation

1.30 = 1 h 30 m. Shown as typed while editing and in CSV/Excel, 1h30m elsewhere.

One currency


₩ / \$ toggle. Switching warns that the other value clears, with Undo.

Section Save

Metrics and I/O sections apply via their [section Save button](#).

Subprocess nodes

Only annual volume and FTE are edited directly. The other five inherit.



Inputs, outputs & conditions

Row layout

Number / data-form pill / item name. Click the dotted slot to set the data form.

Import from node...

Pull an upstream output or downstream input and stay Linked. Disconnect detaches.

Link cues


Link icon with a direction tooltip. Hovering lights up the peer node on canvas.

Required / optional

Input flag. Required shows a red tint on hover.

Start / end conditions

Free text, shown below the selected node on canvas.



05

Subprocesses

Reference another map as a single step. Preview it, expand it, manage registration.

Adding as a link

A reference, not a copy

Changes to the source map flow through.

Library

S, chosung search. Designated maps by default.

Filter popover


Unregistered maps switch · Department rows · Role pills.

Version tracking

New links follow the latest published version; pinning is possible. Duplicates are blocked.

Subprocess tab

On selection: designation info · maps linking this one · designated parameters.



Subprocess connections · exits per end

Incoming

Any of the four sides. Handles show only while dragging in.

Outgoing

Starts from one exit point on the right.

Pick the end


With several ends, dropping asks **which end continues**.

One per end

Per-end parallel in the right-click **Parallel exit** submenu.

End badge

2/3 after the title, red +N when over.



Preview peek · Node tab

Open the peek

Click a library row (or hover 2.5 s). Map name · owner · version · framework path.

Flow preview

Wheel zoom (100–300%), drag to pan. [Add to map](#) ·

[Open this map](#) float above.

Node tab


A live mock of the node you'd add: attributes, metric chips, GMP, conditions, I/O.

Drag it in

Drag the mock straight onto the canvas. Locked maps can still be added.

Department chip

Hover for the org info card.



Preview peek · Details tab

Designated attributes


Department · assignee · system and the
subprocess metrics .

Everything listed

Conditions · I/O · GMP. Empty values tone down to dashes.

Meta

Published version (v-number) · publish time · framework path.



Expand in place (inline)

Expand subprocess

Right-click or the action bar. The published child embeds read-only in a tinted region.

Region header

Map name with an open icon. Framework maps add the 5-level path label.

Right-click inside


Open linked map (confirmation gate) · Collapse.

Tab traversal

Expanded children included. Child GMP pills are read-only.

Double-click

Opens the node edit dialog. There is no separate deep view.



Node polish & opening the linked map

Node width

Hover for the right-edge grip and drag (180 px–120%). Saved with the map.

Framework pill

Folder pill on registered links. Click or hover 3 s for the path peek.

Open linked map

Last item of the context menu. Disabled without access; confirmed before leaving.

No access

Shown without permission on the linked map. Double-click edits annual volume and FTE only.

Linking unregistered maps

Unregistered maps switch

Top of the Filter popover. Shown with a **Not registered** badge.

Registration request

Drop, confirm the warning, then Send request / Link only.

Owner's Inbox


The request lands there. Once designated, the warning clears and you're notified.

From the node

Request registration button with a status badge and withdraw.

Create map "query"

Under the library search. Makes a new map and links it here.



Managing designation (owner)

Subprocess designation

Map Settings. Needs a published version. Values render live on every linking node.

Three sections

Attributes (department required) · **Metric tiles** (Σ suggestions) · **Detail tiles** (I/O data forms).

Reference values


Annual volume and FTE. Each linking node keeps its own.

No separate description

The **map description** is used in the library and on linking nodes.

Linked from

Accordion of linking maps. The inspector's Subprocess tab opens the dialog via **Edit**.



06

Versions & Approval

The draft → review → publish workflow, checkout, comments, and the inbox.

Versions & statuses

Many versions

As-Is / To-Be / free labels. A new one starts as a full copy.

One draft at a time

A new version only after the current one publishes.

Numbers are assigned at publish.

Statuses


#Draft · #Pending · #Approved · #Published · #Rejected · #Expired (terminal).

Expiry

Publishing expires the previous version. Republish starts a fresh cycle.

L5 canvases

Confirmed instead of publishing. No approvals, approvers or collaborators (©).



Checkout (single writer)

One person

A draft is checked out to one person. Others see a "{name} is editing" banner.

Request / transfer

The holder (or owner / sysadmin) approves from the Inbox or hands it over.

No auto-release

Changes only by transfer, an approved request, or a sysadmin takeover.

On rejection

The checkout returns to the submitter. Nobody can grab it in between.

From draft to published

① Request approval

Check the approvers, add a comment. **AI draft** writes a 2–4 line rationale.

② Approve / reject

Rejections need a reason. Approval is unanimous.

③ Publish

Only the submitter publishes. The previous version expires.

Withdraw

Pending / Approved by the submitter only, Rejected also by owner / admin.
The withdrawer gets the checkout.

Self-publish

If you're the only approver, one popover runs approve → publish.

Bundle visibility

Owners attach a visibility change that applies at publish.

Comments & history

Stored with history

Comments from submit / approve / publish / withdraw dialogs.

Speech-bubble button

On versions with comments. Opens the history modal.

Approval tab

Per-approver tag pills (hover = time and comment), progress n/m, waiting-on pills.

Change summary

Delta vs the published version (nodes and edges), collapsible.

Rejection banner

On top of a rejected version: who and why.

Approver landing & Compare with published

Landing

A pending version awaiting you opens first (`?version=` still wins).

On another version


An [Awaiting your approval: {version}](#) link plus an overlay on the workflow section.

Compare with published

Approval tab button on the pending version. Latest published ↔ pending, with the AI summary.

Why the overlay

So you never decide on the wrong version. Approve or reject after opening it.



The approvals inbox

Review queue

Version approvals · checkout transfers · permission / visibility · renames · SP registration · confirm requests · slot changes.

Act inline

Approve / reject with a reason, Open map. The Inbox tab shows a pending-count badge.

SP registration card


Designate & approve. Saving the form approves.

Confirm request card

Direct L5 admin · sysadmin. Approving confirms the canvas; failing gates block it.

Bundled requests

Shown as read-only "Decided with version approval" rows.



07

Comparing Versions

Read differences in color, and summarize them in numbers.

Opening & picking versions

Open

Compare in the editor top bar (needs a published version) or the Map tab button.

Base / Target

Before / after captions. Echoed under the Changes panel.

Dropdown rows

Status pill and last-updated date. The other side's pick:

click to swap.


Layout

Horizontal / vertical toggle. Drag overlapping nodes temporarily.

First view

Base = published, target = the newest other version.

Resizable panel, eye icon for display fields.



Reading the diff

Color rules

Added = green · Removed = red · Changed = yellow. Edge labels too.

Per field

New green, removed red struck-through. Parallel exit switches show as a field.

Node chips


Role, department, system and metric chips plus conditions. I/O collapses to **+N -M**.

All / Changes only

Properties pane toggle (default Changes only).
Unchanged nodes are dimmed.

Change list

All / Nodes / Edges filter, click to focus. **Apply To-Be** · **Export** (PNG).



The Summary tab

Version totals


The seven metrics, base → target with deltas, plus contributing nodes.

Sections

Structure (node / edge counts) · Systems · Departments & assignees · GMP.

Summary items

Top-right dropdown picks the visible sections.



The AI summary tab

Report for approvers

Third tab. Opening it writes a bullet-style report (AI-enabled server).

Four blocks

Revision summary · Flow & control impact · Changes not in the submission comment · Questions before approval.

Kept on the server


Other approvers and reloads get the **saved report**. Draft edits regenerate it.

Regenerate

Title-row button discards the saved copy.

Deep link

?base=&target=. Very large diffs send at most 200 nodes and 200 edges.



08

Import · Export · AI

Fill from CSV, export as PNG · Excel · CSV, and draw with the AI assistant.

CSV import

Import CSV

Top bar. Download the template, fill, upload. 25 columns, max 500 rows.

Merge rule

By name. Existing nodes keep color / comments / groups; blank cells keep values.

Unknown column


Columns outside the list are rejected.

Normalization

Assignees match by name. Role and system aliases become canonical; unknown systems become **Other**.

Preview

Added / Matched / Removed summary and warnings, then apply. A prompt for external AIs is provided.



Export (PNG · Excel · CSV)

PNG

2× resolution with a map info card. `Ctrl+Shift+E`.

Excel


Process Map / **WBS**, then **pick columns**. No, Name, Type, Parallel and Next always stay. 2,000-row cap.

CSV

The same 25 columns as import, **picked columns** only. Round-trips; left-out columns keep their values. Name, Parallel and Next always stay.

CSV skips

Non-primary End nodes, edges into End, duplicate titles, with a warning. Secondary SP end links warn; per-end parallel is not carried.



AI assistant

Generate

Flowcharts from plain language, attributes and metrics included. **Roles only**, never assignee names.

Incremental edits

Layout, colors and groups preserved. Nodes, links, inserts, labels, attributes, metrics, I/O, conditions, color, URL, parallel exits. Preview, then Apply.

Analyze

Find issues · summarize · walk-through ·


Suggest improvements · manual-grounded how-to.

Chats stored

Server-side, following you across devices. Several chats, other maps' chats readable.

Input

Ctrl+Enter sends · 2,000-char limit · adjustable text size.



AI consultant interview

Entry

The **headset icon** in the top bar or the new-map balloon. Needs AI and an editable draft.

How it asks

Step by step with choice buttons. Never asks for assignee names.
Unknowns: mark **TBD** and skip.

Checkpoints

Every step. Rolling back folds later steps into history.

Layout

Working-map preview on the left, chat on the right. Click a node for **Ask about this**.

Attach documents

Attach SOPs and confirm **Draw now** to draft directly.

Finish

Review and apply parameters, then **merge into draft** (by title). Check out the draft first.

09

Framework & Linkage Canvas

Browse maps through the company framework (L1–L5) and draw cross-process linkage on L5 canvases.

The Framework view

Switch views

Toggle above the home list: **Departments** / **Framework** .
One level at a time.

Siblings | children

Two columns under the breadcrumb. A sibling swaps the right column, a child goes down.

L5 cards


State (Confirmed / Draft / No canvas) · admin · maps ·
Open / Create canvas .

L5 only

Maps attach to leaf categories. Non-L5 assignment or transfer is blocked.

Search

Results group by L5. Your position survives reloads and searches.



The hierarchy explorer

Open

The **tree icon** by the breadcrumb. A floating panel that follows your drill-down.

Tree tab


Current path pre-expanded. Hovering a descendant highlights its ancestors.

Diagram tab

Ancestors → current → children → grandchildren, ERD-style. Right-click menu, **Whole tree** toggle.

Search

Substring and Korean initials. **Go** drills down.



The linkage canvas (L5)

Special canvas

The category's L6 processes as subprocess nodes. No Start / End.

Charcoal background

Button by the **Level 5 map** tag switches to light. Draft / Confirmed / Superseded stamp.

Who edits


Category admins, higher grants inheriting downward. Single-writer checkout.

No deletion

Contained L6 nodes come from the classification. No approvals, publishing, approvers or SP designation.

Notes

Bottom of the Map tab. Entry / flow / open items for the category.



Who sees the draft

Live draft

Before confirmation: admins of the category (or a parent) and sysadmins only.

Everyone else

Lands on the latest confirmed snapshot, or a "not confirmed yet" notice.

Status banner

Draft (amber) · **Confirmed** (read-only) · **Superseded** (older snapshot).

Server change guard

After a slot change re-points the canvas, saving the old state is blocked with a reload notice.

Version timeline

Snapshots grouped by major, the newest labeled Latest confirmed.

Linkage canvas settings · Who can edit

Tabs

Details · Who can edit · Visibility · Pending approvals · Checkout requests · Danger zone only.

Who can edit


Read-only. Category path, managing department, admins along the chain. Direct L5 admins carry **can confirm**.

Change editors

Adjust category admins or the managing department under Settings → Framework.

Pending approvals

This canvas's confirm and slot-change requests.



External L6 & the L5 explorer

L5 explorer


Top-left. See where you are and move to another L5's canvas.

L6 picker

Library button · right-click **Add L6 task** · S . Drag another category's L6 in.

Origin badge

Click for that L5's drill-in peek. "Search other frameworks" opens the browse modal.



Confirm & versions

Six gates

All L6 placed · no placeholders · no stale links · all L6 published · no exit-less loops · splits use a decision or a parallel exit.

Who confirms

The checkout holder if they are the **direct admin** (or a sysadmin). Higher admins send a confirm request.

Versions


v1.0 → v1.1 ..., **Major** makes v2.0 and prunes intermediate minors.

Changes required

Layout-only moves can't confirm. The section shows changes since the last confirm.

Snapshots

Read-only from the version dropdown, comparable against each other.



Placeholders & replacement

Dashed node

An unregistered L6 slot. The bottom banner's **Connect** opens the dialog.

Framework tree


Auto-expanded to the guided L5. Click a map → preview → **Connect**.

Outside the guided L5

Asks for confirmation. Maps already on the canvas show as **placed**.

Create placeholder

Bottom of the L6 picker. The gate holds until it is connected.



Replacing stale links & slot history

Three banners

"Removed from the framework" · "Handed over to (map)" · "Deleted". Each offers **replace**.

Stale links gate

The node turns dashed and the confirm checklist catches it.

Successor pinned


Click the banner: the successor map is pinned as a recommendation card.

Recently handed over

Badge for 14 days on a node that just took over a slot.

Slot history

Hover an L6 node for assign · move · unassign · delete · hand-over with timestamps.



Drill-in peek & browsing

Classification peek


Origin badges on external L6s and folder pills on SP nodes.

Search other frameworks

A tree opened to the current path, with category and map search.

Travel

Clicking a map leaves the editor through a confirmation gate.



10

Notifications · Notices · Collaboration

Rich notifications, notices, feedback, and user groups.

Notifications

Rich sentences

Map name, version and actor in your language. Actor pill = person card, version chip = version card.

Bell

Refreshes every 5 s. Clicking jumps to the tab and marks read.

Notifications tab


Mark all read, category filters, bulk delete by selection / read / date (permanent).

Data clean-up

Stale refs fix request (one per owner) · **Owner assigned** .

Retention

The most recent 100 per person. Overflow auto-deletes oldest-first.



Notices & the manual

Notices tab


All / Important / General filters, search, Markdown bodies.

Read mark

Stored only in this browser (device).

Manual

Top bar button. Document dropdown (KO/EN), searchable TOC and body.



Feedback & user groups

Feedback

Bug / Suggestion / Question / Other with your screen and open map attached. Track it on the Feedback page.

Notes


Anyone adds running memos. Edits keep history, deletion archives.

User groups

Request with 2+ members and 1+ manager, active after admin approval. Grant map access in one step.

Managers

Add / remove members · appoint managers · rename (once a week) · deactivate · delete (7-day trash).



Quick FAQ

Can't edit?

Check the banner: checkout, approval in progress, or Viewer role.

Can't submit?

Assign at least one approver first.

Can't create a version?

Finish the current draft cycle through publish.

Copy disabled?

Only maps published at least once can be copied.

Won't save?

One Start · one primary End · unique End names · splits use a decision or a parallel exit.

Subprocess locked?

It's undesignated. Request registration, or publish and designate.

No draft on the canvas?

Drafts are admin / sysadmin only. Everyone else lands on the latest confirmed snapshot.

"Owner unconfirmed"?

An interview-imported map. Map Settings → Danger Zone → Transfer ownership.

Happy mapping

Questions? Use the in-app [Manual](#) and [Feedback](#). Admins, see the Administrator Manual.

