USER MANUAL · ENGLISH EDITION

# Business Process Map User Manual

Draw processes as flowcharts, manage them as versions, finalize through approval.

Company process-map system • As of 2026-11-05

# What's inside


01 Getting Started 3–6

02 Home · Finding & Managing Maps 7–16

03 Editing · The Basics 17–27

04 Node Data 28–33

05 Subprocesses 34–42

06 Versions & Approval 43–49

07 Comparing Versions 50–55

08 Run Check 56–65

09 Import · Export · AI 66–73

10 Framework & Linkage Canvas 74–84

11 Notifications · Notices · Collaboration 85–89

01

# Getting Started

Sign in, learn the screens, and understand your role on a map.

# Signing in

### Keycloak SSO

**Sign in with Keycloak** with your company account.

### Auto sign-in · deep links


After the first time you're signed in automatically and land on the screen you opened.

### LDAP servers

An ID/password form instead. Admin-issued **local accounts** work too.

### Development

**Sign in with a test account**.




Login screen (development example)

# Screens at a glance

### Top tabs

Maps · Notices · Inbox.

### Top bar


Manual (KO/EN, search), Feedback, the bell, **Settings**, 한/EN toggle.

### Personal dashboard

Right side of Home. Profile · five activity tiles · six sections.

### Quick search

Press `/` on the map list or in the manual.



# Roles and visibility

### Owner
Everything. Edit, manage collaborators, approvers and visibility, delete.

### Editor
Edit the map and its draft versions.

### Viewer
Read-only. Browse, compare, comment.

### Approver
Review and approve or reject submitted versions.

### Owning department
One per map. Its members hold Editor automatically.

### Visibility
**Public** : everyone can view, drafts included. **Private** : collaborators and approvers.

### Category admins
Framework-only role. They edit and confirm the linkage canvases of their category and below (⑨).

02

# Home · Finding & Managing Maps

Browse maps by org tree or framework; create, copy, and manage settings.

# Finding maps & the detail panel

### Org tree

Browse by department, yours pinned on top. Managed canvases sit in an **L5 canvases** group.

### Search and two filter rows

All/Public/Private and **Sort** on top. Status · Role · Issues · **Type** below.

### Detail panel


Click a card. Owner, owning department, members, version history.

### Owner unconfirmed

Interview-imported maps. Cleared by Transfer ownership.

### Notes

Read-only interview source notes and owner-managed **Notes**. Collaborators edit right on the card.



# Personal dashboard & delayed navigation

### Six sections

Recently opened · Framework · My department · My documents · Needs approval · Recent changes. Profile and tiles stay pinned.

### My department

Your department's own maps. Sub-departments fold into one line, widened by the **scope dropdown**.

### Status | Version tabs


Distribution on the My department and My documents cards. Click a legend to filter.

### N more

A few rows per section. A map in several sections gets a **left accent bar** on hover.

### Delayed one-click navigation

Tiles and rows run after a **0.6 s countdown**. Click the layer to cancel.




— Home personal dashboard

# Active runs & inbox lists

### Five tiles

Decisions · Requests · Checked out · **Active runs** · **Notifications · Feedback**.

### Unfolding tiles

Checked out, runs and inbox unfold a list under the tiles, one at a time.

### Active runs


Most urgent first, with filters. **Recently finished** below spans every map.

### Notifications · Feedback

Notifications left (Unread / All), my feedback right. Read when you go.

### Remembered

Filter and sort choices are saved in this browser.




— The Active runs tile unfolded

# The Framework pill · assign, move, hand off

### Framework pill

On the card: **Add to framework** · **Unassign** · **Transfer slot**. L5 only.

### Apply now vs request

That L5's admin or a sysadmin applies at once. Anyone else files a request the L5 admins decide.

### Move to another L5


Both L5s' admins approve. A **progress (n/m)** banner shows meanwhile; withdrawable.

### Delete · copy-and-retire

Same path. **Copy inherits the slot** or **Free the slot**.

### Category summary card

Click a category row. Children, L5s, maps, admins, subtree confirmation.



# People cards & org info

### Person card

Hover a name 0.7 s or click. KO/EN names, title, org path, Open messenger.

### Right-click a name


**Send message** · **Info**.

### Org info modal

Click a department card. Members, sub-organizations, path upward.

### Name order

Follows your language setting. Korean UI puts Korean names first.



# Creating a map

### New map

Name · description · visibility.

### Owning department required

Org-tree picker. Its members always hold Editor.

### At least one approver


A map cannot be created without one.

### Initial collaborators

People, teams or groups as Viewer/Editor. Sorted by org proximity.

### Draw right away

Start and End are pre-seeded. **Create from CSV** builds a pre-filled map.



# Copying & replacing the original

### Copy

Published maps only. Pick the version; the copy opens as a new draft.

### Replace the original

Check "Move the original to the trash". The copy keeps the name, the original is trashed for 7 days.

### Rosters carry over


Collaborators and approvers are pre-loaded to review, then notified.

### Slot on copy

A slotted original goes through approval. **Inherit** or **Free** the slot.

### Plain deletion

7 days in the trash, then purged. Restore under Settings → Scheduled deletion.



# Map Settings · Collaborators

### Add Viewer / Editor

People, teams or user groups. Default list sorted by org proximity.

### Staged changes

To add / Change / Remove pills, applied with **Save changes**, dropped with **Discard**.

### Forecast icons


⚡ instant, ⏳ needs approval (removing or demoting an Editor).

### Approval pending

Tag on pending requests. Hover your own to **Withdraw**.

### Undo

Right after saving, revert that one save.



# Map Settings · name, visibility & more

### Name · owning department

Owner/admin change instantly, editors file a request. Derived Editor access follows the new department.

### Conditions & GMP card

Details tab of interview-imported maps. Settle GMP and start/end conditions next to the source text.

### Visibility change


Needs approval. Impact preview plus deciding approvers; withdraw while pending.

### Subprocess designation

Needs a published version.
**Attributes / Metric tiles / Detail tiles** (⑤).

### Danger Zone

Transfer ownership, delete map (Owner only).



03

# Editing · The Basics

The editor, canvas navigation, creating and connecting nodes, tidying and saving.

# The editor at a glance

### Top bar

Map menu · version selector · undo/redo · library · AI · Save.

### Side panels

Outline tree and shortcut card on the left, inspector (Properties / Map / Approval / Activity) on the right.

### Node display fields


Map tab **Node display** or the **eye icon** card next to the zoom pill.

### Framework chip

Top-left on registered maps. Expand to jump to sibling maps.

### AI consultant balloon

On a brand-new map. Start opens the interview (⑧).



# Moving around the canvas

### Wheel

Vertical pan. `Shift` +wheel horizontal, `Ctrl` +wheel zoom.

### Pan and box-select


Hold `Space` and drag to pan. Drag empty canvas to box-select.

### Right-click

Context menu for node, edge or canvas.

### Auto shift

When a node grows, nodes below shift on screen. Saved coordinates stay.



# Creating nodes

### Add

**Right-click** the canvas or **Add node** in the inspector.

### Five types


Start (one) · Process · Decision · End (one primary) · Subprocess.

### Rename

Double-click or `F2`. `Enter` commits, `Shift+Enter` breaks the line.

### Copy · duplicate

`Ctrl+C/V` across maps, `Ctrl`+drag duplicates. Duplicate names get (2).



# Connecting nodes

### Drag a handle

Dropping on a node's body connects to the default handle (snap preview).

### Splits use a decision or a parallel exit

One-of-several uses a **Decision** (Yes/No labels); concurrent work uses a right-click **Parallel exit** (two or more). Start is parallel by default.

### Edge labels


Right-click or `F2`. Line breaks supported.

### Line style

Per edge: curved / stepped / straight. Change all in the Map tab's **Edge style**.

### Drop zones

Drag a node near another to insert before / after / swap / group.



# Parallel exits and flow pulse

### Turn on

Right-click a node, **Parallel exit**. Subprocesses pick per end.

### Rule

A parallel exit needs two or more connections. No insert prompt.

### Hover badge


**N in parallel** above the node. A faint inner line once on, even before connecting.

### Flow pulse

Parallel dots set off together and reach three quarters at once. Decision dots stop, blink in turn, then one branch moves on.

### Reduced motion

Hidden when the OS reduce-motion setting is on.



# Tidying · layout, groups, bulk edit

### Auto layout

Horizontal `Shift+L` · vertical `Shift+K`. The main path snaps to one line.

### Axis lock · align · distribute

`Shift`+drag locks the axis, `Alt+W/C/T/X` aligns, `Alt+R/V` distributes.

### Group

Select 2+ nodes, `Ctrl+G`. Double-click the title to rename, drag it to move.

### Group bulk edit

Pick a field under Attributes / Metrics / I/O and set or clear it for every member.

# Search & following the flow

### Node search

`/`. Korean **chosung** supported; matches jump and highlight.

### Outline

Click an entry to focus that node.

### Along the flow


`Tab` / `Shift+Tab` next/previous node, expanded children included.

### Flow highlight

`]` / `[` grow or shrink. Incoming teal, outgoing orange, selected violet.

### Node comments

`Ctrl+Enter` sends. Read-only users can comment too.



# Saving & validation

### Autosave

About 2 s after you stop. The Save button shows Saving / Saved / Failed.

### Save checklist

One Start · one primary End · unique End names · splits use a decision or a parallel exit (parallel exits two or more).

### Primary end

With several End nodes, turn on **Primary end** for one. The server won't pick for you.

### On submit too

Map Settings submissions check the same list, and the server re-checks it.

### Editing needs

A draft (#Draft / #Rejected) plus **your checkout**. Otherwise read-only.

### Pending downgrade

While your permission downgrade is pending, checkout and submission are refused.

# Leaving with unsaved edits


### When
You navigate away before autosave (about 2 s) runs, or after a save failed.

### Three choices
Save and leave · Leave without saving · Stay.

### While asking
Autosave pauses, and resumes if you stay.

### Browser back
The back button can't ask, so it saves right away.

### Closing the tab
Closing or reloading the tab shows the browser's warning.



# Shortcuts at a glance

### Editing

`Ctrl+C/V` copy · `Ctrl`+drag duplicate · `Ctrl+Z` / `Ctrl+Shift+Z` · `Delete` · `F2` rename · `Shift+Enter` line break

### Canvas

`Space` pan · `Ctrl`+wheel zoom · `/` search · `S` subprocess list · `Esc` cancel / close

### Tidying

`Shift+L/K` auto layout · `Ctrl+G` group · `Alt+W/C/T/X` align · `Alt+R/V` distribute · `Shift`+drag axis lock

### Navigation

`Tab` / `Shift+Tab` along the flow · `]` / `[` highlight · `Alt+←/→` collapse panels · `Ctrl+Shift+E` PNG · `Ctrl+Enter` send

### Run check

Arrows nearest step · `N` next to do · `Enter` button row · `Esc` back

### More

**More shortcuts** at the bottom of the Outline keys card.

04

# Node Data

Attributes, per-run metrics, GMP classification, I/O & conditions, and links.

# Node attributes

### Title · description

Double-click or F2 renames. Body double-click or **Edit info** opens the edit dialog.

### BPM attributes

Assignee (org directory) · Role · department (auto) · System · color.

### Role


A role name separate from the assignee. Catalog autocomplete, aliases become canonical.

### System

Matched to the system list. Unknown values become **Other** + source note.

### GMP · link

Direct / Indirect / Non-GMP pill locks the color. URLs show as a badge.



# The node edit dialog (tiles)

### Tiles

Type & color · **Attributes** · **seven metrics** · **I/O & conditions**.

### In-place popover

Click a tile and type where you clicked. Enter applies, Esc cancels.

### Instant sync


Values reach the node and inspector immediately. The footer is just **Done**; undo is `Ctrl+Z`.

### Cost tile

₩ / $ tabs pick one currency. The other clears on save.

### Previous / next nodes

Dock cards on both sides slide into editing the neighbor.



# Roles & the system catalog

### Role row

Under Assignee in the inspector. Admin role list autocomplete; free text is kept.

### Assignee 2 : Role 1

One tile row in the edit and SP designation dialogs. Filled tiles show only the chip.

### Other + source note


Systems outside the list. With a different note present: replace / append / cancel.

### On canvas

Role at rest, **assignee chip** about 1 s after hover or select.

### Warning color

Departments or people missing from the org chart. Roles are not checked.



# Per-run metrics (seven)

### Per single run

Duration · touch time · cost (₩/$) · headcount · annual volume · FTE.

### h.mm notation

`1.30` = 1 h 30 m. Shown as typed while editing and in CSV/Excel, `1h30m` elsewhere.

### One currency


₩ / $ toggle. Switching warns that the other value clears, with Undo.

### Section Save

Metrics and I/O sections apply via their **section Save button**.

### Subprocess nodes

Only annual volume and FTE are edited directly. The other five inherit.



# Inputs, outputs & conditions

### Row layout

Number / data-form pill / item name. Click the dotted slot to set the data form.

### Import from node...

Pull an upstream output or downstream input and stay Linked. Disconnect detaches.

### Link cues


Link icon with a direction tooltip. Hovering lights up the peer node on canvas.

### Required / optional

Input flag. Required shows a red tint on hover.

### Start / end conditions

Free text, shown below the selected node on canvas.



05

# Subprocesses

Reference another map as a single step. Preview it, expand it, manage registration.

# Adding as a link

### A reference, not a copy

Changes to the source map flow through.

### Library

`S`, chosung search. Designated maps by default.

### Filter popover


**Unregistered maps** switch · **Department** rows · **Role** pills.

### Version tracking

New links follow the latest published version; pinning is possible. Duplicates are blocked.

### Subprocess tab

On selection: designation info · maps linking this one · designated parameters.



# Subprocess connections · exits per end

### Incoming

Any of the four sides. Handles show only while dragging in.

### Outgoing

Starts from one exit point on the right.

### Pick the end


With several ends, dropping asks **which end continues**.

### One per end

Per-end parallel in the right-click **Parallel exit** submenu.

### End badge

`2/3` after the title, red `+N` when over.



# Preview peek · Node tab

### Open the peek

Click a library row (or hover 2.5 s). Map name · owner · version · framework path.

### Flow preview

Wheel zoom (100–300%), drag to pan. **Add to map** · **Open this map** float above.

### Node tab


A live mock of the node you'd add: attributes, metric chips, GMP, conditions, I/O.

### Drag it in

Drag the mock straight onto the canvas. Locked maps can still be added.

### Department chip

Hover for the org info card.



# Preview peek · Details tab

### Designated attributes


Department · assignee · system and the **subprocess metrics**.

### Everything listed

Conditions · I/O · GMP. Empty values tone down to dashes.

### Meta

Published version (v-number) · publish time · framework path.



# Expand in place (inline)

### Expand subprocess

Right-click or the action bar. The published child embeds read-only in a tinted region.

### Region header

Map name with an open icon. Framework maps add the 5-level path label.

### Right-click inside


Open linked map (confirmation gate) · Collapse.

### Tab traversal

Expanded children included. Child GMP pills are read-only.

### Double-click

Opens the node edit dialog. There is no separate deep view.



# Node polish & opening the linked map

### Node width

Hover for the right-edge grip and drag (180 px–120%). Saved with the map.

### Framework pill

Folder pill on registered links. Click or hover 3 s for the path peek.

### Open linked map

Last item of the context menu. Disabled without access; confirmed before leaving.

### No access

Shown without permission on the linked map. Double-click edits annual volume and FTE only.

# Linking unregistered maps

### Unregistered maps switch

Top of the Filter popover. Shown with a **Not registered** badge.

### Registration request

Drop, confirm the warning, then Send request / Link only.

### Owner's Inbox


The request lands there. Once designated, the warning clears and you're notified.

### From the node

**Request registration** button with a status badge and withdraw.

### Create map "query"

Under the library search. Makes a new map and links it here.



# Managing designation (owner)

### Subprocess designation

Map Settings. Needs a published version. Values render live on every linking node.

### Three sections

**Attributes** (department required) · **Metric tiles** (Σ suggestions) · **Detail tiles** (I/O data forms).

### Reference values


Annual volume and FTE. Each linking node keeps its own.

### No separate description

The **map description** is used in the library and on linking nodes.

### Linked from

Accordion of linking maps. The inspector's Subprocess tab opens the dialog via **Edit**.



06

# Versions & Approval

The draft → review → publish workflow, checkout, comments, and the inbox.

# Versions & statuses

### Many versions

As-Is / To-Be / free labels. A new one starts as a full copy.

### One draft at a time

A new version only after the current one publishes. Numbers are assigned at publish.

### Statuses


#Draft · #Pending · #Approved · #Published · #Rejected · #Expired (terminal).

### Expiry

Publishing expires the previous version. Republish starts a fresh cycle.

### L5 canvases

**Confirmed** instead of publishing. No approvals, approvers or collaborators (⑨).



# Checkout (single writer)

### One person

A draft is checked out to one person. Others see a "{name} is editing" banner.

### Request / transfer

The holder (or owner / sysadmin) approves from the Inbox or hands it over.

### No auto-release

Changes only by transfer, an approved request, or a sysadmin takeover.

### On rejection

The checkout returns to the submitter. Nobody can grab it in between.

# From draft to published

### ① Request approval

Check the approvers, add a comment. **AI draft** writes a 2–4 line rationale.

### ② Approve / reject

Rejections need a reason. Approval is unanimous.

### ③ Publish

**Only the submitter** (a sysadmin if they left or lost access). The previous version expires.

### Withdraw

Pending / Approved by the submitter only, Rejected also by owner / admin. The withdrawer gets the checkout.

### Self-publish

If you're the only approver, one popover runs approve → publish.

### Bundle visibility

Owners attach a visibility change that applies at publish.

### Checks first

Submitting needs the save checklist, in Map Settings too; the server re-checks.

# Comments & history

### Stored with history

Comments from submit / approve / publish / withdraw dialogs.

### Speech-bubble button

On versions with comments. Opens the history modal.

### Approval tab

Per-approver tag pills (hover = time and comment), progress n/m, waiting-on pills.

### Change summary

Delta vs the published version (nodes and edges), collapsible.

### Rejection banner

On top of a rejected version: who and why.

# Approver landing & Compare with published

### Landing

A pending version awaiting you opens first (`?version=` still wins).

### On another version


An **Awaiting your approval: {version}** link plus an overlay on the workflow section.

### Compare with published

Approval tab button on the pending version. Latest published ↔ pending, with the AI summary.

### Why the overlay

So you never decide on the wrong version. Approve or reject after opening it.



# The approvals inbox

### Review queue

Version approvals · checkout transfers · permission / visibility · renames · SP registration · confirm requests · slot changes.

### Act inline

Approve / reject with a reason, Open map. The Inbox tab shows a pending-count badge.

### SP registration card


Designate & approve. Saving the form approves.

### Confirm request card

Direct L5 admin · sysadmin. Approving confirms the canvas; failing gates block it.

### Bundled requests

Shown as read-only "Decided with version approval" rows.



07

# Comparing Versions

Read differences in color, and summarize them in numbers.

# Opening & picking versions

## Open

**Compare** in the editor top bar (needs a published version) or the Map tab button.

## Base / Target

Before / after captions. Echoed under the Changes panel.

## Dropdown rows


Status pill and last-updated date. The other side's pick: **click to swap**.

## Layout

Horizontal / vertical toggle. Drag overlapping nodes temporarily.

## First view

Base = published, target = the newest other version. Resizable panel, eye icon for display fields.



# Reading the diff

### Color rules

Added = green · Removed = red · Changed = yellow. Edge labels too.

### Per field

New green, removed red struck-through. Parallel exit switches show as a field.

### Node chips


Role, department, system and metric chips plus conditions. I/O collapses to **+N −M**.

### All / Changes only

Properties pane toggle (default Changes only). Unchanged nodes are dimmed.

### Change list

All / Nodes / Edges filter, click to focus. **Apply To-Be** · **Export** (PNG).



# The Summary tab

### Version totals


The seven metrics, base → target with deltas, plus contributing nodes.

### Sections

Structure (node / edge counts) · Systems · Departments & assignees · GMP.

### Summary items

Top-right dropdown picks the visible sections.



# The AI summary tab

### Report for approvers

Third tab. Opening it writes a bullet-style report (AI-enabled server).

### Four blocks

Revision summary · Flow & control impact · Changes not in the submission comment · Questions before approval.

### Kept on the server


Other approvers and reloads get the **saved report**. Draft edits regenerate it.

### Regenerate

Title-row button discards the saved copy.

### Deep link

`?base=&target=`. Very large diffs send at most 200 nodes and 200 edges.



# Compare PNG export

## Open

**Export** in the change list. An options dialog comes first.

## Format

Canvas, or Document (white, Arial, square corners).

## Status colors


Added / changed / removed follow your color scheme; unchanged is neutral gray.

## Contents

Info header (base → target, counts) · Legend · node detail chips.

## Print size

For Document: A4, figure width, dpi and text pt, plus **Fan out connectors** and Split.



08

# Run Check

Walk a published map through one real job, step by step, logging progress and problems.

# Starting a run

### Run menu

Open the published version, then **Run** → **New run**. Off for drafts and pending versions.

### Just me · Shared

Just me is visible only to you. Shared picks **Participants** who can view the map.

### Who can act


Only participants change steps. Anyone who can view the map follows along.

### Past published

Confirm once to start; a notice stays above the map while it runs.

### Separate records

Run records live apart from the map. Map content and versions stay as they are.




— The New run dialog

# The run screen & statuses

### Read-only

Nodes keep the published layout. Status colors and the run name as a watermark.

### Six statuses

Waiting · Ready · In progress · Done · Problem · Skipped.

### Flowing dots


Dots flow only on the edges toward the next step.

### Run bar

Participants · **n of n done** · **Keep** · Just me / Shared · ··· menu.

### Locked

The version pill locks and PNG export is off. Close with **×**.




— A run (3 done · 1 in progress)

# Run history

## Where

The Run tab of the **Outline · Run** switch in the left sidebar. Opens with the run.

## What

Who started, completed, flagged or undid what and when, plus comments, newest first.

## Groups


Consecutive rows of one step fold together. Names once, dates as dividers.

## This step · All

All by default. Pick a step, then This step for just its history. Hover a group to light that step.

## Inspector

Node properties stay on the right. Map and Approval tabs are off while running.




— The Run tab on the left; hover a group to light its step

# Working steps from the button row

### Button row

Click a node for **Complete · Start · Problem · Comments** beside it.

### Decisions

One branch button completes and picks the path. Hover to light only that edge.

### Moving on


With one next step the selection moves and flashes; with several, they flash.

### Finish first

Hover the disabled Complete on a waiting step to see what to finish, then jump.

### Undo complete

If later steps moved on, a confirm window undoes them too.




— The button row on an in-progress step

# Undoing later steps too

### When

Undo complete on a step whose later steps have moved on.

### Confirm

Lists the later steps that go too, then undoes them in one go.

### Mouse


The confirm button opens under the pointer, so a second click finishes.

### Keyboard

Opens in the middle with confirm focused. Press `Enter` again.

### What stays

Comments stay. Sub map records are cleared as well.




— Undo complete on Review documents

# Problems & comments

### Problem

Marks a blocked step and opens a **one-line note**.

### Note in the alert

In a shared run, a note within a minute rides along with the problem alert.

### Resolve


**Resolve** returns it to in progress, or **Complete** it directly.

### Comments

The speech bubble shows who changed it and when, plus comments.

### My comments

Hover for **Edit** · **Delete**. Delete takes two clicks in the same spot.




— Comments after a problem (hovering my comment)

# Running into a sub map


### Sub map button
Expand a subprocess step and work the steps inside.

### Auto complete
Reaching the sub map's end completes the outer step too. No second click.

### Complete directly
Completing the outer step skips the rest of the sub map, read-only.

### Cancel together
Undoing an outer step with sub map records clears them after a confirm.

### Hidden
People who can't view the sub map don't see what's inside.




— End of the sub map → the outer step completes

# Running by keyboard

### Arrows · Tab

Arrows go to the nearest step that way, Tab to the next step in the flow.

### N · Shift+N

Next or previous step to do (in progress, problem, ready).

### Ctrl+Z


Undoes your last action on this screen, one at a time.

### Enter

Into the button row. Move with `←` `→`, press with `Enter`.

### Esc

Back to the step, then clear the selection.



# All runs & cleanup

### All runs

The icon at the top right of the Run menu. Open · Ended · Summary tabs.

### Other maps

The `This map · Other maps` strip. Click another map's run to go there.

### Finishing


When every step is done or skipped the run ends: `Run complete`.

### Starter

The ··· menu stops, reopens, deletes, edits participants or shares.

### Idle · keep

Warning at 30 idle days, stop at 40, summary 30 days after. `Keep` holds it.



09

# Import · Export · AI

Fill from CSV, export as PNG · Excel · CSV, and draw with the AI assistant.

# CSV import

### Import CSV

Top bar. Download the template, fill, upload. 25 columns, max 500 rows.

### Merge rule

By name, edge spaces ignored. Keeps color, comments, groups, Start links; blanks keep values.

### File checks


Unknown columns and unclosed quotes are errors. Non-UTF-8 files load as EUC-KR, flagged.

### Normalization

Assignees match by name. Role and system aliases become canonical; unknown systems become **Other**.

### Preview

Added / Matched / Removed summary and warnings, then apply. A prompt for external AIs is provided.



# PNG export · Options dialog

## Format

**Canvas** (canvas look, 2× resolution) or Word document. `Ctrl+Shift+E`.

## Word document

White background, Arial + Malgun Gothic. Three styles: Mono · Gray · Gray + Navy.

## Chips


Parallel marks · Map info header · **Fan out connectors**. Crossings: None / Jump / Gap.

## Node details

Applied only while exporting. Alignment you set on the canvas survives size changes.

## Preview

A sample shows each choice at once. Choices are remembered in this browser.



# Print size and the A4 guide

### Print size panel

Opens for Word document. A4 portrait / landscape and **Figure width** (30 to 100%).

### Readouts

Size cm · dpi (300+ is print quality) · node text pt. Word inserts at the chosen width.

### Split


Cuts between nodes so text stays 7pt or more; one ZIP of pieces, cut lines share a letter.

### A4 guide

Top of the eye-icon card. Inside the 9pt line prints readable; past 7pt is too small.

### Narrowing

Landscape at 100% width, or vertical auto layout `Shift+K`.



# Excel export · Print-ready file

### Format

Process Map / WBS, then pick columns. No, Name, Type, Parallel and Next always stay.

### Preview

Shows the file as it will be: info rows (map, owning dept, owner, version, export time) and columns.

### Ready to print


One A4 landscape page wide · header row on every page · Malgun Gothic · frozen header and name.

### Time values

Duration and touch time are `[h]:mm`, so SUM adds up in hours and minutes.

### Next

Targets by row number (`3. Review [Yes]`). 2,000-row cap.



# CSV export · Preview and warnings

### Preview

First rows and the file name, right in the dialog.

### Columns

Picked columns of the 25 import columns. Name, Parallel and Next always stay.

### Warnings


What won't come back the same, unnamed steps and duplicate names, before you download.

### Formula cells

Cells starting with `= + - @` get a `'` prefix, removed again on import.

### Time

Duration stays in the typed form `1.30` for round trips.



# AI assistant

### Generate

Flowcharts from plain language, attributes and metrics included. **Roles only**, never assignee names.

### Incremental edits

Layout, colors and groups preserved. Nodes, links, inserts, labels, attributes, metrics, I/O, conditions, color, URL, parallel exits. Preview, then Apply.

### Analyze


**Find issues** · summarize · walk-through · **Suggest improvements** · manual-grounded how-to.

### Chats stored

Server-side, following you across devices. Several chats, other maps' chats readable.

### Input

`Ctrl+Enter` sends · 2,000-char limit · adjustable text size.



# AI consultant interview

### Entry

The **headset icon** in the top bar or the new-map balloon. Needs AI and an editable draft.

### Layout

Working-map preview on the left, chat on the right. Click a node for **Ask about this**.

### How it asks

Step by step with choice buttons. Never asks for assignee names. Unknowns: mark **TBD** and skip.

### Attach documents

Attach SOPs and confirm **Draw now** to draft directly.

### Checkpoints

Every step. Rolling back folds later steps into history.

### Finish

Review and apply parameters, then **merge into draft** (by title). Check out the draft first.

10

# Framework & Linkage Canvas

Browse maps through the company framework (L1–L5) and draw cross-process linkage on L5 canvases.

# The Framework view

### Switch views

Toggle above the home list: **Departments** / **Framework**. One level at a time.

### Siblings | children

Two columns under the breadcrumb. A sibling swaps the right column, a child goes down.

### L5 cards


State (Confirmed / Draft / No canvas) · admin · maps · **Open / Create canvas**.

### L5 only

Maps attach to leaf categories. Non-L5 assignment or transfer is blocked.

### Search

Results group by L5. Your position survives reloads and searches.



# The hierarchy explorer

### Open

The **tree icon** by the breadcrumb. A floating panel that follows your drill-down.

### Tree tab


Current path pre-expanded. Hovering a descendant highlights its ancestors.

### Diagram tab

Ancestors → current → children → grandchildren, ERD-style. Right-click menu, **Whole tree** toggle.

### Search

Substring and Korean initials. **Go** drills down.



# The linkage canvas (L5)

### Special canvas

The category's L6 processes as subprocess nodes. No Start / End.

### Charcoal background

Button by the **Level 5 map** tag switches to light. Draft / Confirmed / Superseded stamp.

### Who edits


Category admins, higher grants inheriting downward. Single-writer checkout.

### No deletion

Contained L6 nodes come from the classification. No approvals, publishing, approvers or SP designation.

### Notes

Bottom of the Map tab. Entry / flow / open items for the category.



# Who sees the draft

### Live draft

Before confirmation: admins of the category (or a parent) and sysadmins only.

### Everyone else

Lands on the latest confirmed snapshot, or a "not confirmed yet" notice.

### Status banner

**Draft** (amber) · **Confirmed** (read-only) · **Superseded** (older snapshot).

### Server change guard

After a slot change re-points the canvas, saving the old state is blocked with a reload notice.

### Version timeline

Snapshots grouped by major, the newest labeled Latest confirmed.

# Linkage canvas settings · Who can edit

### Tabs

Details · Who can edit · Visibility · Pending approvals · Checkout requests · Danger zone only.

### Who can edit


Read-only. Category path, managing department, admins along the chain. Direct L5 admins carry **can confirm**.

### Change editors

Adjust category admins or the managing department under Settings → Framework.

### Pending approvals

This canvas's confirm and slot-change requests.



# External L6 & the L5 explorer

### L5 explorer


Top-left. See where you are and move to another L5's canvas.

### L6 picker

Library button · right-click **Add L6 task** · `S`. Drag another category's L6 in.

### Origin badge

Click for that L5's drill-in peek. "Search other frameworks" opens the browse modal.



# Confirm & versions

### Six gates

All L6 placed · no placeholders · no stale links · all L6 published · no exit-less loops · splits use a decision or a parallel exit.

### Who confirms

The checkout holder if they are the **direct admin** (or a sysadmin). Higher admins send a confirm request.

### Request pending


Requester goes read-only; only direct admins / sysadmins may check out. Can be withdrawn.

### Versions

v1.0 → v1.1 …, **Major** makes v2.0. Snapshots are read-only and comparable.

### Changes required

Layout-only moves can't confirm. The section shows changes since the last confirm.



# Placeholders & replacement

### Dashed node

An unregistered L6 slot. The bottom banner's **Connect** opens the dialog.

### Framework tree


Auto-expanded to the guided L5. Click a map → preview → **Connect**.

### Outside the guided L5

Asks for confirmation. Maps already on the canvas show as **placed**.

### Create placeholder

Bottom of the L6 picker. The gate holds until it is connected.



# Replacing stale links & slot history

### Three banners

"Removed from the framework" · "Handed over to (map)" · "Deleted". Each offers **replace**.

### Stale links gate

Dashed node, caught by the confirm checklist, as is another L5's "Designation revoked" L6.

### Successor pinned


Click the banner: the successor map is pinned as a recommendation card.

### Recently handed over

Badge for 14 days on a node that just took over a slot.

### Slot history

Hover an L6 node for assign · move · unassign · delete · hand-over with timestamps.



# Drill-in peek & browsing

### Classification peek


Origin badges on external L6s and folder pills on SP nodes.

### Search other frameworks

A tree opened to the current path, with category and map search.

### Travel

Clicking a map leaves the editor through a confirmation gate.



11

# Notifications · Notices · Collaboration

Rich notifications, notices, feedback, and user groups.

# Notifications

### Rich sentences

Map name, version and actor in your language. Actor pill = person card, version chip = version card.

### Bell

Refreshes every 5 s. Opens the tab; run notifications open the run itself.

### Notifications tab


Mark all read, category filters, bulk delete by selection / read / date (permanent).

### Map in trash

Run notifications of a trashed map get a chip and don't open.

### Retention

100 per person. Run notifications go first; unread approvals are kept.



# Notices & the manual

### Notices tab


All / Important / General filters, search, Markdown bodies.

### Read mark

Stored only in this browser (device).

### Manual

Top bar button. Document dropdown (KO/EN), searchable TOC and body.



# Feedback & user groups

## Feedback

Bug / Suggestion / Question / Other with your screen and open map attached. Track it on the Feedback page.

## Notes


Anyone adds running memos. Edits keep history, deletion archives.

## User groups

Request with 2+ members and 1+ manager, active after admin approval. Grant map access in one step.

## Managers

Add / remove members · appoint managers · rename (once a week) · deactivate · delete (7-day trash).



# Quick FAQ

### Can't edit?
Check the banner: checkout, approval in progress, or Viewer role.

### Can't submit?
Assign at least one approver first.

### Can't create a version?
Finish the current draft cycle through publish.

### Copy disabled?
Only maps published at least once can be copied.

### Won't save?
One Start · one primary End · unique End names · splits use a decision or a parallel exit.

### Subprocess locked?
It's undesignated. Request registration, or publish and designate.

### No draft on the canvas?
Drafts are admin / sysadmin only. Everyone else lands on the latest confirmed snapshot.

### "Owner unconfirmed"?
An interview-imported map. Map Settings → Danger Zone → Transfer ownership.

# Happy mapping

Questions? Use the in-app **Manual** and **Feedback**. Admins, see the Administrator Manual.

