



Business Process Map Administrator Manual

Consoles, operations, and governance for system administrators. Everything in the User Manual applies to you too.

Company process-map system · As of 2026-08-31 · English edition

Navigate with   or click the screen edges ·  to restart

What's inside

01 The Sysadmin Role

03 Content Management

05 Framework Management

07 Approvals · Groups · Trash

09 Configuration Reference

02 Admin Console Map

04 Directory & Org

06 Database & Backups

08 Dashboard

01

The Sysadmin Role

How sysadmin is granted and what it unlocks.

How it's granted

- Not stored in the DB — controlled by the `BPM_SYSADMINS` env var (comma-separated login IDs), read at startup.
- With auth off (dev default), effectively everyone is sysadmin.
- With `DEV_ENFORCE_PERMISSIONS=true` or real auth, only listed IDs are sysadmin.
- In **Idap auth mode**, the Local Accounts **Sysadmin toggle** can grant it too (effective only there).
- The UI shows the tag as `*env-managed*` — it cannot be toggled from the screen.

What sysadmin unlocks

- Treated as **Owner on every map** — manage collaborators, approvers, visibility, versions, deletion.
- **Force checkout** — the only role that can take another user's active edit lock.
- Every **admin-only console** under Settings.
- Moderation — group approvals, feedback replies/status, the global trash, manual publishing.
- **Withdraw is the exception** — Pending/Approved versions only by the submitter (Rejected also by owner/sysadmin).

02

Admin Console Map

Every console on the Settings rail, at a glance.

The Settings rail

- **Content** — Notices · Manual · **Knowledge base** · AI chat · AI prompts.
- **Directory** — Employees · Departments · Local Accounts (Idap mode only).
- **Framework** — Categories & import (incl. linkage admins).
- **Database** — Tables · **Batch jobs**. **Approvals** — Approval Queue.
- **Groups** · **Analytics (Dashboard)** · **Trash** (Scheduled deletion).

Business Process Map

Maps Notices Inbox 2

Feedback System Admin 한 EN

Settings

CONTENT

Notices

Manual

Knowledge base

AI chat

AI prompts

DIRECTORY

Employees

Departments

FRAMEWORK

Categories & import

DATABASE

Tables

Batch jobs

APPROVALS

Approval Queue 2

GROUPS

User Groups

ANALYTICS

Dashboard

TRASH

Scheduled deletion

Notices

2 total · 2 live

Export CSV + New notice

Status	Title	Importance	Period
Live	Scheduled maintenance — Sep 6 (Sat) 22:00-24:00	General	08-31 ~ Unlimited
Live	BPM 프로세스맵 정식 오픈 안내	Important	08-31 ~ Unlimited

03

Content Management

Notices, the in-app manual, AI knowledge/settings/prompts, and feedback.

Notices


- Title, importance (Important/General), posting period (open-ended allowed), **Markdown body**.
- Check **Notify all users on publish** to push to every inbox.
- Users see only active notices; the admin list shows all, with **CSV export**.
- **Deletion is hard** — permanent, no trash (already-sent bell notifications remain).

The screenshot displays the 'Business Process Map' application interface. The top navigation bar includes 'Maps', 'Notices', and 'Inbox' (with a notification badge). The left sidebar, titled 'Settings', lists various system components: CONTENT (with 'Notices' selected), DIRECTORY, FRAMEWORK, DATABASE, APPROVALS, GROUPS, ANALYTICS, and TRASH. The main content area is titled 'Notices' and shows '2 total · 2 live'. It features a table with two columns: 'Status' and 'Title'. The table contains two entries, both with a 'Live' status. The first entry is 'Scheduled maintenance — Sep 6 (Sat) 22:00-24:00' with 'General' importance and an 'Unlimited' period. The second entry is 'BPM 프로세스맵 정식 오픈 안내' with 'Important' importance and an 'Unlimited' period. Above the table, there are buttons for 'Export CSV' and '+ New notice'.

Status	Title	Importance	Period
Live	Scheduled maintenance — Sep 6 (Sat) 22:00-24:00	General	08-31 ~ Unlimited
Live	BPM 프로세스맵 정식 오픈 안내	Important	08-31 ~ Unlimited


Publishing the manual

- `/manual` holds multiple documents — pick format (Markdown / sanitized HTML) and **language (KO/EN)**.
- Write, **Upload .md**, or **Load bundled**; Preview, then **Publish** applies immediately.
- Titles auto-extract from the **first heading** — upload KO/EN as ordered pairs so language switching keeps position.
- With nothing published, the bundled copy serves with a **Bundled with build** badge.




Knowledge base

- A library of **org documents the AI consultant cites in interviews** — upload SOPs and guides.
- Supports pdf, docx, xlsx, txt, md — up to 20 MB per file.
- Add with **Upload**, reload with **Refresh**.




AI chat settings · AI prompts

- Chats are **always stored server-side** (scoped to user x map, owner-visible) — not a toggle.
- Retention caps — 20 chats/map, 200 messages/chat, 180 days (tunable, applies immediately).
- Manage **chat loading tips** — one per line; clearing restores the 20 defaults.
- **AI prompts** — override the built-ins: saves apply instantly; clearing falls back to the shipped prompt.
- While overridden, prompt improvements shipped in code are **not picked up** — re-check periodically.



Feedback administration

- Only sysadmin changes status and replies — **done** locks further replies.
- Notifications are deliberate — **Send notification** (reply, resendable) and **Notify status change** (once per item).
- The "Notification sent <time>" meta row records what went out.
- **Notes** — anyone writes; edits keep history; delete = archive. Permanent purge only via the `feedback_notes` table view.



04

Directory & Org

HR-webhook sync, the departments basis, heads, and consultant accounts.

Employees & sync

- The source is the **n8n HR webhook** — a full sync refreshes employees plus the **departments table** (AD only enriches titles).
- **Full sync** — spinner while running, then a scanned/upserted/deactivated/deleted/skipped summary. Throttled to one per 5 min.
- Auto sync every `HR_SYNC_INTERVAL_HOURS` (default 24 h, 0 = off), plus per-user daily sync on login.
- **Safeguards** — the sync-preview dry-run API and the deletion cap `HR_SYNC_DELETE_CAP_PCT` (default 20%).
- Departures aren't deleted — marked **active=false** and excluded from pickers.

Business Process Map

Maps Notices Inbox 2

Feedback System Admin 한 EN

Settings

CONTENT

Notices

Manual

Knowledge base

AI chat

AI prompts

DIRECTORY

Employees

Departments

FRAMEWORK

Categories & import

DATABASE

Tables

Batch jobs

APPROVALS

Approval Queue 2

GROUPS

User Groups

ANALYTICS

Dashboard

TRASH

Scheduled deletion

Employees

Export CSV Sync all from AD

Exposed positions

Choose which EDW titles are shown as a person's position across the app.

☒ 그룹장 ☒ 파트장 ☒ 팀장 ☒ 센터장

Save

loginid	name	korean name	korean dept	title	department	role	status	source
admin.sys	System Admin	Sysadmin		Manager	System Team	admin	Active	local
bora.choi	Bora Choi			Lead	Support Team	user	Active	local
bora.hong	Bora Hong			Lead	Brand Part 1	user	Active	local
bora.hwang	Bora Hwang			Manager	Planning Part 1	user	Active	local
bora.jang	Bora Jang			Manager	Brand Part 2	user	Active	local
bora.jung	Bora Jung			Manager	Growth Team	user	Active	local
bora.jung2	Bora Jung			Senior	Brand Part 3	user	Active	local
bora.kwon	Bora Kwon			Lead	Brand Part 2	user	Active	local
bora.lee	Bora Lee			Senior	Planning Part 1	user	Active	local
bora.lee2	Bora Lee			Senior	Facilities Office	user	Active	local
bora.lee3	Bora Lee			Associate	Planning Part 1	user	Active	local
bora.oh	Bora Oh			Associate	Insights Team	user	Active	local
bora.oh2	Bora Oh			Staff	Planning Part 2	user	Active	local
bora.park	Bora Park			Senior	Logistics Part 1	user	Active	local
bora.seo	Bora Seo			Senior	Analytics Part 1	user	Active	local

Departments & heads

- The **departments table** is the org basis — the single source for the org chart and path resolution.
- Heads are determined from **EDW position (FRNM)** data, tagged **Manager** on the chain.
- **Exposed positions** — pick which collected titles show in the app (defaults: 그룹장·파트장·팀장·센터장).
- **Missing-department remap** — reassign stale paths still referenced by permissions, groups, or owning departments.
- Both tables support **CSV export** (BOM, formula-injection guard).

Business Process Map

Maps Notices Inbox 2

Feedback System Admin 한 EN

Export CSV

Settings

CONTENT

Notices

Manual

Knowledge base

AI chat

AI prompts

DIRECTORY

Employees

Departments

FRAMEWORK

Categories & import

DATABASE

Tables

Batch jobs

APPROVALS

Approval Queue 2

GROUPS

User Groups

ANALYTICS

Dashboard

TRASH

Scheduled deletion

Department	korean dept	Members
▼ Growth Center		0
▼ Marketing Office		0
▼ Brand Team		0
Brand Part 1		31
Brand Part 2		31
Brand Part 3		31
Growth Team		31
▼ Strategy Office		0
▼ Analytics Team		0
Analytics Part 1		31
Insights Team		31
▼ Planning Team		0

Local accounts (ldap mode)

- Appears **only** in `ldap` auth mode — issue ID/password logins for external consultants.
- Sign-in checks **local accounts first**, then falls back to AD. Throttled to 5 attempts per 5 minutes.
- Per account: reset password, deactivate/reactivate, delete (permanent). **Deactivate first** when an engagement ends.
- **Sysadmin toggle** — effective in ldap mode only; env-granted users can't be turned off here.
- Token lifetime and secret rotation (kills all sessions) live in `docs/deploy/deploy.md` §2.1.


05

Framework Management

The category tree, interview import, and linkage-canvas governance.


Categories & interview import

- Add top/child, rename, move, delete (max 5 levels)
— **maps attach to L5 only.**
- Deletion is refused while the subtree has linked maps; renames sync the linkage-canvas name.
- **Interview import** — upload L5 JSON files → **Dry run** report (errors/warnings/unknown keys) → **Apply.**
- Error files skip whole; re-runs are idempotent. Exceptions/VOC land in the map's **Notes**.
- Free-text GMP/conditions/times persist as **fallbacks** — settle them on the map's Conditions & GMP card.



Linkage admins & governance

- The **Linkage admins** button appoints users/groups — grants **inherit downward** (L1–L4 covers everything below).
- Admins only **edit linkage canvases** — category CRUD/import stays sysadmin.
- Canvases are real maps (`mode=framework`) but never appear in the map list or SP library.
- **A subtree with a canvas can't be deleted (409)** — clean up the canvas first.
- A major confirm **permanently prunes** the previous major's minors (with a preview dialog).



06

Database & Backups

The table viewer, notification purge, batch status, and daily backups.

The table viewer

- A **read-only** browser with server-side paging, sorting, filtering — it never writes.
- **CSV export** streams all rows with the current sort/filter (BOM, formula guard).
- **Login records** — one row per user per day; the audit view.
- Selecting `notifications` adds a **range purge** — grouped preview, then a hard delete (no undo).
- Notification retention is a fixed most-recent-100-per-person policy.

Business Process Map

Maps Notices Inbox 2

Feedback System Admin EN

Settings

CONTENT

Notices

Manual

Knowledge base

AI chat

AI prompts

DIRECTORY

Employees

Departments

FRAMEWORK

Categories & import

DATABASE

Tables

Batch jobs

APPROVALS

Approval Queue 2

GROUPS

User Groups

ANALYTICS

Dashboard

TRASH

Scheduled deletion

Tables

ai_chat_messages 0 ai_chat_sessions 0 ai_prompts 0 ai_usage_events 0 app_settings 0 approval_requests 1 batch_job_runs 3

category_permissions 0 checkout_requests 1 comments 2 dashboard_coverage_depts 0 dashboard_permissions 0 departments 0

edges 206 employees 401 feedback 2 feedback_note_revisions 0 feedback_notes 1 groups 1 interview_attachments 0

interview_checkpoints 0 interview_messages 0 interview_sessions 0 kb_chunks 0 kb_documents 0 local_credentials 0 login_records 3

manual_docs 0 map_approvers 28 map_notes 29 map_permissions 117 map_versions 95 nodes 240 notices 2 **notifications 3**

process_categories 19 process_maps 34 user_group_managers 0 user_group_members 26 user_groups 6 version_approvals 130

version_events 375

notifications

Filter rows... Export CSV 3 rows · 3 shown 연도, 월, 일. - 연도, 월, 일. Delete in range

id	recipient	type	map_id	version_id	message	payload	read	created_at
1	admin.kim	review_requested	14	75	user.lee 님이 'As-Is' 승인을 요청했습니다.		false	2026-08-30T23:59:10.421538
2	admin.kim	review_requested	15	76	user.park 님이 'As-Is' 승인을 요청했습니다.		false	2026-08-30T23:59:10.422816
3	admin.kim	notice	17		새 공지: v2.4 승인 워크플로우 개편 안내가 등록되었습니다.		true	2026-08-30T23:59:10.424745

All rows loaded

Batch job status

- The latest attempts of the **DB backup** and **HR sync**, per job.
- The last **success** and last **failure** each keep their time and summary.
- A failure newer than the last success is your signal to act.

The screenshot displays the 'Business Process Map' interface. On the left is a sidebar menu with categories: CONTENT, DIRECTORY, FRAMEWORK, DATABASE, APPROVALS, GROUPS, ANALYTICS, and TRASH. The 'Batch jobs' item under the DATABASE category is highlighted. The main content area is titled 'Batch jobs' and includes a note: 'Latest attempt per background job — only the most recent success and failure are kept.' Below this, two job status cards are shown. The first card, 'Database backup', shows a 'Success' status with a green circle icon. It lists: 'Last attempt' as '2026-08-31 04:00', 'Last success' as '2026-08-31 04:00' with a summary 'bpm-20260831-040012.dump (2.1 MB) verified', and 'Last failure' as '2026-08-28 04:00' with a red error message 'pg_dump: connection timeout'. The second card, 'HR directory sync', also shows a 'Success' status. It lists: 'Last attempt' as '2026-08-30 15:06', 'Last success' as '2026-08-30 15:06' with a summary 'scanned=401 upserted=3 deactivated=1 deleted=0 skipped=0', and 'Last failure' as '—'. The top of the interface has navigation tabs for 'Maps', 'Notices', and 'Inbox' (with a notification badge). The top right corner contains links for 'Feedback', 'System Admin', and a language selector set to 'EN'.

Job Name	Status	Last Attempt	Last Success	Last Failure
Database backup	Success	2026-08-31 04:00	2026-08-31 04:00 bpm-20260831-040012.dump (2.1 MB) verified	2026-08-28 04:00 pg_dump: connection timeout
HR directory sync	Success	2026-08-30 15:06	2026-08-30 15:06 scanned=401 upserted=3 deactivated=1 deleted=0 skipped=0	—

Daily automatic backups (prod)

- The compose `db-backup` sidecar — daily after **04:00 KST**, plus once on boot if today's dump is missing.
- A dump is kept **only after** `pg_restore --list` verification; outcomes land on the Batch jobs tab.
- Stored at `${BACKUP_DIR}` (default `./backups`); `${BACKUP_RETENTION_DAYS}` (default 14) prunes older dumps.
- Server-disk only for now — **off-server copies recommended**. Recovery runbook: `docs/deploy/backup.md`.


07

Approvals • Groups • Trash

The global queue, group approvals, restore, and instant purge.


The global approval queue

- Pending requests across all maps — group creation, permission downgrades, visibility, checkout transfers.
- Approve/reject (reason required) — map-scoped items are also decidable by that map's approvers; this is the catch-all.
- Renames and SP registrations are **owner-decided** — as effective owner you can handle them from the Inbox.




User group administration

- Group creation is request-based — **Active** after sysadmin approval.
- Check the name, members (2+), managers (1+), then decide.
- Sysadmin sees **all groups**, inactive and deleted included.
- Deleted groups purge after 7 days in the trash.



Trash & instant purge

- Deletions are soft — purged after 7 days; **Restore** brings everything back intact.
- Owners see their own; sysadmin sees **everyone's** trash.
- **Instant purge (sysadmin)** — remove immediately without the 7-day wait. Trash-state maps only; **no undo**.



Version workflow — admin powers

- **Force checkout** — take the lock when the holder is away (their unsaved context is lost; idle locks already release at 30 min).
- As effective owner you can submit, publish, and decide checkouts anywhere.
- **Withdraw is the exception** — Pending/Approved only by the submitter.
- **Approver reassignment** — recover approver-less maps via the forced-reassign flow.
- Publishing expires the previous version (terminal) — continue via **Republish**.


08

Dashboard

Live operational metrics and delegated access.

The operations dashboard

- **Operations** — maps, published, in-progress, trash, open comments, unread notifications, transfer requests.
- **Version status** distribution and **adoption by department** (denominator picked in the Coverage sidebar).
- **Login & activity, cumulative growth** — 7d/1m/3m/custom period filter (snapshot metrics ignore it).
- **Recent version events and AI usage** (7/30-day calls, top maps).
- **Access sidebar** — delegate viewing to people, departments, groups (sysadmins always can).



09

Configuration Reference

backend .env and compose variables. Changes need a backend restart.

Env — auth, permissions, AI

Variable	Effect
<code>BPM_SYSADMINS</code>	Comma-separated sysadmin login IDs
<code>AUTH_MODE</code>	<code>keycloak</code> <code>ldap</code> <code>dev</code> — the frontend reads it at boot via <code>GET /api/auth/mode</code>
<code>AUTH_JWT_SECRET</code> / <code>AUTH_JWT_TTL_HOURS</code>	Idap session signing key (rotate = kill switch) · lifetime (default 8 h)
<code>DEV_ENFORCE_PERMISSIONS</code>	Enforce RBAC locally even with auth off
<code>AI_BASE_URL</code> / <code>AI_MODEL</code>	AI server (OpenAI-compatible) and model id — the in-house GPU uses just <code>glm-5.2</code>
<code>AI_MAX_TOKENS</code> / <code>AI_TIMEOUT_SECONDS</code>	Response token cap (too low = empty replies) · per-call timeout (120–180 s recommended)

Env — HR, backups, misc

Variable	Effect
<code>N8N_HR_URL</code> / <code>N8N_HR_TOKEN</code>	HR webhook URL & secret — sync activates only with both
<code>N8N_POSITION_URL</code>	EDW head-position webhook — empty disables collection
<code>HR_SYNC_INTERVAL_HOURS</code>	Auto-sync interval (default 24, 0 = off) — keep 0 for the first migration
<code>HR_SYNC_DELETE_CAP_PCT</code>	Sync deletion cap % (default 20, 0 = off)
<code>BACKUP_DIR</code> / <code>BACKUP_RETENTION_DAYS</code>	Backup path (default ./backups — point at a NAS for off-server) · retention days (default 14)
<code>MANUAL_URL</code>	Editor-toolbar manual button — hidden when empty

Env changes need a backend restart (`--reload` does not re-read .env). All deployment values live in .env — never hardcoded.

Run it steady

Check the **Batch jobs tab** each morning, **AI prompt overrides** after deploys, and **department remaps** after reorgs.