



Business Process Map User Manual

Draw processes as flowcharts, manage them as versions, finalize through approval.

Company process-map system · As of 2026-08-31 · English edition

Navigate with   or click the screen edges ·  to restart

What's inside

- 01 Getting Started
- 03 Editing — The Basics
- 05 Subprocesses
- 07 Comparing Versions
- 09 Framework & Linkage Canvas

- 02 Home — Finding & Managing Maps
- 04 Node Data
- 06 Versions & Approval
- 08 Import · Export · AI
- 10 Notifications · Notices · Collaboration


01

Getting Started

Sign in, learn the screens, and understand your role on a map.

Signing in

- **Sign in with Keycloak** — sign in with your company SSO account.
- After the first sign-in, later visits **sign you in automatically** and continue to the screen you were opening (deep link).
- Servers on company-account (LDAP) auth show an **ID/password form** instead — admin-issued local accounts work too.
- Development environments offer **Sign in with a test account**.




Login screen (development example)

① Getting Started

Screens at a glance

- Top tabs — **Maps** · Notices · Inbox.
- Top bar — **Manual** (KO/EN docs, search), **Feedback**, the bell, and the **한/EN** language toggle.
- Home dashboard on the right — status **donut chart**, recently opened maps, and an **approvals waiting for me** card.
- Press **/** on the map list or in the manual to jump straight to search.



Roles and visibility

- **Owner** — everything: edit, manage collaborators/approvers/visibility, delete.
- **Viewer** — read-only: browse, compare, comment.
- Every map has an **owning department**; its members automatically hold Editor access.
- **Editor** — edit the map and its draft versions.
- **Approver** — review and approve/reject submitted versions.
- **Public** maps are viewable by everyone; **Private** maps only by collaborators and approvers.


02

Home — Finding & Managing Maps

Browse maps by org tree or framework; create, copy, and manage settings.


Finding maps & the detail panel

- Browse by department in the **org tree** — your department is pinned on top.
- Search (/) and filter chips — narrow by status, role, visibility, and SP.
- Click a card for the **detail panel** — owner, owning department, allowed members, and the full **version history**.
- Right-click a version entry — **Go to this version** · **View comments**; the speech-bubble button opens comment history.
- With edit access you can add/remove collaborators right on the card (same staged Save/Undo as Settings).



People cards & org info

- Hover a name briefly (0.7 s) or click for the **person card** — KO/EN names, title, org path, Open messenger.
- Right-click a name — **Send message** · **Info**.
- Click a department card for the **org info modal** — members, sub-organizations, and the path upward.
- Names follow your language setting — Korean UI puts Korean names first.



Creating a map

- **New map** — name, description, and visibility.
- **Owning department is required** — an org-tree picker; its members always hold Editor.
- **At least one approver is required** — a map cannot be created without one.
- Optionally add initial collaborators as Viewer/Editor — the picker sorts by **org proximity to you**.
- New maps come with **Start and End nodes pre-seeded**.
- **Create from CSV** — drop a CSV to create a pre-filled map instantly.

The image shows a 'New map' dialog box overlaid on a blurred background of a process map. The dialog box is titled 'New map' and has a close button (X) in the top right corner. It contains the following fields and options:

- Name:** A text input field containing 'Purchasing Approval'.
- Description:** A text input field with the placeholder text 'What is this process map about? (optional)'.
- Owning department (required):** A dropdown menu with the placeholder text 'Search by name or initial consonant...'.
- Visibility:** Two radio buttons labeled 'Public' and 'Private'. The 'Private' button is selected.
- Initial collaborators:** A section with the text 'Search below to add editors or viewers.' and a search input field with the placeholder text 'Search by name or initial consonant...'.
- Required approvers (≥1):** A section with the text 'Search below to add approvers.' and a search input field with the placeholder text 'Search by name or initial consonant...'.
- Footer:** A red text label 'Select the owning department.' on the left, and two buttons 'Cancel' and 'Create' on the right.

Copying & replacing the original


- Copy needs at least one published version — pick which published version to copy; the copy opens as the new map's draft.
- The original map's owner is notified of the copy.
- Check "**Move the original to the trash**" — the copy replaces the original: it keeps the name; the original is tagged "(Pending deletion)" and trashed (7 days).
- The original's **collaborators and approvers are pre-loaded** to carry over after review. Approvers and editors are notified.
- If the original is a designated subprocess, you must confirm against the **list of referencing processes**.
- Plain deletion keeps the map in the trash for 7 days — restore from **Settings** → **Scheduled deletion**.

The screenshot shows a 'Copy map' dialog box with the following fields and options:

- Name:** A text input field containing 'Order Fulfillment'. Below it, a note states: 'The original moves to the trash, so the copy keeps the current map name.'
- Version to copy:** A dropdown menu showing 'v5 · Release 5 · published'. Below it, a note states: 'The copy opens as a new draft of the new map.'
- Owning department (required):** A search input field with the placeholder text 'Search by name or initial consonant...'
- Owner:** A selection field showing 'System Admin admin.sys' with a 'You' button. Below it, a note states: 'The owner of the original map will be notified of this copy.'
- Visibility:** Two buttons, 'Public' and 'Private', with 'Private' selected.
- Move the original map to the trash after copying:** A checked checkbox with a trash icon.
- Details:** A list of actions:
 - The original is renamed with a "(Pending deletion)" tag
 - Kept in the trash for 7 days, then permanently removed
 - Approvers and editor+ collaborators will be notified
 - Collaborators and approvers are carried over below — adjust before copying
- Warning:** A yellow box with a warning icon stating: 'This map is a designated subprocess. Moving it to the trash removes it from the processes referencing it.'
- Footer:** A red text prompt 'Select the owning department.' and two buttons: 'Cancel' and 'Copy'.


Map Settings — Collaborators

- Add individuals, teams, or user groups as **Viewer** / **Editor** — the default list sorts by org proximity.
- Changes are **staged** (To add / Change / Remove pills), applied with **Save changes**, dropped with **Discard**.
- Each pill forecasts the outcome — ⚡ instant, or ⌚ **needs approval** (removing/demoting an Editor).
- Pending requests show an **Approval pending** tag; hover your own to **Withdraw** it.
- Right after saving, **Undo** reverts that one save.



Map Settings — name, visibility & more

- **Renaming** applies instantly only for the owner/admin; an editor's change files a **rename request** to the owner's Inbox.
- **Visibility changes need approval** — impact preview plus the deciding approvers; withdraw while pending.
- **Approvers** tab — locked while a version is under approval.
- **Subprocess designation** — needs a published version; set representative attributes (department required).
- **Danger Zone** — transfer ownership, delete map (Owner only).



03


Editing — The Basics

The editor, canvas navigation, creating and connecting nodes, tidying and saving.

③ Editing Basics

The editor at a glance


- Top bar — map menu, **version selector**, undo/redo, library, **AI**, Save.
- Left — the **outline tree** and shortcut card. Right — the **inspector** (Properties/Map/Approval/Activity).
- With nothing selected, Properties shows the **Ownership & approvers** section and a **map summary accordion** (icon+number pairs while collapsed).
- Maps registered in the Framework show a **Framework chip** with the classification path.
- The rightmost icon on the inspector tab bar **collapses/expands every section** of the tab.



③ Editing Basics

Moving around the canvas


- Wheel = vertical pan, **Shift** +wheel = horizontal, **Ctrl** +wheel = zoom.
- Hold **Space** and drag to pan; drag empty canvas to **box-select**.
- Right-click opens the context menu (node, edge, or canvas).
- When a node grows, nodes below **shift on screen** so nothing overlaps (saved coordinates unchanged).



③ Editing Basics

Creating nodes


- **Right-click** the canvas, or use **Add node** in the inspector.
- **Start** (pill, only one) · **Process** (rectangle) · **Decision** (diamond) · **End** (one primary end) · **Subprocess**.
- Double-click or **F2** renames in place — **Enter** commits, **Shift+Enter** breaks the line.
- Copy with **Ctrl+C/V** (across tabs and maps), duplicate with **Ctrl+drag**; duplicate names get a **(2)** suffix.



③ Editing Basics

Connecting nodes

- Drag from a handle — **dropping on a node's body** connects to the default handle (with a snap preview).
- Plain nodes have **one output** — branch with a **Decision** node; its edges carry Yes/No labels.
- Edit edge labels via right-click or **F2**; line breaks supported.
- **Line style is per edge** — curved/stepped/straight from the inspector or right-click; change all at once in the Map tab's **Edge style**.
- Drag a node near another for **drop zones** (before/after/swap/group) to insert in one motion.




Tidying — layout, groups, bulk edit

- **Auto layout** — horizontal `Shift+L`, vertical `Shift+K`; the main path snaps to one line.
- `Shift` +drag = axis-locked move; `Alt+W/C/T/X` align; `Alt+R/V` distribute.
- Select 2+ nodes and press `Ctrl+G` for a **group** — double-click the title to rename, drag it to move.
- **Group bulk edit** — pick a field under Attributes / Metrics / I/O & Conditions and set or clear it across all members.
- Append / Replace / Skip conflict handling with a before/after summary.

③ Editing Basics

Search & following the flow

- `/` — node search (Korean chosung supported); matches jump and highlight.
- Click an **outline** entry to focus that node.
- `Tab / Shift+Tab` — next/previous node along the flow (including expanded subprocess children).
- `]` / `[` — grow and shrink the **flow highlight** from the selected node.
- Per-node **comments** — `Ctrl+Enter` sends; read-only users can comment too.



Saving & validation

- The editor **autosaves** ~2 s after you stop; the Save button shows Saving.../Saved/Failed.
- **Save checklist** — one Start, one primary End, unique End names, no multi-output plain nodes.
- Editing needs a draft (#Draft/#Rejected) plus **your checkout** — otherwise the canvas locks read-only.
- While a downgrade of your permission is pending, checkout and submission are temporarily refused.

04


Node Data

Attributes, per-run metrics, GMP classification, I/O & conditions, and links.

④ Node Data

Node attributes


- Title, description, color (presets/hex) — the description opens its edit dialog via the hover icon.
- **BPM attributes** — assignee (org directory), department (auto), system.
- **GMP classification** — Direct/Indirect/Non-GMP; a pill tag on the node, and the node color locks to the class (with undo).
- **Link (URL)** — shown as a badge; click to preview or open. A display label is supported.
- Subprocess nodes **inherit** the linked map's GMP and attributes read-only.



④ Node Data

Per-run metrics (seven)


- Duration, touch time, cost (₩/\$), headcount, annual volume, FTE — **per single run**.
- **h.mm notation** — `1.30` = 1 h 30 m; `0.90` carries to 1h30m. Shows as typed while editing, `1h30m` elsewhere.
- **One currency only** — a ₩/\$ toggle; switching warns that the other value clears, with Undo.
- Metrics and I/O sections apply via their **section Save button** (lit when dirty).
- Subprocess nodes take only **annual volume & FTE** directly — the other five inherit from the linked map.



④ Node Data

Inputs, outputs & conditions

- Inputs/outputs hold **one item per row** — set each item's **data form** via the file icon (`.xlsx` / Excel / 엑셀 all match).
- Import from node...** pulls an upstream output / downstream input and stays **Linked**; Disconnect detaches a copy.
- Linked items carry a **link icon** with a direction tooltip; hovering lights up the **peer node and path** on canvas.
- Inputs take a **Required/Optional flag** — told apart by hover color (required = red tint) and tooltip.
- Start/end conditions are free text. On canvas they show **below the selected node** (choose items in Node display).



05


Subprocesses

Reference another map as a single step — preview it, expand it, manage registration.

⑤ Subprocesses

Adding as a link


- A **reference**, not a copy — changes to the source map flow through.
- Drag from the library (S , chosung search) — by default only **designated** maps appear.
- New links **follow the latest published version**; pinning a version is possible. Newer publishes surface an update notice.
- **Duplicate links** to the same map are blocked.
- Selecting the node shows the **Subprocess tab** — designation meta plus a used-by list.



⑤ Subprocesses

Preview peek — Node tab


- Click a library row (or hover 2.5 s) to open the published-version **preview peek**.
- Left — the flow preview in canvas type colors.
- **Node tab** — a live mock of the node you'd add: attributes, metric chips, GMP, conditions, and the I/O checklist.
- Hovering the mock switches it to the **current map's display settings**.
- Click to add straight to the canvas — maps you can't view show a lock notice but can still be added.



⑤ Subprocesses

Preview peek — Details tab


- Designated attributes (department, assignee, system) and **subprocess metrics**.
- Conditions, I/O, and GMP in full — empty values tone down to dashes.
- Meta — **published version (v-number), publish time, framework path**.



⑤ Subprocesses

Expand in place (inline)


- Right-click → **Expand subprocess** — the published child embeds **read-only** in a **tinted region** on this canvas.
- The region header shows the map name with an open icon — framework maps add the **full 5-level path label** (click for the peek).
- Right-click inside — **Open linked map** (confirmation gate) · **Collapse**. Hovering highlights the region.
- **Tab** traversal includes expanded children; child GMP pills are read-only.
- **Deep view** — double-click the node for a breadcrumb overlay; **Esc** returns.



⑤ Subprocesses

Deep view & node polish


- **Deep view** — drill into child maps in a stacked overlay (read-only) with breadcrumbs.
- **Node width** — hover for the right-edge grip and drag (180 px–120%); the width saves with the map.
- **Framework pill** — framework-registered links show a folder pill; click/hover 3 s for the path peek (0.4 s grace close).
- Without permission on the linked map the node shows **No access**.



⑤ Subprocesses

Linking unregistered maps

- Toggle **Show unregistered maps** in the library — unregistered maps appear with a "Not registered" badge.
- Dropping one confirms the warning, then asks whether to **send a registration request** (Send request / Link only).
- The request lands in the target **owner's Inbox** — once designated, the warning clears and you're notified.
- Select the node for **Request registration** — with a status badge and withdraw afterwards.
- **Create map "query"** under the library search — makes a new map and links it here automatically.



Managing designation (owner)

- Map Settings → Subprocess designation — representative attributes (department required; assignee/system/metrics/description optional).
- Designation requires a published version.
- The form proposes a **sum preview (Σ)** of published metrics — times/costs summed, headcount averaged.
- Designated values render **live** on every linking node.
- The card's **Linked from** accordion lists the maps linking this one.

The screenshot shows the 'Business Process Map' settings for 'Employee Onboarding'. The left sidebar contains a 'MAP SETTINGS' section with options: Details, Subprocess (selected), Visibility, Collaborators, Approvers, Versions, Pending Approvals, Checkout Requests, and Danger Zone. The main content area has a 'Subprocess' section with a description and a 'Designate as subprocess' button. Below this is a 'Visibility' section with a 'Private · current' button and a 'Public' button. The 'Collaborators' section lists users and their roles: Taeyang Oh (Owner), Yerin Yoo (Editor), Woojin Kim (Editor), Doyun Lim (Viewer), Junho Hwang (Viewer), Hana Lee (Viewer), Brand Part 3 (Viewer), and Part Group 2 (Viewer). At the bottom, there is an 'Add collaborator' search bar and an 'Approvers' section.

Business Process Map Maps Notices Inbox 2 Feedback System Admin EN

← Back to editor

Employee Onboarding
MAP SETTINGS

Details
Subprocess
Visibility
Collaborators
Approvers
Versions
Pending Approvals
Checkout Requests
Danger Zone

Subprocess

Designate this map as a company subprocess so other maps can link it from the library.

Designate as subprocess

Visibility

Visibility
Changing visibility requires approval.

Private · current Public

Collaborators

Analytics Part 1 Owning department Editor · locked

Taeyang Oh	Owner
Yerin Yoo	Editor
Woojin Kim	Editor
Doyun Lim	Viewer
Junho Hwang	Viewer
Hana Lee	Viewer
Brand Part 3	Viewer
Part Group 2	Viewer

Add collaborator

Search by name or initial consonant...

System Admin · owner
[Dev] Switch user

Approvers


06

Versions & Approval

The draft → review → publish workflow, checkout, comments, and the inbox.

Versions & statuses

- A map holds versions (As-Is / To-Be / free labels) — a new one starts as a full copy.
- **One draft at a time** — a new version only after the current one publishes.
- You name it yourself; the **number** is assigned at **publish time**.
- Statuses — #Draft · #Pending · #Approved · #Published · #Rejected · #Expired (terminal).
- Publishing expires the previous one — **Republish** starts a fresh cycle from it.



Checkout (single writer)

- A draft is **checked out** to one person — everyone else sees a "{name} is editing" read-only banner.
- **Request / transfer checkout** — the holder approves from the Inbox or hands it over directly.
- Auto-released after 30 minutes of inactivity.
- On **rejection the checkout returns to the submitter** — nobody can grab it in between.

From draft to published


- ① **Submit** — review the approver list, add an optional comment; a previous-rejection banner shows if any.
- ③ **Publish** — the previous published version expires.
- **Self-publish** — when you're the only approver, a "Publish now?" popover runs the chain in one click.
- ② Approvers **approve/reject** — rejections need a reason; approval is **unanimous**.
- **Withdraw** — Pending/Approved by the submitter only; Rejected also by owner/admin. The withdrawer gets the checkout.
- **Bundle visibility (owner)** — attach a visibility change to the submission; it applies at publish.

Comments & history

- Comments from the submit/approve/publish/withdraw dialogs are **stored with the version history**.
- Versions with comments show a **speech-bubble count button** opening the history modal.
- Approval tab — per-approver tag pills (hover for time & comment), progress (n/m), and waiting-on pills.
- **Change summary** — under the approvers, the delta vs the published version (nodes & edges), collapsible.
- Opening a rejected version shows the **rejection banner** (who, why).

The approvals inbox

- Your review queue — version approvals, checkout transfers, permission/visibility, renames, and **SP registration requests**.
- Approve/reject inline (with a reason); **Open map** jumps to the source.
- The top **Inbox** tab carries your pending-count badge.
- SP registration card — **Designate & approve**: saving the form approves. Maps without a published version can't be designated yet.
- Requests bundled with a version show as read-only "Decided with version approval" rows.




07

Comparing Versions

Read differences in color, and summarize them in numbers.


Opening & picking versions

- Open **Compare** from the editor top bar (needs a published version) or the Map tab's compare button.
- **Base (before)** / **Target (after)** captions make the direction explicit — echoed under the Changes panel.
- Dropdown rows carry a **status pill** and **last-updated date** — the other side's pick shows a tag; click to swap.
- Toggle horizontal/vertical layout; drag overlapping nodes **temporarily** (never saved).




Reading the diff

- Added = green · Removed = red · Changed = yellow — edge-label changes too.
- Per-field status colors — new green, removed red struck-through, changed with **only the changed part** emphasized.
- Hover clipped long values for a **full-text popover**.
- Filter the change list by All/Nodes/Edges; click to focus the canvas.
- Apply To-Be carries the target forward; Export saves a PNG with an info card.



The Summary tab

- **Version totals** of the seven metrics (base → target with deltas) plus contributing nodes (click to focus).
- **Structure** (node/edge counts), **Systems**, **Departments & assignees** (coverage), and **GMP** distribution.
- Pick visible sections from the **Summary items** dropdown.




08

Import • Export • AI

Fill from CSV, export five ways, and draw with the AI assistant.


CSV import

- **Import CSV** in the top bar — download the template, fill, upload. **20 columns** (name required; attributes, metrics, I/O, URL, next).
- **Merged by name** — existing nodes keep color/comments/groups, and **blank cells keep existing values**.
- Assignees match the directory by name; one-currency and h.mm rules apply.
- Review the **Added/Matched/Removed** summary and warnings before applying.
- **Ask another AI** — copy the prompt, build the CSV with an external AI, paste it back.




Export (PNG · Excel · CSV · Word)

- **PNG** — 2× resolution with a map info card (name, department, version, publish date, framework path). `Ctrl+Shift+E`.
- **Excel** — Structured or **WBS** (subprocess level columns), with per-currency number formatting.
- **CSV** — the same table as import; **round-trip** by editing and re-importing.
- **Word** — a shape flowchart `.docx`; node URLs become hyperlinks.
- Structure a table can't hold (coordinates, groups) exports with a warning.



AI assistant

- **Generate** flowcharts from plain language — attributes and metrics filled against the directory.
- **Incremental edits** — layout/colors/groups preserved; nodes, links, inserts, branch labels, descriptions, I/O, conditions, URLs. Preview then Apply.
- **Analyze, summarize, walk through** (prev/next/autoplay), and manual-grounded **how-to answers**.
- Chats are stored server-side and follow you — multiple chats, read-only access to other maps' chats.
- **Ctrl+Enter** sends · 2,000-char limit with a remaining ring · adjustable text size.




09

Framework & Linkage Canvas

Browse maps through the company framework (L1–L5) and draw cross-process linkage on L5 canvases.


The Framework view

- Toggle **Departments** ↔ **Framework** on home — browse via the company tree (L1–L5), currently in pilot.
- **Maps attach to L5 only** — higher levels group what's below; non-L5 assignment/transfer is blocked with a banner.
- The **linkage-canvas button** on an L5 row opens that category's canvas.




The linkage canvas (L5)

- A special canvas with the category's processes (L6) laid out as subprocess nodes — no Start/End.
- Draw linkage with connectors; decision and end nodes are allowed as helpers.
- Anyone signed in can view; **category admins edit** (higher-level grants inherit downward).
- It always opens the **live draft**; new L6 maps **auto-reconcile** on edit entry (with a toast).
- Contained L6 nodes **cannot be deleted** — the classification is the source.




External L6 & the L5 explorer

- The top-left **L5 explorer** — see where you are in the tree and open other L5s.
- **Drag** another category's L6 card in — rendered neutral with a **colored left tab and origin badge**.
- Click the origin badge for that L5's **drill-in peek**; "Search other frameworks" opens the **browse modal** (search & travel, gated by confirmation).




Confirm & versions

- **Confirm changes** — an admin freezes a snapshot: v1.0 → v1.1 ...; check **Major** for v2.0.
- A major confirm **prunes** the previous major's minors — the dialog previews what's kept and deleted.
- Layout-only moves can't confirm ("no changes") — the section shows the **change summary** since the last confirm.
- Snapshots open read-only from the version dropdown and compare against each other.




Placeholders & replacement

- The slot for an unregistered L6 renders as a **dashed, error-toned node**.
- **Connect a map** — guided-L5 candidates ranked by similarity (exact-match badge); drill the tree for other L5s.
- Picking outside the guided L5 goes through a path-comparison confirmation.
- When a linked map is trashed or retired, a **Replace map** banner appears — the **successor is pinned** as a recommendation.



Drill-in peek & browsing

- Origin badges on external L6s and folder pills on SP nodes open the **classification peek**.
- The peek's "**Search other frameworks**" — a tree opened to the current path, with category/map search.
- Click a map to travel — leaving the editor passes a **confirmation gate**.




10

Notifications · Notices · Collaboration

Rich notifications, notices, feedback, and user groups.


Notifications

- Sentences carry the **map name, version, and actor** in your language (older ones keep their original text).
- Hover/click the actor pill for the **person card**; the version chip opens a **version card** (status, time, jump).
- The **bell** refreshes every 5 s — clicking jumps to the tab and marks read.
- Notifications tab — mark all read, category filters, and bulk deletes by selection/read/date (all permanent).
- Retention is the **most recent 100 per person** — overflow auto-deletes oldest-first.




Notices & the manual

- The **Notices** tab — All/Important/General filters, search, Markdown bodies.
- The read mark is stored **only in this browser (device)**.
- **Manual** — from the top bar, with a document dropdown (KO/EN) and searchable TOC/body.



Feedback & user groups

- **Feedback** — Bug/Suggestion/Question/Other with your screen and open map attached; track status and replies on the Feedback page.
- **Notes** — anyone can add running memos; edits keep history, deletion archives.
- Reply/status notifications are sent deliberately by an admin.
- **User groups** — request with 2+ members and 1+ manager; active after admin approval. Grant map access in one step.



Quick FAQ

- **Can't edit?** Check the banner — checkout, approval in progress, or Viewer role.
- **Can't create a version?** Finish the current draft cycle through publish.
- **Won't save?** One Start, one primary End, unique End names, no multi-output plain nodes.
- **Can't submit?** Assign at least one approver first.
- **Copy disabled?** Only maps published at least once can be copied.
- **Linked subprocess locked?** It's undesignated — request registration, or publish and designate.

Happy mapping

Questions? Use the in-app **Manual** and **Feedback** — admins, see the Administrator Manual.