## HODOR: Shrinking Attack Surface on Node.js via System Call Limitation

Wenya Wang Shanghai Jiao Tong University Shanghai, China ducky\_97@sjtu.edu.cn

Wang Gao Shanghai Jiao Tong University Shanghai, China gaowang.sjtu@gmail.com Xingwei Lin Ant Group Hangzhou, China xwlin.roy@gmail.com

Dawu Gu Shanghai Jiao Tong University Shanghai, China dwgu@sjtu.edu.cn

Jiashui Wang Zhejiang University, Ant Group Hangzhou, China jiashui.wjs@antgroup.com Jingyi Wang\*
Zhejiang University
ZJU-Hangzhou Global Scientific and
Technological Innovation Center
Hangzhou, China
wangjyee@zju.edu.cn

Wei Lv Ant Group Hangzhou, China huaxing.lw@antgroup.com

<sup>\*</sup>Corresponding authors: Jingyi Wang and Dawu Gu

Table 6: Exploit execution for packages with arbitrary command execution attacks.

	Initial Attack	HODOR								
Package Name		Initial Attack	Cmd Permission Net							
			Exec	Fork	Setgid	Setuid	Connect	Listen	Bin	
command-exists kill-by-port	Write command-exists Write success	~	×	×	7	7	×	7	7	
killport	Write success	V	×	×	V	V	V	V	v	
kill-process-by-name	Write success	~	×	×	~	~	~	~	-	
macaddress	Write /tmp/poof	~	×	×	~	~	~	~	•	
mc-kill-port	Write newFile.txt	~	×	×	~	~	×	~	-	
onion-oled-js open	Write success Write /tmp/tada	7	×	×	7	7	Ž	~	Ž	
pdf-image	Write /tmp/hacked	V	×	×	V	V	V	V	·	
pdfinfojs	Write a	~	×	×	~	~	~	~		
pidusage	Execute /usr/local/bin/python	<i>V</i>	×	×	~	~	<i>'</i>	~	~	
portkiller	Write success	7	×	×	~	~	~	~	-	
port-killer portprocesses	Write success Write success	7	×	×	7	~	×	~	,	
ps	Write success.txt	Ž	×	x	Ž	7	Ž	,	Ĭ	
ps-kill	Write success	~	×	×	V	V	V	~	v	
ps-visitor	Write success	~	×	×	~	~	~	~	·	
roar-pidusage	Write success	~	×	×	~	~	~	~	v	
samsung-remote	Write /tmp/malicious;	V	×	×	~	×	<i>'</i>	~	•	
scp	nc localhost 4444;	~	×	×	~	~	~	~	•	
whereis	Write /tmp/tada	7	×	×	,	~	,	~		
wincred git-pull-or-clone	Write success Write /tmp/pwn3	7	×	×	7	~	×	~		
adb-driver	Write a		×	x	Ž	7	î	~	ï	
alfred-workflow-nodejs	Write hacked	V	×	×	V	V	V	V	i	
apex-publish-static-files	Write apex-publish-static-files	~	×	×	~	~	×	~		
apiconnect-cli-plugins	Write Song	~	×	×	~	~	~	~	, ,	
async-git	Write HACKED #	~	×	×	×	×	×	×	,	
bestzip	Write bestzip	~	×	×	~	~	<i>'</i>	~		
blamer	Write vulnerable	~	×	×	~	~	×	~	•	
cd-messenger clamscan	Write JHU Write create.txt	Ž	×	×	,	7	×	~		
cocos-utils	Write create.txt	7	×	×	Ž	7	î	~	:	
codecov	Write codecov	,	×	×	Ż	Ž	×	Ž		
compass-compile	Write JHU	V	×	×	V	~	V	~		
connection-tester	Write 111	~	×	×	~	~	×	~		
curling	Write JHU	~	×	×	~	~	~	~		
curljs	Write JHU	~	×	×	~	~	~	~	•	
deferred-exec	Write JHU	~	×	×	ν.	~	<i>'</i>	~	٠	
diskstats	Write HACKED Write Song	V	×	×	~	7	~	7	٠	
diskusage-ng docker-compose-remote-api	Write vulnerable.txt	7	x	x	Ž	~	×	×	,	
enpeem	Write create.txt	Ž	×	×	Ż	Ž	$\tilde{z}$	Ž	,	
eslint-fixer	Write eslint-fixer	V	×	×	×	×	V	~		
ffmpegdotjs	Write success	~	×	×	~	~	~	~	·	
ffmpeg-sdk	Write success	~	×	×	~	~	~	~		
find-process	Write /tmp/semicolon_file	~	×	×	~	~	~	~		
freespace geojson2kml	Write /tmp/semicolon_file	<i>y</i>	×	×	,	7	×	~	٠	
git-add-remote	Write JHU Write Song	7	x	x	Ž	~	×	~		
gitblame	Write JHU	Ž	×	×	Ż	Ž	Ž	Ž		
git-dummy-commit	Write git-dummy-commit	V	×	×	V	~	×	~	·	
giting	Write create.txt	~	×	×	~	~	~	~		
git-interface	Write /tmp/pwned	~	×	×	~	~	~	~		
git-tags-remote	Write /tmp/command-injection.test	~	×	×	~	~	~	~	٠	
ogle-cloudstorage-commands	Write JHU	<i>'</i>	×	×	~	~	~	~	٠	
growl	Write aaaa Write HACKED	~	×	×	~	7	,	~	٠	
gry gulp-scss-lint	Write create.txt	7	×	×	Ž	7	×	×	,	
gulp-styledocco	Write Vulnerable	Ž	×	×	7	7	x	×	;	
gulp-tape	Write JHU.txt	V	×	×	×	×	×	×	,	
heroku-env	Write JHU	V	×	×	×	×	V	V		
im-metadata	Write im-metadata	~	×	×	×	×	×	×	,	
im-resize	Write create.txt	~	×	×	~	~	~	~	٠	
install-package	Write Song	<i>V</i> .	×	×	ν.	~	~	~	٠	
jison	Write pwned	~	×	×	~	~	~	~	٠	
killing	Write success		×	×	,	~	· ·	<i>'</i>	•	
kill-port-process libnmap	Write kill-port-process Write success.txt	7	×	×	~	~	î	7	:	
local-devices	Makek directory attacker		×	×	7	7	V	7	:	
lsof	Write create.txt	7	×	×	×	×	Ž	Ž		
lycwed-spritesheetjs	Write 111233 #	~	×	×	V	V	V	~		
macfromip	Write JHU2	~	×	×	~	×	~	~	•	
monorepo-build	Write JHU	~	×	×	~	~	×	~	٠	
network-manager	Write create.txt	V	×	×	~	~	×	~	•	
node-df	Write HACKED		×	×	~	<i>V</i>	<i>V</i>	7	•	
node-key-sender node-latex-pdf	Write Song Write JHU	,	×	×	Ž	×	×	×	•	
node-mpv	Write JHU	i	x	×	î	î	x	î	:	
node-prompt-here	Write create.txt	V	×	×	V	7	×	7		
node-ps	Write JHU	V	×	×	~	~	~	~		
node-unrar	Write node-unrar	~	×	×	~	~	~	~		
npm-lockfile	Write rce	~	×	×	×	~	~	~	٠	
psnode	Write success	~	×	×	~	~	V.	~	٠	
pulverizr	Write Song	~	×	×	~	~	~	~	٠	
react-dev-utils	Write react-dev-utils	<i>V</i>	×	×	~	<i>'</i>	×	~	٠	
	Write vulnerable.txt		×	×	V	V	7	7		
rpi			×		×	×	~	~	٠	
rpi serial-number	Write create.txt	,	~	~	~	~	~	~	,	
rpi serial-number strider-git	Write HACKED;	Ž	×	×	×	×	×	×	,	
rpi serial-number strider-git strong-nginx-controller	Write HACKED; Write Song	<i>y y</i>	×	×	× × v	~	×	~	,	
rpi serial-number strider-git	Write HACKED;	***************************************			× × ×		×		000000000000000000000000000000000000000	

we-emd	Write JHU	~	×	×	~	~	~	~	~
wifiscanner	Write /tmp/exploit.txt	~	×	×	~	~	~	~	~
xopen	Write JHU	~	×	×	~	~	~	~	~
xps	Write HACKED	~	×	×	~	~	~	~	~
aaptjs	Write aaptjs	~	×	×	×	×	×	×	×
arpping	Write HACKED	~	×	×	~	~	~	~	~
dns-sync	Write pwned	~	×	×	~	~	×	~	~
git	date	×	×	×	~	~	×	~	~
git-lib	Write HACKED;	~	×	×	~	~	~	~	~
git-parse	Write HACKED	~	×	×	~	~	~	~	~
gity	Write HACKED	~	×	×	~	~	~	~	~
imagickal	Write HACKED	~	×	×	~	~	~	~	~
meta-git	Write HACKED	~	×	×	~	~	~	~	~
node-os-utils	Write DUMMY_FILE	~	×	×	~	~	×	~	~
pomelo-monitor	Write Song	~	×	×	~	~	~	~	~
gm	Write gm	~	×	×	~	~	~	~	~

**x**: Exploits are executed; **v**: Exploits are blocked;