MASTER BRIEF · VERSION 1.0 · 23 OCTOBER 2026

# Master Website Design Brief

Calm editorial clarity, purposeful spatial motion and an editor anyone can use. A build contract for any designer, developer or AI, proven on The International School @ ParkCity website.

Supersedes and extends: *Website Design Research: Editorial clarity, spatial motion, purposeful products* (22 October 2026).

Adds: values measured in a shipped, tested build, plus every correction the project owner gave during review.

Status words: **RULE** = must follow · **DEFAULT** = start here, adjust with reason · **AVOID** = tried and rejected.

00 / CONTENTS

# How this brief is organised


01 How to use this brief

02 Ten principles

03 Lessons from review: owner's corrections

04 Visual system and tokens

05 Page architecture and storytelling

06 Motion system and effect catalogue

07 Layout stability rules

08 Components and the editor (CMS)

09 Responsive behaviour

10 Accessibility and reduced motion

11 Performance, images and hosting

12 Implementation contract

13 Acceptance checklist

14 Paste-ready prompt for an AI

15 Sources and limits


## 01 / How to use this brief

**Order of authority.** (1) The client's own words in the current request. (2) The client's brand system and approved facts. (3) This brief. (4) The builder's own taste. When two instructions conflict, name the conflict and ask which wins; never silently pick one.

**What it is for.** Any site that must explain something real (a school, a product range, a service) and still feel memorable. The worked example throughout is the ISP website: 31 pages, a block-based editor, three signature motion scenes and a measured, tested motion system.

**What to deliver with any build.** Responsive implementation; design tokens in one file; a component map; a motion trigger table (effect, trigger, values, fallback); an editor guide; real or licensed assets with sources; explicit disclosure of anything unfinished, placeholder or unverified; and evidence of the acceptance checks in chapter 13.

> **Facts are never invented.** Names, numbers, dates, fees, results and claims come only from client-supplied sources. Anything awaiting confirmation is labelled in the content (for example "Awaiting school verification") and in a sources document, not guessed.

## 02 / Ten principles

1 **Understand before spectacle.** A calm grid, clear words and real photographs carry the information; motion adds meaning or atmosphere, never the only path to content.

2 **Few signatures, well made.** At most one signature scene per page (spiral gallery, sideways chapter or lit statement), separated by calm content.

3 **Motion lives in the background.** Headings and body text stay still once read. Prefer slow, low-contrast ambient movement (faint labels, gentle parallax) over moving the thing people are reading.

4 **Nothing jumps.** Animated components reserve their space. A caption, counter or card swapping content must never move the page.

5 **Everything visible, everything loaded.** No content hidden behind a reveal that might not fire; no image left unloaded because an animation hid it.

6 **Every control goes somewhere.** No dead links or "page not found" from navigation. Features that need a server explain themselves in previews.

7 **Less text, better text.** Lead with what the reader needs; trim to icon + name + one line where a list is scanned; offer "Read more" for long passages.

8 **Accessible by construction.** Semantic HTML first, keyboard and screen-reader parity, reduced-motion versions designed rather than bolted on.

9 **Editors are users too.** Every visual option is a clear choice in the editor with drafts, live preview, roles and version history.

10 **Prove it.** Ship with automated tests, accessibility scans, overflow checks at every width and a link and image crawl of the deployed or exported site.

03 / LESSONS FROM REVIEW

# Owner's corrections, turned into rules

Each row is a piece of feedback from the project owner during review, what it revealed, and the rule that now applies to every build.

| Feedback | What it revealed | Rule |
|---|---|---|
| **Hero gallery had arrows and an "All photos" button** | Visible controls made the signature feel like a widget. | **RULE** The spatial gallery is driven by page scroll and drag; keyboard arrows work when it is focused; no visible prev/next or mode buttons. A short hint ("Scroll or drag to explore") replaces them. |
| **Gallery caption changed lines and the page jumped** | Variable-length text inside an animated component causes layout shift. | **RULE** Captions and counters in animated components have a fixed height (two lines, clamped) and fixed grid rows. |
| **Values and habits: "use the spiral, less text, add icons"** | Scannable lists need recognition, not paragraphs. | **RULE** Lists of values, habits or features show icon + term + one-line tagline; descriptions stay in the CMS for a grid view. |
| **"Make part of the page scroll right instead of down"** | A sideways chapter is wanted, in moderation. | **DEFAULT** One sideways chapter on pages with 3–6 comparable cards or steps. |
| **Sideways row cut off on the left and not scrollable** | Overflow was measured against the wrong box; at wide widths it neither pinned nor scrolled. | **RULE** Measure overflow against the viewport's content box; align the row with the page's content edge; pin only when it truly overflows; otherwise a native snap-scrolling row. |
| **"More animation, make it feel alive"** | The owner wants energy. | Satisfy with ambient and reveal motion (see the next row), not by moving the text being read. |
| **Headings sliding sideways were eye-straining** | Moving the reading target is tiring and feels random. | **AVOID** Scroll-linked sideways movement of headings or titles. **RULE** Headings fade up once (words, 40 ms stagger); ambient motion goes to faint background labels. |
| **"Values words animation isn't good and too fast"** | Stack, spread and side-exit choreography was busy. | **RULE** Kinetic statements hold still while each word lights (muted to white, gold underline) over about 1.6 extra viewport heights. |
| **Large blank spaces where photos should be** | A clip-path "curtain" kept lazy images unloaded in Safari. | **AVOID** Fully clipping or hiding images until reveal. **RULE** Reveal images with opacity and scale only; load images inside moving scenes eagerly. |
| **Stuck on a full white page** | Cross-document view transitions and page-enter animations can stall in embedded viewers. | **AVOID** View transitions and whole-page enter animations, unless tested in every target container. |
| **Some pictures don't load, or load slowly** | Hosts drop parallel requests; Safari's lazy loading skips moving content. | **RULE** Responsive sizes; eager loading in motion scenes; automatic retry with back-off in static previews; a crawl that fails on any broken image. |

| Feedback | What it revealed | Rule |
|---|---|---|
| **Top progress bar colour "ugly, muted, dark"** | A multi-hue gradient turned muddy between hues. | **RULE** Progress indicators use one saturated brand colour (optionally with a soft glow), never multi-hue blends. |
| **Collision under "Scroll to discover"** | The focus ring of an invisible jump target drew lines across the content. | **RULE** Programmatic jump and skip targets are zero-height with `outline: none`; visible controls keep their focus ring. |
| **New page opened partway down** | Scroll position carried over between page loads. | **RULE** Every newly opened page starts at the top unless the link names a section. |
| **Many buttons led to "no page exists"** | Client-rendered links used server routes that the preview did not have. | **RULE** Crawl every link (including menus opened by script) and fail on any miss; previews map routes; server-only features show a clear explanation. |
| **Menu labels wrapped on tablet** | The desktop menu was shown too early. | **RULE** Switch to the Menu button before any label wraps (1360px for ISP). |
| **"Too much empty space"** | Generous editorial spacing read as emptiness. | **DEFAULT** Section spacing 48–104px; no empty media frames. |
| **Liked the portrait that follows the scroll** | Sticky asides beside long text feel calm and alive. | **RULE** Letters and profiles use a sticky heading and portrait column that is shorter than the text, so it always rides. |
| **"Down arrows when there is a lot of text"** | Long passages need a cue and a choice. | **RULE** Text over about 1,100 characters opens at a set height with a fade and a round down-arrow "Read more"; a hero scroll cue arrow invites scrolling. |

04 / VISUAL SYSTEM

# Tokens, type and layout

Define tokens once and derive everything from them. Colours are defined by role; brand values fill the roles. ISP values are shown as the worked example.

## Colour roles (ISP example)

**Ink / primary**
#211646: headings, primary buttons, ink sections

**Accent**
#9F26B5: eyebrows, focus ring, progress line

**Highlight**
#F7B334: banner, underline accents (dark text only)

**Secondary accent**
#82BC00: graphic use only, never text

**Text**
#252134 body · #5D5968 muted

**Tint**
#F4F2F8 · #EBE7F2 alternate bands (cool, no cream)

**Lines**
#E6E0EC · #CFC6DA hairlines, borders

**Error**
#AC162C error text and borders

RULE Take brand colours from the official logo file. Pair every colour cue with a text label. Body text 4.5:1, large text 3:1. On dark sections the dimmest readable text is around 5:1 (for example #9A91B4 on #211646 is 5.6:1).

## Type

| Role | Default | Notes |
|---|---|---|
| **Display / headings** | Brand display face, 600–700 (ISP: Quicksand) | Headings use `text-wrap: balance` and a max width in `ch`. |
| **Body / interface** | Neutral sans, 400–600 (ISP: Inter) | Self-host at build time; no runtime font requests. |
| **Scale** | Display 40→104px · H1 36→72 · H2 30→56 · H3 20→28 · Lead 18→22 · Body 16→18 (line 1.6) · Meta ≥13 | Fluid `clamp()` between 320px and 1440px. |
| **Letter (sticky aside)** | Heading about 28→40px | Keep the aside column shorter than the text beside it. |

## Layout and shape

| | |
|---|---|
| **Container and gutters** | Max 1440px; gutters clamp(20px, 4vw, 64px); gaps 16→24px. |
| **Section spacing** | 48→104px (revised down from 56→144). Alternate plain and tinted bands to separate chapters without extra space. |
| **Spacing scale** | 4px base: 4, 8, 12, 16, 24, 32, 48, 64, 96. |
| **Radii and shadows** | 8px small, 12px buttons and cards, 16–20px photographs; pills only for chips. Shadows only on raised layers (menus, dialogs, banners). |
| **Grid** | 12 columns desktop, 4 mobile; split headers 7/5; asides 4/7. |

05 / ARCHITECTURE AND STORYTELLING

# Pages that explain before they impress

Adapted from the research's purpose-led storytelling model: state the human outcome, show the thing in its real environment, name it with one benefit, then give a direct route.

## Home page flow (default)


1. **Promise + spatial hero:** one sentence of outcome, two actions, and the spiral gallery of real photographs (about one viewport). A down-arrow cue invites scrolling.
2. **Fact strip:** three or four verified facts with sources.
3. **Journey or comparison chapter:** the one sideways chapter, telling a real progression (ISP: Early Years → Primary → Secondary → Sixth Form).
4. **Purposeful showcases:** a feature mosaic of three to five areas, each linking to its page.
5. **Lit statement:** two to four words that define the brand, lit one at a time.
6. **Evidence:** latest stories, results or proof.
7. **Direct action:** visit, enquire or buy, with addresses and contact.

## Interior pages

Hero (page, compact or stage variant) → introduction → two to five content sections from the block library → related links → one call-to-action band. Breadcrumbs on every page below the top level. Each audience has a direct route within one click of the home page.

## Content rules

- Headings describe the content ("How to apply", not "Your journey begins").
- Link text makes sense on its own; dates read like "Saturday 14 November 2026"; times like "9:00am – 11:00am".
- Scanned lists: icon + term + one line. Long passages: "Read more". Facts: dated and sourced.
- No student personal data. Alternative text describes what is happening and never names children.




Promise + spiral hero: no visible gallery buttons, fixed two-line caption.





Image and text: photos fade in; never hidden behind a clip that could leave them unloaded.

06 / MOTION

# Three levels, one owner, calm by default

Level 1 is feedback (150–300 ms). Level 2 is reveal and ambient motion (450–900 ms, or linked to scroll position). Level 3 is the signature scenes: at most one per page, separated by calm content. One shared, frame-throttled scroll listener owns all scroll-driven effects. No smooth-scroll libraries; never capture the wheel.

## Approved effect catalogue (values from the shipped build)

| Effect | Trigger and sequence | Values | Fallback |
|---|---|---|---|
| **Spiral photo gallery (hero)** | Page scroll turns it (1 photo per 160px while on screen; scroll only read); horizontal drag (8px threshold) and arrow keys when focused. | Helix radius 50% of stage, 36° per photo, rise 3%; damping 90ms time constant; cards 40% wide, 4:5; distance dims and desaturates; pointer tilt ≤2° on fine pointers. | Reduced motion: keys and drag only, instant. Mobile: tighter helix. Semantic list with alt text and live caption. |
| **Term spiral (values)** | Section pins; scrolling turns the helix one card per 0.5 viewport heights; counter, progress and Skip link. | Radius 75% of stage, 30° per card; damping 110ms; card: icon badge, number, term, tagline. | Below 900px wide or 640px tall, or reduced motion: keyboard-focusable snap swipe row. |
| **Sideways chapter** | Native vertical scroll inside a wrapper of height 100vh + D moves the row: D = row width − content-box width, x = −D·p. | Cards clamp(280px, 27vw, 400px); aligned to the page content edge; no easing on the track; progress line and Skip link. | Not pinned if D ≤ 0, below 1024×640 or reduced motion: native snap row from the content edge. |
| **Lit statement** | Section holds; words light one after another between 10% and 80% of travel. | Travel 260vh total; word colour muted (#9A91B4) → white; gold underline scaleX 0→1; decorative "@" rotates ±6°. | All words lit, not pinned. |
| **Heading word reveal** | Once, on entering the viewport. | Each word fades and rises 0.25em over 900ms, 40ms stagger. The heading box never moves. | Static heading. |
| **Media reveal** | Once, on entry. | Opacity 0→1 and scale 1.035→1 over 560ms; 70ms stagger. Images remain loaded and laid out. | Immediate. |
| **Photo parallax** | While on screen. | Image drifts ±28–48px against the scroll, enlarged 12% so edges never show. | None. |
| **Background label** | While on screen. | Section eyebrow drawn 3.5→10rem at 4.5% opacity behind the heading, sliding ±70px with scroll; CSS-generated (decoration, not text). | Hidden below 768px and with reduced motion (static). |
| **Sticky aside** | Native sticky beside long text. | Top = header height + 24px; aside shorter than the text column. | Stacked on small screens. |


| Effect | Trigger and sequence | Values | Fallback |
|---|---|---|---|
| **Read more** | Text over about 1,100 characters. | Opens at 26rem (letters 36rem) with a fade mask; round 44px down-arrow button nudges every 1.8s; `aria-expanded`. | Without JavaScript all text shows. |
| **Scroll cue** | Under the home hero. | 44px outlined circle, arrow bounces 7px every 2s; links to the next section. | Static arrow. |
| **Reading progress** | Page scroll. | 4px solid accent line under the top edge, soft glow. | Same (it is not motion-heavy). |
| **Links, buttons, cards** | Hover and keyboard focus share one response. | Text roll and arrow swap 220–320ms; buttons deepen colour and icon nudges 3px; images scale ≤1.03. | Colour and underline only. |
| **Word band** | Only while on screen; pause on hover, focus and button. | 22px per second; duplicate track hidden from assistive technology. | One static line. |
| **Overlays** | Menu, search, cookie settings, gallery viewer. | Native modal dialog; 320ms fade and 12px rise; Escape closes; focus returns to the opener. | Instant. |

## Avoid list (tried and rejected)


- Scroll-linked sideways movement of headings or titles; stack, spread and side-exit title choreography.
- Clip-path "curtains" that fully hide images; any reveal that leaves content at opacity 0 if a script fails.
- Cross-document view transitions and page-enter transforms on `main` (blank pages in embedded viewers).
- Multi-hue gradient progress bars; visible gallery control clutter; autoplaying carousels without pause.

06 / MOTION: REFERENCE FRAMES


# What the approved scenes look like





Term spiral: icon, term and tagline only; counter, progress and Skip.





Lit statement: words brighten in turn with a gold underline; nothing slides.





Sideways chapter: row aligned to the content edge, progress line and Skip; pins only when it overflows.




Background label: faint oversized eyebrow drifting slowly behind a still heading.




Sticky letter: heading and portrait ride beside the text; "Read more" with a down arrow.




Editor live preview: form on the left, the real page on the right.

07 / LAYOUT STABILITY

# Nothing jumps, nothing is lost

- RULE Animated components reserve fixed slots for variable text (fixed height, line clamp, fixed grid rows). Test by cycling every state and asserting the next section's position does not change.
- RULE Images declare width and height; aspect-ratio frames; focal point for crops.
- RULE Pinned sections compute their scroll length from measured overflow, re-measure on resize, fonts and images, and never pin when there is nothing to scroll.
- RULE No horizontal page scroll at any width: clip decorative overflow on `main`; only tables and code scroll inside their own containers.
- RULE Server and browser must render the same markup (no hydration mismatch). Any component that reads the URL must also accept static-file addresses.
- RULE The first hero never animates in (fast largest-contentful paint); its key image is preloaded.

08 / COMPONENTS AND THE EDITOR

# Blocks people can use

Pages are ordered stacks of blocks. Every visual option above is an editor choice, not code:

| | |
|---|---|
| **Hero** | Home (spiral gallery and cue), Page (large photo), Learning stage (age label and colour), Compact. |
| **Terms and descriptions** | Grid with descriptions, or Spiral (icon, term, tagline); optional icon per item from a curated set. |
| **Link cards / Numbered steps** | Grid or Sideways row. |
| **Text** | Aside, narrow or statement; signature and portrait make it a sticky letter; long text gets Read more automatically. |
| **Others** | Image and text, Fact strip, Learning journey, Feature mosaic, Lit statement, Grouped lists, Table, Gallery, People, Documents, FAQ list, Latest stories, Upcoming events, Campuses, Admissions information, Enquiry form, Notice, Call to action, Word band, Reusable section. |

## Editor requirements

- Drafts with autosave; Publish is explicit; version history with restore; scheduled expiry for banners and events.
- Live preview beside the form at phone, tablet and desktop sizes; drafts visible only to signed-in staff.
- Roles: Contributor (drafts only), Editor (publish, menus), Admissions (enquiries, events, fees), Administrator (everything, staff). The last administrator cannot be demoted.
- Media library: alternative text, approval status, release reference, focal point, automatic web sizes.
- Global settings edited once and reused (contacts, campuses, fees, menus, announcement).
- Enquiries: created only by the site's forms; status workflow; never exposed through the public API.
- A plain-English editor guide, plus a tour of real screens for staff without access yet.

09 / RESPONSIVE

# Every width designed, not squeezed

| Width | Behaviour |
|---|---|
| **≥ 1360px** | Full navigation with click-to-open mega menus and utility row. Sideways chapter and term spiral pin when they overflow. |
| **1024–1359px** | Menu button (labels never wrap). Pinned scenes still active if the window is at least 640–680px tall. |
| **768–1023px** | Swipe rows instead of pins; two-column grids; background labels visible. |
| **< 768px** | Single column; sticky bottom "Visit & Enquire" bar with space reserved; tighter spiral; no background labels; snap swipe rows that start at the content edge. |

Test at 320, 390, 412, 768, 820, 1024, 1366, 1440 and 1920–2000px, in portrait and landscape tablets, with long titles and at 200% zoom.

10 / ACCESSIBILITY AND REDUCED MOTION

# Same content, every way in

- Honour `prefers-reduced-motion` in CSS and JavaScript, live: no pinning, parallax, spiral turning, drifting labels or bands; everything stays in normal flow.
- Buttons for actions, links for navigation; 44×44px targets; visible 3px focus ring (accent colour; highlight colour on dark sections).
- Signature scenes keep a semantic list of their items; galleries reachable by keyboard; skip links past every pinned section.
- Decorative duplicates (rolling text, background labels, "@" shapes) hidden from assistive technology and drawn as CSS-generated content where scanners would read them as text.
- Dialogs: native modal, inert background, Escape closes, focus restored. Live regions for captions and form status.
- Forms: labels, inline validation on blur, an error summary, preserved answers, honeypot and minimum completion time; consent-gated analytics and maps.
- Scrollable regions are keyboard-focusable. Zero serious or critical axe violations on representative pages.

11 / PERFORMANCE, IMAGES AND HOSTING

# Fast first, then rich

- Responsive WebP sizes (400/800/1400/2200) and a 1200×630 share image; `sizes` set per component; width and height on every image.
- Preload only the first hero image. Lazy-load below the fold, **except** inside moving or pinned scenes, which load eagerly.
- Animate transform and opacity only; one scroll owner; requestAnimationFrame loops stop when settled.
- Ship only the icons used; validate forms with a small schema library shared by browser and server.
- Cache published content and invalidate on publish; drafts bypass the cache.
- Security headers: CSP limited to the third parties actually used (consent-gated); force https and HSTS only when the site is served over https.
- Targets: Lighthouse accessibility, best practices and SEO 100; performance at least 85 on mobile for key pages.

## Static previews and embedded viewers

When a build is exported as plain files (for review links or artifact viewers): map server routes to files; build search from an exported index; make server-only features (staff sign-in, form sending) explain themselves; open each page at the top; retry dropped images; keep structured data byte-identical to avoid hydration mismatches; and crawl every link and image before sharing.

12 / IMPLEMENTATION CONTRACT

# Build it this way

- Semantic, server-rendered HTML first; enhance progressively. Content stays visible without JavaScript.
- One source of truth per scene (progress value, selected item); renderer separate from data.
- Native vertical scrolling; sticky viewports; no wheel interception, no competing smooth-scroll libraries.
- Tokens in one file; one component per block (schema + renderer); database migrations for every schema change.

```
// Sideways chapter
inner   = viewport.clientWidth - paddingLeft - paddingRight
D       = max(0, track.scrollWidth - inner)          // re-measure on resize, fonts, images
pinned  = largeEnough && !reducedMotion && D > 0
outer.height = 100vh + D
p       = clamp((scrollY - outerTop) / D, 0, 1);   track.x = -D * p

// Helix position for item i at continuous position pos
d = shortestRingDistance(i, pos, count)            // 0 = front
x = sin(d*step)*R;  z = (cos(d*step)-1)*R;  y = d*rise;  rotateY = d*step
current += (target - current) * (1 - exp(-dt/tau)) // tau 90-110ms
```

13 / ACCEPTANCE CHECKLIST

# Done means proven

| Check | Pass condition |
|---|---|
| **Static analysis** | Lint and type-check clean. |
| **Unit tests** | Validation, consent parsing, rate limiting, search text, slugs and redirects pass. |
| **End-to-end** | Navigation, menus, search, forms, consent, gallery keys, Read more, roles and preview pass on desktop and mobile projects against a production build. |
| **Accessibility** | Axe: zero serious or critical issues on representative pages, after reveals settle. |
| **Overflow** | No horizontal page scroll at every listed width. |
| **Layout stability** | Cycling every animated state moves nothing outside the component. |
| **Link crawl** | Every link (including script-opened menus and search results) resolves to a real page. |
| **Image crawl** | Every image on every page loads at desktop and phone widths after scrolling the page. |
| **Hydration** | No hydration warnings in production or in exported previews. |
| **Reduced motion** | Every scene readable and operable with motion off. |
| **Real devices** | iOS Safari and Android Chrome, including inside any embedded viewer the client will use. |
| **Editor** | Draft, preview, publish, restore a version; each role can do exactly what it should. |
| **Disclosure** | Unfinished routes, placeholders and unverified facts listed for the client. |

14 / PASTE-READY PROMPT

# Give an AI this

```
Build a production website and a block-based editor for [CLIENT] from the attached facts, brand assets and
information architecture. Follow the attached Master Website Design Brief exactly; my words override it.

Style: calm, editorial and purposeful, with real photography and the brand's own colours and type. Make the
subject understandable before it is spectacular. Motion should feel alive but stay in the background: headings
fade up once and then stay still; ambient motion uses faint background labels and gentle photo parallax.

Signature scenes, at most one per page: (1) a hero spiral photo gallery turned by page scroll, drag and arrow
keys, with no visible gallery buttons and a fixed two-line caption; (2) one sideways chapter that pins only
when its row overflows, aligned to the content edge, otherwise a snap swipe row; (3) a lit statement where
words brighten in turn with an underline, never sliding sideways. Values and feature lists: icon + term +
one-line tagline (optional spiral). Long text: Read more with a down arrow. Sticky portrait beside letters.

Never: move headings sideways with scroll; hide images behind clip-path curtains; use page transitions; use
multi-hue progress bars; leave any link pointing to a missing page; invent facts.

Deliver: tokens, component map, motion trigger table, editor with drafts, live preview, roles and versions,
migrations, editor guide, sources document, and evidence of every check in the acceptance checklist.
Disclose anything unfinished or unverified.
```

# Where this comes from

- **Website Design Research: Editorial clarity, spatial motion, purposeful products** (22 October 2026): five live references (spatial explorer, kinetic titles, horizontal chapter, Inertia's interaction language, Floema's storytelling). This brief keeps its storytelling model, three motion levels, horizontal model and accessibility requirements. It replaces its proposed warm palette, title stack-and-exit choreography and visible gallery controls with the measured, owner-approved alternatives in chapters 3 and 6.
- **The International School @ ParkCity build** (Payload CMS in Next.js, PostgreSQL), October 2026: every value in the motion catalogue, the responsive table and the checklist is implemented and covered by automated tests (74 end-to-end tests, including axe scans), overflow checks at nine widths, and link and image crawls of an exported static preview.
- **Owner review rounds**, 23 October 2026: the corrections in chapter 3.

> **Limits.** Real-device testing on iOS Safari inside the client's own viewer was reported by the owner rather than reproduced in automation; the Safari-specific fixes (eager images in moving scenes, no curtains, no view transitions) are reasoned from those reports. The reference sites' internal code was not available; their effects were re-designed from observed behaviour, not copied. Replace ISP brand values with the new client's before use.

Fonts embedded in this document: Quicksand and Inter, both under the SIL Open Font License. Screenshots: ISP website build, local production server, 23 October 2026.