


The Blurple Fishbirds

Documenting the creation of a full stack application with .NET Core

Setting up

- Created a repo on Github.
- Updated Gitignore
- Added project with .Net to the cloned path
- Created Kanban board using Trello
 - Loaded requirements as cards




Dummy Data and prep

- Created and scripted the database
- Added records to each table per schema using SSMS.

								Enrollments *					
							ĺ	Column	Name	Data Type	Allow Nulls		
								1 Enrollmentid		int			
								Studentid		int			
								ScheduledCla	ssld	int	ΤĞΙ		
								EnrollmentDa		date	Ø		
				Students		•					۱		
				Column Na	me Data Type	Allow Nulls							
				§ Studentid	int		L			8			
				RistName	varchar(20)					Ĭ			
				LastName	varchar(20)	ij							
				Major	varchar(20)	Ø							
entStatuses			00	Mnor	varchar(50)	Ø							
Column Name	Data Type	Allow Nulls	1	Address	varchar(50)	Й							
SID	int			City	varchar(25)	V							
SName	verchar(30)	Ö		State	char(2)	Ø							
SDescription .	varchar(250)	✓		ZipCode	varchar(10)	$\overline{\mathbf{Z}}$							
		П		Phone	varthar(13)	Ø							
				Email	varthar(60)								
				PhotoUrl	varchar(100)	Ø							
				DIZZ	int	$\overline{\mathbf{Z}}$							
						ΠÏ							
										_			
							*						
						ScheduledClasses				Cour	ses		
						Column Name	Data T	pe Allow	Nulls		Column Name	Data Type	Allow Nu
						Scheduled@assid	int			1 0	ourseld	int	
					a	Courseld	int			0	ourseName	vaidhar(50)	
		IClassStatuse			~	StartDate	date			0	ourseDescription	varchar(MAX)	
		umn Name	Data Type	Allow Nulls		EndDate	date			0	editHous	tinyint	
	* SCSID		int	ᆜᆜ		InstructorName	vardhar(40)	Ī		0	uniculum	vardhar(250)	V
	SCSNam	1	varchar(50)			Location	varthar(20)	Ī		N	otes	vardhar(500)	V
						SCSID	int	Ī		k	Adhe	bit	Ī
								Ť					ΤĬ

NoelEvan321 Merge branch 'main' of https://git	hub.com/NoelEvan321/SAT-Team-Project	583cd3a 18 m	ninut
SAT_Team_Development.DATA.EF	Scaffolded all Controllers and Views for the .DATA.EF Model classe		
SAT_Team_Development.UI.MVC	Merge branch 'main' of https://github.com/NoelEvan321/SAT-Tea	m-Project	
SAT_Team_Development.sIn	Scaffolded Database Context and Models in the data layer		




MVC and EF

- Scaffolded DB context
- Brought in data into the data layer
- Created metadata and partial classes
- Scaffolded all controllers and associated views

```
Solution Explorer
                               ▼ ¥ X _LoginPartial.cshtml
                                                                                                                                                                                                                                                        Metadata.cs 'm X ▼
     ଲ ୍ୟା 🄞 - ≒ 🖃 🗗 🔩 - 🍴 🖪 SAT_Team_Development.DATA.EF
                                                                                                                  - 98 SAT_Team_Development.DATA.EF.Metadata.CourseMetadata
                                                                                                                                                                                             - CreditHours
Solution 'SAT_Team_Development' (2 of 2 proj
▲ 6 © SAT_Team_Development.DATA.EF
                                                                  [Required(ErrorMessage ="*Course Name is required")]
  ▶ ୬ଶି Dependencies
                                                                  [StringLength(50, ErrorMessage="*Max 50 characters")]

■ Metadata

                                                                  [Display(Name = "Course")]
   ▶ å C# Metadata.cs
    public string CourseName { get; set; } = null!;
  ▶ a 🛅 Models
                                                                  [Required(ErrorMessage ="*Course description is required")]
  [Display(Name = "Course Description")]
 ▶ 🌢 👼 SAT_Team_Development.ULMVC
                                                                  public string CourseDescription { get; set; } = null!;
                                                                 [Required(ErrorMessage = "*Credit hours is required")]
[Range(6, byte.MaxValue, ErrorMessage = "Thats really large, whats mrong with you?")]
[Display(Mase = "Credit Hours")]
                                                                  public byte CreditHours { get; set; }
                                                                  [StringLength(250, ErrorMessage = "*Max 250 characters")]
                                                                  [StringLength(500, ErrorMessage ="*Max 500 characters")]
                                                                  public string? Notes { get; set; }
                                                                  [Required(ErrorMessage ="*IsActive is required")]
                                                                  [Display(Name = "Active Course?")]
                                                                 public bool IsActive { get; set; }
                                                                 [Required(ErrorMessage = "*Student Id is required")]
[Display(Name = "Student")]
                                                                  public int StudentId { get; set; }
                                                                 [Required(ErrorHessage ="*Scheduled Class Id is required")]
[Display(Name = "Scheduled Class Id")]
                                                                  public int ScheduledClassId { get; set; }
                                                                 [Required(ErrorMessage ="*Enrollment date is required")]
[Display(Name = "Enrollment Date")]
                                                                  [DataType(DataType.Date)]
```




SAT Use-Case Diagram / Identity Matrix

SAT Use-Case Diagram /	identity water	^					
Home	Index	Contact					
Anonymous	×	×					
Scheduling	×	×					
Admin	×	×					
Courses	Active	Retired	Details	Create	Edit	Delete	ı
Anonymous							
Scheduling			_	_			
Admin	×	x	×	x	×	x	
							Γ
Enrollments	Index	Details	Create	Edit	Delete		
Anonymous							
Scheduling	x	x	x	x	×		
Admin	×	x	x	х	×		
Scheduled Classes	Index	Details	Create	Edit	Delete		
Anonymous							
Scheduling	×	×	×	x			
Admin	×	×	×	x	x		
Students	Index	Details	Create	Edit	Delete		
Anonymous							
Scheduling	×	×					Ī
Admin	×	×	×	×	×		Ĺ
Student Statuses	Index	Details	Create	Edit	Delete		
Anonymous							
Scheduling							
Admin	×	×	×	x	×		

_Layout


- Updated all links in the shared Layout file.
- Structured header and sidebar
- Established 'directory' for the application
- Cleaned vocabulary



View Logic

- Cleaned the views to be centered and use the correct terminology
- Distinguished Index from other CRUD views
 - Implemented datatables.net
- Assigned access by role per Use-Case Diagram
 - {insert image around here}

```
<dt class="col-sm-2">
                   @Html.DisplayNameFor(model => model.Curriculum)
              <dd class="col-sm-10">
                  @Html.DisplayFor(model => model.Curriculum)
              <dt class="col-sm-2">
                   @Html.DisplayNameFor(model => model.Notes)
               <dd class="col-sm-10">
                  @Html.DisplayFor(model => model.Notes)
              <dt class="col-sm-2">
                  @Html.DisplayNameFor(model => model.IsActive)
              <dd class="col-sm-10">
                   @Html.DisplayFor(model => model.IsActive)
 ⊟<div class="text-center">
      <a asp-action="Edit" asp-route-id="@Model?.CourseId">Edit @Model.CourseName</a> |
     <a asp-action="Index">Back to Courses</a>
</div>
```






Contact Form

- Updated the appsettings.json with functioning information
- Added a Contact ViewModel for form rendering.
- Brought in _config alongside _logger
- Adjusted all other necessary logic for post action

```
minuter SAI_Team_Development.UI.nvc.nudetS.contactv1ewnodet

⊟ < div class="container"
</p>
     <div class="row">
          <div class="col-xs-12 col-sm-7 col-md-7 col-md-offset-1 col-lg-offset-2 justify-content-center">
              <div class="section-title clear":</pre>
                   <h3>Send me a meesage (Under Constuction)</h3>
                   <span class="bar-dark"></span>
<span class="bar-primary"></span>
               <form asp-action="Contact" id="contact-form" class="row contact-form no-gutter">
                                               mary="ModelOnly" class="text-danger"></div
                        <div class="input-field name">
                           <span class="input-icon" id="name"><i class="tf-profile-male"></i></span>
<input asp-for="Name" class="form-control" placeholder="Enter your name">
                            <span asp-validation-for="Name" class="text-danger"></span>
                   <div class="col-xs-12 col-sm-6">
                       <div class="input-field email">
                           <span class="input-icon" id="email"><1 class="tf-envelope2"></i></i></span>
<input asp-for="Email" class="form-control" placeholder="Your email address">
                            <span asp-validation-for="Email" class="text-danger"></span>
                   <span class="input-icon" id="subject"><i class="tf-pricetags"></i></span>
<input asp-for="Subject" class="form-control" placeholder="Enter the discussion title">
                            <span asp-validation-for="Subject" class="text-danger"></span
</pre>
                   <span class="input-icon"><! class="tf-pencil2"></i></i></span>
<textarea asp-for="Message" id="message" class="form-control" placeholder="Write your message"></textarea>
                            <span asp-validation-for="Name" class="text-dajger"></span</pre>
                   <span class="btn-border">
                                <button type="submit" class="btn btn-primary btn-custom-border text-uppercase">
                                    Send Message
                                now
</button>
```



Thank you for contacting us!

We have received the following message:


asasas

A member of our team will contact you at the provided email, Brice.paquette@gmail.com, within 24 hours.


© Copyright 2023 **BurpleFishbirds.Inc**. All Rights Reserved
Designed by BootstrapMade

Testing and Wishing


- Improved styling for Landing page and Layout
- Conditional rendering by role
- Fixed ScheduledClassId create feature to be ClassInfo partial
- Reviewed the Edit submit for Enrollment and Scheduled Classes.




Designed by BootstrapMade



File Edit View Git Project Build Debug Test Analyze Tools Extensions Window Help Search (Ctrl+Q) SAT_Team_Development - ▶ SAT Team Development.ULMVC • ▷ 🎳 • 🖒 • 📠 👼 🖫 🏗 🥫 🔲 🗒 🥡 🗒 ● 智・≦ 日 問 り・・・ Debug - Any CPU 成 Live Share 東 EnrollmentViewModel.cs EnrollmentsController.cs ScheduledClassesController.cs = X LoginPartial.cshtml Layout.cshtml Create.cshtml * X - 4 SAT_Team_Development.UI.MVC - SAT_Team_Development.UI.MVC.Controllers.ScheduledClassesController Create(ScheduledClass scheduledClass) public IActionResult Create() ViewData["CourseId"] = new SelectList(_context.Courses, "CourseId", "CourseId"); ViewData["Scsid"] = new SelectList(_context.ScheduledClassStatuses, "Scsid", "Scsname"); return View(); // To protect from overposting attacks, enable the specific properties you want to bind to. // For more details, see http://go.microsoft.com/fwlink/?LinkId=317598. [ValidateAntiForgeryToken] public async Task<IActionResult> Create([Bind("ScheduledClassId,CourseId,StartDate,EndDate,InstructorName,Location,Scsid")] ScheduledClass scheduledClass if (ModelState.IsValid) _context.Add(scheduledClass); await _context SaveChangesAsync(); return RedirectToAction(nameof(Index)); 7200 ViewData["CourseId"] = new SelectList(_context.Courses, "CourseId", "CourseName", scheduledClass.CourseId); ViewData["Scsid"] = new SelectList(_context.ScheduledClassStatuses, "Scsid", "Scsname", scheduledClass.Scsid); return View(scheduledClass); // GET: ScheduledClasses/Edit/5 Oreterences
public async Task<IActionResult> Edit(int? id) if (id == null || _context.ScheduledClasses == null) return NotFound(); var scheduledClass = await _context.ScheduledClasses.FindAsync(id); if (scheduledClass == null) return NotFound(); ViewData["CourseId"] = new SelectList(_context.Courses, "CourseId", "CourseName", scheduledClass.CourseId); ViewData["Scsid"] = new SelectList(_context.ScheduledClassStatuses, "Scsid", "Scsname", scheduledClass.Scsid); return View(scheduledClass); // POST: ScheduledClasses/Edit/5 // To protect from overposting attacks, enable the specific properties you want to bind to. // For more details, see http://go.microsoft.com/fwlink/?LinkId=317598. [HttpPost] [ValidateAntiForgeryToken] 100 % - O No issues found # · 1 Ln: 72 Ch: 68 SPC CRLF Error List Output Package Manager Console





Documentation and Tracking

- Had one person monitor the Kanban board and the ongoing notes doc.
- Added 'Docs and Tracking' to source control
 - Allowed record and changing of hands between driver/navigator/assistant navigator

