```
mysal> SELECT DISTINCT owner FROM pet;
owner
 Harold
 Gwen
Benny
Diane
4 rows in set (0.00 sec)
```

```
mysal> SELECT name FROM pet ORDER BY name
    -> :
  name
  Bowser
  Buffy
 Chirpy
 Claws
  Fang
  Fluffy
 Slim
 Whistler
8 rows in set (0.00 sec)
```

name	mysql> select * from pet where death is null;						
Claws Gwen cat m 1994-03-17 NULL Buffy Harold dog f 1989-05-13 NULL Fang Benny dog m 1990-08-27 NULL Whistler Gwen bird NULL 1997-12-09 NULL							
Slim	Claws Buffy Fang	Gwen Harold Benny Gwen Benny	cat dog dog bird snake	f m NULL m	1994-03-17 1989-05-13 1990-08-27 1997-12-09 1996-04-29	NULL NULL NULL NULL	

1 11 1 2 2 2 2

```
mysal> select owner from pet where owner like 'H%';
| owner |
Harold
| Harold |
2 rows in set (0.00 sec)
```

```
mysgl> select name from pet where name like '%ff%';
name
| Fluffy
Buffy
2 rows in set (0.00 sec)
```

```
mysgl> select name from pet where name like
| name |
Fang
Slim
2 rows in set (0.00 sec)
```