

Test Solution

Started: 2022-08-18 10:38:05

Suites (1)

1 passed
0 failed
0 pending

Tests (41)

41 passed
0 failed
0 pending

C:\Users\JoseMaria\Desktop\noe\it academy\Itinerari React\ReactOnlineItAcademySprint4\starter-code-sprint4\tests\films.spec.js 1.442s

Function "getAllDirectors"	should be declared	passed	0.004s
Function "getAllDirectors"	should return an array	passed	0.115s
Function "getAllDirectors"	should return a new array, not update the original one	passed	0.043s
Function "getAllDirectors"	should return a new array with the same length as the original one	passed	0.01s
Function "getMoviesFromDirector"	should be declared	passed	0.001s
Function "getMoviesFromDirector"	should return an array	passed	0.001s
Function "getMoviesFromDirector"	should return a new array, not update the original one	passed	0.001s
Function "getMoviesFromDirector"	should return a new array with the movies from director	passed	0.001s
Function "moviesAverageOfDirector"	should be declared	passed	0s
Function	should return a number	passed	0.002s

"moviesAverageOfDirector"

Function "moviesAverageOfDirector"	should return the average score of movies selecting only the director films. With 2 decimals!	passed	0.001s
Function "orderAlphabetically"	should be declared	passed	0.001s
Function "orderAlphabetically"	should return an array	passed	0.001s
Function "orderAlphabetically"	should not mutate the original array	passed	0.036s
Function "orderAlphabetically"	should only return the title of the movies, each value should be a string	passed	0.001s
Function "orderAlphabetically"	should return all of items when the array passed has fewer than 20 items	passed	0.001s
Function "orderAlphabetically"	should order them alphabetically.	passed	0.001s
Function "orderAlphabetically"	should return the top 20 after ordering them alphabetically.	passed	0.002s
Function "orderByYear"	should be declared	passed	0s
Function "orderByYear"	should return an array	passed	0.001s
Function "orderByYear"	should return a new array	passed	0.004s
Function "orderByYear"	should return the element in a single element array	passed	0.001s
Function "orderByYear"	should return the new array in ascending order	passed	0.001s

Function "orderByYear"	should order movies with the same year by their title, alphabetically	passed	0.001s
Function "moviesAverageBy Category"	should be declared	passed	0s
Function "moviesAverageBy Category"	should return a number	passed	0.001s
Function "moviesAverageBy Category"	should return the average score of 2 movies with score 7 each	passed	0.001s
Function "moviesAverageBy Category"	should be rounded to 2 decimals places	passed	0.001s
Function "moviesAverageBy Category"	should not take into consideration films of other category	passed	0.002s
Function "moviesAverageBy Category"	should return average even if one of the movies does not have score	passed	0s
Function "hoursToMinutes"	should be declared	passed	0.007s
Function "hoursToMinutes"	should return an array	passed	0.02s
Function "hoursToMinutes"	should return a new array, not update the original one	passed	0.004s
Function "hoursToMinutes"	should return an array of movies with duration as a number	passed	0.002s
Function "hoursToMinutes"	should return an array of movies with the correct duration for a 31 minute movie	passed	0.001s
Function "hoursToMinutes"	should return an array of movies with the correct duration for a 341 minute movie	passed	0.001s
Function "hoursToMinutes"	should return an array of movies with the correct duration for a 2 hour movie	passed	0.001s
Function "bestFilmOfYear"	should be declared	passed	0s

Function "bestFilmOfYear"	should return an array	passed	0s
Function "bestFilmOfYear"	should return a new array, not update the original one	passed	0.001s
Function "bestFilmOfYear"	should return the best film of a year, searching in an array	passed	0.001s