Tushe × Noema · Acceptance Worksheet for Thursday 15 October

A working document for both teams. Prepared by Noema engineering on 12 October 2026, for agreement on our call on Tuesday 13 October. Once both sides sign it, it becomes the rulebook for the joint acceptance session on Thursday 15 October at 10:00 WAT.

Why this document exists

Our specification says the environment is ready for integration when every acceptance test (AT-01 to AT-20) passes, **or is explicitly accepted as an agreed exception** (spec §25).

Your response shows most of the environment is ready today, and some pieces arrive later. Rather than argue about this on Thursday, we want to agree today, test by test, what "ready" means for each one. That way Thursday is a demonstration, not a negotiation.

How to read the "Thursday" column

Every test lands in exactly one of four places:

Outcome	Meaning
Pass	Passes as written in our spec. Shown live on Thursday
Pass, amended	Passes under a reworded condition both sides sign below. Shown live on Thursday
Noema covers	Noema provides this on its own side; you don't need to build it for the POC. Noema shows it by Friday 16 October unless another date is given
Tushe, by date	You provide it later, on the working-day date in the row

Two rules keep this honest:

1. **Nothing is counted as a pass that isn't one.** An exception stays an exception in the record, with its owner and its date.
2. **A missed date is reported the day it is missed,** by whichever side owns it, with a new date.

---

1. Three definitions we agree first

These three settle four of the twenty tests.

1.1 What "the same material fault sequence" means (AT-01)

We accept your proposal in §5.4 and add one item. For the same scenario, version and seed, these must reproduce exactly:

1. the set of injected faults, their targets, and their logical order relative to each other;

2. the final authoritative state of every scenario object;
3. **for each object, the ordered list of lifecycle transitions: from-state, to-state and source** (`api`, `provider_webhook`, `watchdog`, `operator`, `backfill`).

These may differ between runs: wall-clock timestamps and durations; time between requests; ordering between different tenants; row order where no sort applies.

1.2 Where "what actually happened" is read from (AT-02, AT-03)

We accept your counter-proposal in §5.2 instead of a separate privileged-oracle endpoint, on two conditions:

- **A programmatic, read-only partner-administrator credential** that our test harness can use without a browser. It is issued to one named person on our side, and never to the system under test.
- **A refusal test:** an ordinary API key calling any `/partner/...` route is refused.

"What actually happened" is then read from three places:

- the checksummed scenario definition;
- `GET /partner/events`;
- the transition log, once its read endpoint ships (see section 4).

1.3 How time is controlled (AT-15)

We accept per-object time instead of an environment-wide clock (§5.1).

Amended AT-15 pass condition: a transition scheduled through the `MMMM` delay fires at its scheduled time, and fires immediately when `POST …/simulate/advance` is called. No global freeze is required.

---

2. The twenty acceptance tests

"Your status" is the Today column from your §8 table.

ID	Test	Your status	Thursday	How it is shown, and by whom	Date
AT-01	Deterministic replay	Partial	**Pass, amended** (1.1)	Apply one scenario with the same seed in two fresh tenants; read both through the administrator feed; compare the three items in 1.1. Joint	Thu 15 Oct
AT-02	Ground-truth isolation	Pass	**Pass**	Call `/partner/events` with the ordinary API key; it is refused. Tushe	Thu 15 Oct
AT-03	Post-commit timeout	Pass	**Pass, amended** (1.2)	Test account `999902 0000`: the client gets no usable answer; the administrator feed shows the commit. Tushe	Thu 15 Oct
AT-04	Stale state	Fail	**Noema covers**	Noema's proxy returns a prior version after a write, from a fault plan; the authoritative state stays correct. Noema	Fri 16 Oct
AT-05	Event loss	Partial	**Noema covers**, with your delivery log	A configured event is dropped on Noema's feed-reading path; your delivery log and feed still show it, so the drop is diagnosable. Noema	Fri 16 Oct
AT-06	Duplicate event	Pass	**Pass**	Replay a delivery; the same delivery ID arrives twice, and both attempts are in the log. Tushe	Thu 15 Oct

ID	Test	Your status	Thursday	How it is shown, and by whom	Date
AT-07	Out-of-order event	Fail	**Noema covers**, with your sequence numbers	Events are reordered on Noema's feed-reading path; your sequence numbers stay intact, so the reordering is detectable. Noema	Fri 16 Oct
AT-08	Cross-system conflict	Pass	**Pass**	A payout in `completed` with `arrivalStatus: not_arrived`; each lifecycle is read separately and disagrees. Tushe	Thu 15 Oct
AT-09	Ambiguous beneficiary	Fail	**Tushe, by date** (not needed for our first demo)	Name enquiry returning several candidates (your E6). Our POC instead needs similar beneficiary names inside seeded transaction histories; see request R3	Working-day date to be agreed
AT-10	Idempotency conflict	Pass	**Pass**	Same key with a different body returns a deterministic 422 and no second effect. Tushe	Thu 15 Oct
AT-11	Retry after timeout	Pass	**Pass**	Scenario `02`, then a retry with the same key; the business effect is identical across two runs. Tushe	Thu 15 Oct
AT-12	Authorization boundary	Pass	**Pass**	An authenticated but unauthorized principal is refused with a stable business code. Tushe	Thu 15 Oct
AT-13	Policy mutation	Pass	**Pass**	Change a control policy during a scenario; both versions and their effective times can be queried. Tushe	Thu 15 Oct
AT-14	Concurrent update	Partial	**Noema covers**	Our write target in the POC is a case system Noema runs itself, with version tokens. Your generic version tokens (CON-01) are not needed for the POC. Noema	Fri 16 Oct
AT-15	Time control	Pass, differently	**Pass, amended** (1.3)	Test account `999900 0060`; the transition fires on schedule and also on manual advance. Tushe	Thu 15 Oct
AT-16	Reset & replay	Pass	**Pass**	Apply, reset, apply again; same IDs, no manual database work. Tushe	Thu 15 Oct
AT-17	Ground-truth export	Fail	**Noema covers**, from your read surfaces	Noema's harness assembles the run record from the scenario definition, checksum, administrator feed and transition log. Your export (E7) is not needed for the POC. Noema	When the transition-history endpoint is live (request R2)
AT-18	Mutation isolation	Pass	**Pass**	The ordinary API key attempts a payout and is refused. Tushe	Thu 15 Oct
AT-19	Audit completeness	Partial	**Tushe, by date**	Actor, request, correlation, state and timestamps on one queryable record (part of your E1)	Request: Fri 23 Oc
AT-20	Simulator diagnostics	Fail	**Noema covers** for its own faults; **your markers accepted** for yours	Noema records every fault it injects. For faults you inject, your markers (`SIMULATED_*` reasons, `TRF_SIM_` references, the `source` column) are accepted as the diagnostic until your E5. E5 itself is not needed for the POC	Thu 15 Oct (markers shown)

Thursday at a glance:

Outcome	Tests	Count
Pass	AT-02, 06, 08, 10, 11, 12, 13, 16, 18	9
Pass, amended	AT-01, 03, 15	3
Noema covers	AT-04, 05, 07, 14, 17, 20	6

Outcome	Tests	Count
Tushe, by date	AT-09, 19	2

3. The twenty-scenario pack

#	Scenario	Your status	How it runs in the POC	Source
1	Normal successful transfer	Yes	`999900 0000`	Tushe
2	Failed before commit	Yes	`999901 0000`	Tushe
3	Commit then timeout	Yes	`999902 0000`	Tushe
4	Debited, not credited	Yes	`completed + arrivalStatus: not_arrived`	Tushe
5	Duplicate webhook	Yes	Replay with the same delivery ID	Tushe
6	Missing webhook	Yes (see note)	The state changes, but the event is dropped on Noema's feed-reading path	Noema
7	Out-of-order webhook	Partial	Reordered on Noema's feed-reading path. `999904` (reversal after completion) stays as its own scenario	Noema, plus Tushe for 999904
8	Stale read	No	Noema proxy stale-read profile	Noema
9	Contradictory evidence	Yes	The three lifecycles disagree	Tushe
10	Delayed settlement	Yes	`999900 0060`	Tushe
11	Beneficiary ambiguity	No	Similar beneficiary names in seeded histories (request R3)	Tushe, by date
12	Duplicate submission	Yes	Idempotency store	Tushe
13	Recovery uncertainty	Yes	The status query returns `unreachable` or `cooling_down`	Tushe
14	Unauthorized principal	Yes	Scopes, module gates, tier caps	Tushe
15	Approval required	Partial	**Not needed from Tushe.** Approvals for our actions are handled on Noema's side	Noema
16	Policy changed	Yes	Versioned control policies	Tushe
17	Concurrent modification	Partial	On Noema's case system, with version tokens	Noema
18	Malformed or stale event	No	Injected on Noema's feed-reading path	Noema
19	Impossible state	Challenged	**Replaced** by a cross-system contradiction (your proposal), for example `999904`	Tushe
20	Composite failure	Partial	Several objects each carry a Tushe fault, layered with Noema-side transport or event faults. Ordered composition inside Tushe (E4) is not needed for the POC	Both

> **Note on scenario 6.** Test account `999905` (never resolves) is a different case from a missing webhook. A missing webhook means the state *changes* but the event never arrives. We keep `999905` as its own case (status-query recovery), and Noema produces the missing-event case on its side.

4. What we ask from Tushe, in priority order

#	Request	Why it matters	Date we're asking for
R1	About 10 test-mode tenants; a read-only API key per tenant; one programmatic, read-only administrator credential; one test-mode credential that can create payouts, for building scenario histories (held by one named Noema person, never given to the system under test)	Lets us start; parallel runs need one tenant each	**Wed 14 Oct**
R2	The transition-history read endpoint (STM-03) on its own, ahead of the rest of E1	It's the single most useful record of "what happened", and you call it the cheapest high-value item	**Mon 19 Oct**
R3	Scenario definitions that can seed **past payouts**, each with a set beneficiary name, amount, outcome and `occurredAt` date, including several payouts with similar names and the same amount on the same day. A small subset of E4	Our core cases start from a customer's transaction history: "which of these three transfers did you mean?"	**Fri 23 Oct**
R4	Switch state as its own queryable dimension: the raw code, a normalised status and whether it is final (your "additive change" under SE-01)	Our spec lists the switch as an independent system (SE-01, P0); several conflict cases depend on it	**Mon 19 Oct** if possible; otherwise tell us the earliest date
R5	No behaviour change on the sandbox between 13 October and 6 November without 48 hours' notice, and the sandbox version returned on every response	Replay depends on a stable environment	From Tue 13 Oct
R6	Written confirmation that the status-query endpoint can never move money, reverse a debit or change balances	We classify it as a read on our side	Tue 13 Oct
R7	Rate limits and quotas for test mode, and the region the sandbox runs in	We run large repeated suites, and we have a latency budget	Tue 13 Oct
R8	Answers to the questions in section 6	So nothing surprises us in week 3	Tue 13 Oct

5. What Tushe can safely stop building for us

Everything below is useful for your other partners, but **it is not on our critical path for this POC.** Take it off our list so your time goes to R2, R3 and R4.

- E3 (deliberate event drop, delay, reorder, malformed). We produce these on our side.
- E5 diagnostics and E7 run export. We assemble these from your read surfaces.
- E6 generic version tokens and the stale-read profile. Our write target is our own case system; stale reads come from our proxy.
- E6 ambiguous name enquiry (AT-09). Welcome later; not needed for the first demo.
- A case or dispute domain. Out of scope for you.
- A privileged oracle endpoint (GT-02). Your administrator surface replaces it, on the conditions in 1.2.
- A purchased service-virtualisation proxy. We run our own.

6. Questions we need answered on Tuesday

1. **Requirements not in your response.** Part Two has no rows for our ledger requirements (LED-01 to LED-06, §4.3) and answers the six idempotency requirements (IDP-01 to IDP-06, §11) in one combined row. Three matter most to us:
   - LED-04: one leg posted and another delayed or uncertain;
   - LED-05: money held in integer kobo;
   - IDP-06: how long idempotency keys are kept.
2. **Reset.** Does reset also remove payouts created through the API on a scenario's accounts, or only the objects the scenario seeded?
3. **IDs.** Do payouts created through the API in a freshly applied scenario get the same IDs every time if we send the same idempotency key and reference?
4. **Tenants.** Can test tenants be created and deleted through an API, or only by your team?
5. **Notifications.** Are webhooks optional for us? We plan to read `GET /v1/events` by sequence instead.
6. **Money format.** Are all amounts integer minor units (kobo) on every endpoint, including events?
7. **Sandbox availability.** What availability should we expect between 13 October and 6 November, and who do we call when it's down?

7. Thursday's session, step by step (10:00–12:00 WAT)

Time	Step
10:00	Confirm tenant, keys and sandbox version. Record the version
10:10	**AT-02 and AT-18** (credential boundaries)
10:20	**AT-16, then AT-01** (reset and deterministic replay, amended)
10:40	**AT-03, AT-11, AT-10** (commit-then-timeout, retry, idempotency)
11:00	**AT-08, AT-06, AT-15** (contradiction, duplicate delivery, time, amended)
11:20	**AT-12, AT-13** (authorization, policy versions)
11:35	**AT-20** (your simulated-fault markers)
11:45	Read back the record: every test and its outcome, every exception with its owner and date
12:00	Both sides sign the record

Noema then shows AT-04, AT-05, AT-07 and AT-14 on Friday 16 October, and shares the evidence with you the same day.

8. Sign-off

By signing, both teams agree the definitions in section 1 and the outcome of every row in sections 2 and 3.

	Name	Role	Date
Tushe			
Noema			