S4 Conceptual Guide to Dynamical Accessibility

Where a neural state sits is not the same as what it can still become

Article type: Supplementary Material

Short title: S4 Conceptual guide - NDT

Keywords: accessibility, conceptual guide, NDT, possible futures

Robin Langell[1]
[1] Langell Konsult AB, Vallentuna, Sweden
For correspondence: Robin Langell, hello@noeticdiffusion.com

Abstract A conceptual reading of Noetic Diffusion Theory. The central move is that a map of the present is not the law governing what happens next: the same measured location need not imply the same dynamical future. Location, local flow, stochastic spread, destination structure, and control of access are different questions about that law. The measurement chart is a map, not the land. Rhythmic control is one candidate control mechanism, not the whole theory.

Who this is for

This note is a conceptual decoder for the article, not a watered-down second theory. The metaphors are borrowed from a longer essay written for a general audience. The **claims** are those of the present article. In particular, NDT is not identified with rhythmic denoising, with a consciousness scalar, or with the measurement chart called Meta–Noetic Phase Space (MNPS).

One sentence

A useful description of a neural state includes not only **where it is**, but **what can still happen from there**, and **what processes change those possibilities**.




Figure 1: Reading map for this note. Each panel is a different question about the same moment.

Same place, different futures

You wake, and for a second the room is only shapes. Then the bedside table returns, the day returns, and you are again a person in a place. Something in the brain took ambiguous input and assembled a usable world.

That moment is a good **intuition pump**. It is not a proof. Earlier NDT used rhythmic reconstruction as its primary explanatory framing. The present formulation asks a broader dynamical question: given a measured state now, what distribution of nearby futures remains available, and what can reshape that distribution?

Two people can occupy similar coordinates on a coarse map and still differ in what happens next. One can leave a shock and return to ordinary life; another stays in the same valley. A weather map that only reports "here" cannot tell those stories apart. NDT keeps "here" and "what can happen from here" as separate scientific objects (Langell, 2026a).




Figure 2: Same measured state, different future law. Matching the present pin does not imply matching drift, stochastic spread, destination probabilities, or finite-horizon transition structure.

That is C1, and much of C2, in one picture. The pin on a reduced map need not determine the law of nearby futures. In some distinct neural regimes, summaries of that future law carry information that location and ordinary spectral scores do not.

One state, several questions

Imagine a hiker on a ridge in fog. A GPS pin answers one question: **where?** That pin does not answer the others.

1. **Where is the system?** A low-dimensional chart — in this theory, MNPS, with axes that operationally track mobility or coordination (m), deviation from an integration–segregation balance (d), and entropy or complexity pressure (e) — reports a location. A nine-dimensional refinement adds texture, as elevation is not the same as geology. Two recordings can occupy similar 3D coordinates while differing in local flow, stochastic spread, or short-horizon prediction. The chart is a **map**. It is not the latent neural process, and it is not NDT.
2. **Which way does the ground slope?** Local drift is the systematic tendency of motion: downhill on a potential, around a cycle, or along some other flow.
3. **What happens to a small nudge?** A Jacobian describes how the local flow changes around the point: if two nearby states are nudged apart, does their separation grow, shrink, shear, or rotate? Drift is which way the hiker is already being carried; the Jacobian is what happens to nearby hikers. Current Jacobian summaries here are **chart-level** measurements. They are not intrinsic tensors of a unique brain manifold.
4. **How does the weather spread?** Stochastic diffusion is not a single noise knob. It has size, shape, and preferred directions. Two states can share a slope and differ in how fluctuations fan out — a narrow corridor versus a broad fan.
5. **What nearby futures remain likely?** Short-horizon **predictive spread** is a second-moment picture of those futures, not classical control-theoretic reachability and not a list of every physically possible brain state. A large occupied cloud on the map is not the same as a wide horizon of possible next moves.
6. **Toward which destination?** A committor asks a different question still: if two basins compete, which one is favoured?
7. **What if the shove is no longer tiny?** Finite-amplitude resilience asks whether a larger displacement changes the regime.

These objects can come apart. That is why they must not be collapsed into a single “dynamical complexity” score.




Figure 3: The same moment supports non-equivalent dynamical questions. The main article's Figure 3 is the formal companion; this panel is the hiker version.

The theory's three commitments, in the same language:

- **C1.** The pin on a reduced map need not determine the law of nearby futures.
- **C2 (non-redundant accessibility).** In some distinct neural regimes, summaries of that future law carry information that location and ordinary spectral scores do not.
- **C3.** Context, history, or physiology can change the future law among observations that sit at the same pin.

A coarse map losing information is not, by itself, evidence for NDT. The stronger test is whether the missing future structure can be measured reproducibly and whether defined conditions systematically reshape it. C3 is not the generic observation that extra covariates improve prediction. It asks whether nominated physiological or contextual variables change defined features of the future law at a matched pin.

That is the whole load-bearing structure. Rhythm, thalamus, sleep spindles, coma geometry, and body signals are candidate ways of changing the law. They are not extra definitions of NDT.

The map is not the land

Brain recordings — EEG, MEG, spikes, field potentials — are observations of a latent process we do not fully see. A pipeline then builds features and projects them onto a chart. NeuralManifoldDynamics is one versioned contract for doing that. When the contract changes, the version number should change. A pretty embedding plus a correlation is still only association. Recovering a local dynamical operator — something that correctly predicts a short future or a perturbation — is a much stronger claim, and on at least one meso-to-macro recording it fails even when coarser association succeeds.

Think of a subway map. It is invaluable for getting across town. It is a terrible geological survey. MNPS is closer to the subway map. Using it as if it were the terrain is how a measurement chart gets mistaken for a theory of mind.




Figure 4: The map is useful precisely because it is not the land. Estimates of local dynamics are made through the chart, not as transparent views of the latent process.

Same place, different controls

If the present pin does not fix the future law, something else can. C3 is the plain-language question: **what can reshape the distribution without moving the present point?** The theory groups those somethings into a few classes, not a catalogue of subsystems.




Figure 5: Conditional accessibility. Context can change the future law at matched present state. In the strongest version of the example, even the underlying landscape may remain unchanged while access to routes changes.

Fast rhythmic and access control. The simplest special case is still Rhythmic Variance Control: a rhythmic proxy that turns isotropic noise up or down, as a conductor might ask the orchestra for **forte** or **piano**. That is one slot in the local law. It is not a proof that sleep spindles write memory, clamp variance, or implement consciousness. Thalamic circuitry is a **candidate** access architecture — a possible way to rotate spread or open channels — not an identified biological executor.

History. A stored landscape of preferences is one question: where did the hills come from? A different question is whether, with the hills held fixed, a context operator can still change which routes are easy.

Physiology. Heartbeat, breath, and metabolic adequacy may condition what is feasible, as a bass line conditions a room without composing the melody. They are not extra MNPS axes and not consciousness coordinates. Autonomic composites did not moderate the primary spindle-geometry effect under the tested protocol.

Structure is not access

NDT repeatedly separates **what is stored or structurally available** from **what is dynamically accessible now**. Changing access need not require rewriting the underlying structure.

That distinction is not only a hippocampal story. It is the same logical move at several scales: memory content versus retrieval; a potential V versus mobility or gating; a stored landscape versus a context-conditioned route; an attractor versus a committor; a dendritic substrate versus which branch is currently easy. The currently audited hippocampal datasets have not established landscape writing. The access-on-frozen-landscape question is a different question, and it remains a question.

What the companion studies actually showed

These are constraints, not a validation of the chain.

Spindles. In two overnight EEG datasets, a discrete spindle event coincides with a modest, timing-locked rise in one stratified chart coordinate (d_n). That is event-locked **state** reconfiguration. It is not causal denoising, not a complete spindle-versus-matched-N2 mechanism, and not thalamic identification. Matched-control specificity is incomplete (Langell, 2026j).

Coma. In early EEG after cardiac arrest, short-horizon spread and local deformation carry recovery-linked information that static location does not exhaust. Geometry added a bounded increment on a feature-limited clinical-plus-qEEG baseline. Withdrawal of life-sustaining therapy and sedation were not available. Read as recovery-linked geometry, not as a viability assay and not as a consciousness meter (Langell, 2026k).

Meso to macro. Simultaneous Neuropixels and surface EEG can covary under careful nulls. The same EEG-only chart does not recover a local flow or reachability operator. Contact across scales is real at association. It is not operator identification (Langell, 2026b).

Other companions — depression, psychosis, gambling versus cognitive control, hypoglycaemia, infant age — mainly show that **different conditions move different layers**. That pattern is the result. Reduced spread is not itself reduced consciousness. Complexity scores can separate global state from reported experience within a state; NDT has not been shown to do better (Bajwa et al., 2025).

What this is not

- Not a bedside score, CPC substitute, or test of awareness.
- Not Integrated Information Theory's Φ, workspace ignition, or a report.
- Not the claim that "noetic" means knowledge-bearing structure in the coordinates. The name marks the intended domain of mind-relevant dynamics.
- Not a completed theory of why any of this should **feel like** anything.
- Not a licence to treat every named object (committor, finite-amplitude resilience, dendritic access) as an empirical export. Several remain questions.

If, after matching state, responsiveness, arousal, power, and complexity, the future law still failed to distinguish reported experience from no reported experience, NDT would remain a theory of enabling dynamics. That test is named in the main text. It has not been run.

A short translation table

Technical object	**Plain question**
Chart x_t / MNPS	Where does this recording sit on the current map?
Drift b	Which way does the local flow point?
Mobility M and potential V	How much of that flow is downhill on a landscape, and in which geometry?
Diffusion a	How do random fluctuations spread, and in which directions?
Jacobian J	If nearby states are nudged apart, does their separation grow, shrink, shear, or rotate?
Predictive-spread ellipsoid	How broad is the short-horizon cloud of likely next states?
Committor q	Toward which of two destinations is the process committed?
Control / protocol γ	What is allowed to change the future law at the same present pin?
RVC	The smallest such controller: a rhythm that turns isotropic noise up or down.

Table 1: The main paper's objects, without the symbols doing the work. Empirical availability of each row is a separate contract.

The orchestra metaphor is useful only up to a point. Keep bass line, rhythm section, fog, and ridge if they help. Then put the baton down. The scientific claim is simpler: mind-relevant neural regimes may be better characterized by a controlled law over possible futures than by present reduced-state location alone.

Year-letter suffixes for Langell (2026) follow the main article (2026a–n).

Bibliography

Bajwa, I. J., Hight, D., Della Porta, L., Sleigh, J., Sanders, R. D., Pal, S. K., Bonhomme, V., Vanhaudenhuyse, A., & Chennu, S. (2025). A repeated awakening study exploring the capacity of complexity measures to capture dreaming during propofol sedation. *Scientific Reports*, *15*, 32746. https://doi.org/10.1038/s41598-025-12695-z

Langell, R. (2026h). Recovery-Linked Neural Geometry After Cardiac-Arrest Coma. *Zenodo*. https://doi.org/10.5281/zenodo.21263084

Langell, R. (2026b). Sleep Spindles Briefly Shift Cortical Network Geometry in Two Independent Overnight EEG Datasets. *Zenodo*. https://doi.org/10.5281/zenodo.22206108

Langell, R. (2026b). Trial-aligned associations between Neuropixels proxies and surface EEG during cortical stimulation in head-fixed mice. *Zenodo*. https://doi.org/10.5281/zenodo.22041386

Langell, R. (2026a,). *Noetic Diffusion Theory: A Rhythmic, Geometric Framework for Neural State Reconstruction and Conscious Correlates*. Zenodo. https://doi.org/10.5281/zenodo.20112950