S6 Internal Changelog

Internal analysis provenance and manuscript revision history

Article type: Supplement

Short title: S6 Changelog - ds004511 NDT v1

Robin Langell[1]
[1] Langell Konsult AB, Vallentuna, Sweden
For correspondence: Robin Langell, hello@noeticdiffusion.com

Scope and intent

Internal working document for the ds004511 NDT v1.0 article branch. Record how the analysis result was obtained, which data and analysis artifacts were used, and which decisions affect interpretation. Do not copy local raw-output paths into the public manuscript.

Analysis provenance

- Dataset accession: OpenNeuro ds004511.
- Measurement-run identifier: `neuralmanifolddynamics_ds004511_20260921_050009`.
- Coordinate contract: `subject_anchored`.
- Article code: `articles/ds04511_ndt_v.1.0/src`.
- First contrast panel: occupancy `(m,d,e)`, MNJ invariants, L1 local law, recording-level reachability summaries. Rest / CC / GG, complete-case within-subject.
- Second panel: chart-Jacobian α plus lag-1 L2/L3 one-step identities. Separate Wilcoxon family. Lag-2 omitted.

Changelog

2026-09-21 — Article folder and first src cut

- Copied article template to `articles/ds04511_ndt_v.1.0`.
- Added Apollo-style G0–G2 collection and an exploratory task-contrast runner.
- Task labels come from the NMD stem only. `sub-S200203` Gambling remains missing.
- Status: exploratory; G3/G4 not locked. Occupancy is not MNJ and not reachability.

2026-09-21 — L4 QC and L2/L3 panel

- Three L4 `a_q` failures: `post_dtype_psd_failure`, one recording per task.
- `reach_d_eff` treated as method-limited (most values pinned near 1).
- Lag-1 L2/L3 identified on 121/134 recordings. Chart-Jacobian α is not one-step L3 on this export (GG−Rest signs do not match).

2026-09-22 — Peer-review robustness and multiplicity revision

- Added a deterministic 100-window (400 s) chart-Jacobian alpha sensitivity analysis. All 134 recordings remain eligible and all three contrast signs agree with the full-recording analysis.
- Audited the non-overlapping task-duration ranges. L4 is available only as recording-level scalars and cannot be declared duration-independent from this export.
- Retained `reach_d_eff` as raw QC but removed it from substantive BH and Friedman correction families: 45 pairwise and 15 omnibus tests remain.
- Added the complete frozen L1 family (four metrics by three contrasts plus four omnibus tests) to S2 rather than selecting significant L1 rows.
- Added a separate 400-s L1 sensitivity family. Drift-norm contrasts persist, while diffusion effects attenuate and diffusion omnibus rows no longer pass FDR in the fixed-prefix family.
- Added explicit citations for the dataset, NDT measurement boundary, Wilcoxon tests, and BH-FDR. G4 remains unlocked.

2026-09-22 — Common-support estimator interaction

- Added a separate exploratory chart-alpha versus one-step L3-alpha interaction runner on 121 common production-supported recordings.
- Calibrated each endpoint with a pooled median and 1.4826 times MAD before subject-level task contrasts; no refit, interpolation, or zero filling.

- The GG–Rest and GG–CC standardized interactions are FDR-significant in a separate three-test family; the result is normalization-dependent and does not establish raw-unit effect differences or estimator equivalence.