SEVEN TECH COACHING

Project Member Name

Md. Nofel Hossen (487279) Yeasin Uddin Fahim (487294) Sukanto Chowdhury (487274) Prashanta Das (487271) Ibrahim Miazi Shaon (487288) Miftahul Jannat Tausi (487282) Md.Rifat Hasan (487297)

SEVEN TECH COACHING

Copyright © STCTEAM

All Rights Reserved

No part of this book may be reproduced in any form, by photocopying or by any electronic or mechanical means, including information storage or retrieval systems, without permission in writing from both the copyright owner and the publisher of this book.

CONTENTS

| index.php | 8 |
|--------------------------|------|
| aboutus.php | 29 |
| add_student.php | 32 |
| admin_add_courses.php | 40 |
| admin_add_courses.php | 42 |
| admin_css.php | 45 |
| admin_sidebar.php | 46 |
| admin_update_courses.php | 47 |
| admin_update_teacher.php | 51 |
| admin_view_courses.php | 55 |
| admin_view_teacher.php. | . 59 |
| adminhome.php | 62 |
| admission.php | 63 |
| admission_dashboard.php | 85 |
| contact.php | 88 |
| logout.php | 91 |
| contact_dashboard.php | 73 |
| courses.php | 93 |
| data_check.php | 107 |
| delete.php | 108 |
| login.php | 109 |
| | 111 |
| student_profile.php | 112 |
| student_sidebar.php | 113 |
| utudenthome.php | 117 |
| | 118 |
| view_student.php | 123 |
| | 132 |

TOOLS

- > HTML
- > CSS
- > PHP
- BOOTSTRAP
- DATABASE
- > MYSQL
- **MONITOR**
- > CPU (Central Processing Unit)
- **KEYBORED**
- > MOUSE
- > JAVASCRIPT

OBJECTIVE

Our Coaching center name is Seven Tech Coaching center. It's founded in 2005. The coaching center community is driven by a shared purpose to make a better world through education, research, and innovation. We are fun and quirky, elite but not elitist, inventive and artistic, obsessed with numbers, and welcoming to talented people regardless of where they come from. Thus our coaching created by innovation way.

DESCRIPTION

Welcome to our seven tech coaching center website. The mission of the seven tech coaching center is to advance knowledge and educate students in science and technology.

This institute is an independent ,coeducational, privately endowed coaching center. It organized into five school (Engineering , Mathematics and Science). It has some 800 faculty members,more than 1000 undergraduate students,and more than 1500 living alumni.

At it's founding in 1996, seven tech coaching center was an educational 8 innovation a community of hands on problem solvers in love with fundamental science and eager to make the project

Index.php

All File Name

- index.php
- aboutus.php
- add_student.php
- admin_add_courses.php
- admin_add_teacher.php
- admin_css.php
- admin_sidebar.php
- admin_update_courses.php
- admin_update_teacher.php
- admin_view_courses.php
- admin_view_teacher.php
- adminhome.php
- admission.php
- admission_dashboard.php
- contact.php
- logout.php
- Contact_dashboard.php
- course.php
- data_check.php
- delete.php
- login.php
- login_check.php
- logout.php
- student_css.php
- student_profile.php
- student_sidebar.php
- studenthome.php
- update_student.php
- view_student.php
- table.css
- style.css

CODE.STC

```
<?php
error reporting(0);
session_start();
session_destroy();
if ($ SESSION['message']) {
  $message = $_SESSION['message'];
  echo "<script type='text/javascript'>
    alert('$message');
    </script>";
}
$host = "localhost";
$user = "root";
$password = "";
$db = "schoolproject";
$data = mysqli_connect($host, $user, $password, $db);
$sql1 = "SELECT * FROM teacher";
$result1 = mysqli_query($data, $sql1);
$sql2 = "SELECT * FROM courses";
$result2 = mysqli_query($data, $sql2);
<!doctype html>
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
  <title>Coching Center Management System</title>
```

```
link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csB
vApHHNl/vI1Bx" crossorigin="anonymous">
  k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/MaterialDesign-
Webfont/5.3.45/css/materialdesignicons.css" integrity="sha256-
NAxhqDvtY0l4xn+YVa6WjAcmd94NNfttjNsDmNatFVc="
crossorigin="anonymous" />
  <link rel="stylesheet" href="jstyle.css">
  <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.12.1/css/all.min.css" integrity="sha256-
mmgLkCYLUQbXn0B1SRqzHar6dCnv9oZFPEC1g1cwlkk="
crossorigin="anonymous" />
</head>
<body>
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
       <button class="navbar-toggler" type="button" data-mdb-
toggle="collapse" data-mdb-target="#navbarButtonsExample" aria-
controls="navbarButtonsExample" aria-expanded="false" aria-
label="Toggle navigation">
         <i class="fas fa-bars"></i>
       </button>
       <div class="collapse navbar-collapse"</pre>
                </a>
  <div id="carouselExampleDark" class="carousel carousel-light</pre>
slide" data-bs-ride="carousel">
    <div class="carousel-indicators">
       <button type="button" data-bs-
target="#carouselExampleDark" data-bs-slide-to="0" class="active"
aria-current="true" aria-label="Slide 1"></button>
```

```
<button type="button"
data-bs-target="#carouselExampleDark" data-bs-slide-to="1" aria-
label="Slide 2"></button>
       <button type="button" data-bs-
target="#carouselExampleDark" data-bs-slide-to="2" aria-
label="Slide 3"></button>
    </div>
     <div class="carousel-inner">
       <div class="carousel-item active" data-bs-interval="10000">
         <img src="c2.png" class="d-block w-100" alt="...">
       </div>
       <div class="carousel-item" data-bs-interval="2000">
         <img src="c3.png" class="d-block w-100" alt="...">
       </div>
       <div class="carousel-item">
         <img src="c1.png" class="d-block w-100" alt="...">
       </div>
     </div>
    <button class="carousel-control-prev text-light" type="button"</pre>
data-bs-target="#carouselExampleDark" data-bs-slide="prev">
       <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
       <span class="visually-hidden">Previous</span>
     </button>
  </center>
  <div class="container">
     <div class="row">
       <?php
       while ($info = $result1->fetch_assoc()) {
       ?>
          <div class="col-md-4">
```

```
<div class="blog-card blog-card-blog">
             <div class="blog-card-image">
                <a href="#"> <img class="teacher" src="<?php echo
"{$info['image']}" ?>"> </a>
                <div class="ripple-cont"></div>
             </div>
             <div class="blog-table">
                <h3 class="blog-card-caption">
                  <a href="#"><?php echo "{$info['name']}" </a>
                </h3>
                <?php echo</pre>
"{\$info['description']}" ?>
             </div>
           </div>
         </div>
      <?php
       ?>
    </div>
  </div>
    <h1>Our Courses</h1>
  </center>
  <div class="container">
    <div class="row">
       <?php
      while ($info = $result2->fetch_assoc()) {
      ?>
         <div class="col-md-4">
           <div class="blog-card blog-card-blog">
             <div class="blog-card-image">
                <a href="#"> <img class="teacher" src="<?php echo
"{$info['image']}" ?>"> </a>
                <div class="ripple-cont"></div>
             </div>
```

```
<div class="blog-table">
                <h3 class="blog-card-caption">
                  <a href="#"><?php echo "{$info['name']}" </a>
                </h3>
                <?php echo</pre>
"{\$info['description']}" ?>
              </div>
           </div>
         </div>
       <?php
       ?>
    </div>
  </div>
 <center>
    <h1>Our Student's Say</h1>
  </center>
  <link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.15.3/css/svg-with-js.min.css" integrity="sha512-
W3ZfgmZ5g1rCPFiCbOb+tn7g7sQWOQCB1AkDqrBG1Yp3iDjY9
KYFh/k1AWxrt85LX5BRazEAuv+5DV2YZwghag=="
crossorigin="anonymous" referrerpolicy="no-referrer" />
  <section class="team-section py-5">
    <div class="container">
       <div class="row justify-content-center">
         <div class="col-12 col-md-6">
           <div class="card border-0 shadow-lg pt-5 my-5 position-</pre>
relative"
              <div class="card-body p-4">
                <div class="member-profile position-absolute w-</pre>
100 text-center">
                  <img class="rounded-circle mx-auto d-inline-
block shadow-sm" src="Tausi.png" alt="">
                </div>
                <div class="card-text pt-1">
```

<h5 class="member-name mb-0 text-center text-primary fontweight-bold">Miftahul Jannat Tausi</h5> <div class="mb-3 textcenter">CEO</div> <div>Lorem ipsum, dolor sit amet consectetur adipisicing elit. Quas ea adipisci dolorem recusandae, facilis culpa dolores eos natus, quis, explicabo temporibus corrupti provident delectus debitis! Nobis dicta possimus perspiciatis ad? </div> </div></div><!--//card-body--> <div class="card-footer theme-bg-primary border-0"> text-center"> <a class="text-dark"</pre> href="#"><svg class="svg-inline--fa fa-linkedin-in fa-w-14 fa-fw" aria-hidden="true" focusable="false" data-prefix="fab" dataicon="linkedin-in" role="img" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 448 512" data-fa-i2svg=""> <path fill="currentColor" d="M100.28</pre> 448H7.4V148.9h92.88zM53.79 108.1C24.09 108.1 0 83.5 0 53.8a53.79 53..3c12.4-23.5 42.69-48.3 87.88-48.3 94 0 111.28 61.9 111.28 142.3V448z"></path> </svg><!-- <i class="fab fa-linkedin-in fafw"></i> Font Awesome fontawesome.com --> <a class="text-dark"</pre> href="#"><svg class="svg-inline--fa fa-twitter fa-w-16 fa-fw" ariahidden="true" focusable="false" data-prefix="fab" dataicon="twitter" role="img" xmlns="http://www.w3.org/2000/svg" viewBox="0 0 512 512" data-fa-i2svg=""> <path fill="currentColor" d="M459.37</pre> 151.716c.325 4.548.325 9.097.325 13.645 0 138.72-105.583 298.558-298..628 54.253z"></path> </svg><!-- <i class="fab fa-twitter fafw"></i> Font Awesome fontawesome.com --> <a class="text-dark"</pre> href="#"><svg class="svg-inline--fa fa-medium fa-w-14 fa-fw" aria-

```
hidden="true" focusable="false" data-prefix="fab" data-
icon="medium" role="img" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 448 512" data-fa-i2svg="">
                          <path fill="currentColor" d="M0</pre>
32v448h448V32H0zm372.2 106.11-24 23c-2.1 1.6-3.1 4.2-2.7 6..1-
13.2v-133c.4-3.7-1-7.3-3.8-9.8L75 138.1V133h87.3l67.4 148L289
133.1h83.2v5z"></path>
                        </svg><!-- <i class="fab fa-medium fa-
fw"></i> Font Awesome fontawesome.com --></a>
                <!--//social-list-->
              </div>
              <!--//card-footer-->
            </div>
            <!--//card-->
         </div>
         <!--//col-->
         <div class="col-12 col-md-6">
            <div class="card border-0 shadow-lg pt-5 my-5 position-</pre>
relative">
              <div class="card-body p-4">
                <div class="member-profile position-absolute w-</pre>
100 text-center">
                   <img class="rounded-circle mx-auto d-inline-
block shadow-sm" src="Nofel.png" alt="">
                </div>
                <div class="card-text pt-1">
                   <h5 class="member-name mb-0 text-center text-
primary font-weight-bold">Nofel Hossen</h5>
19.818 1.624 9.421 0 18.843-1.3 27.614-3.573-48.081-9.747-84.143-
51.98-84.143-102.985v-1. 30.214 12.67 47.431 13
133.1h83.2v5z"></path>
```

```
</svg><!-- <i class="fab fa-medium fa-fw"></i> Font Awesome
fontawesome.com -->
</a></li
<!--//social-list-->
              </div>
              <!--//card-footer-->
            </div>
            <!--//card-->
         </div>
         <!--//col-->
    <div class="col-12 col-md-6">
           <div class="card border-0 shadow-lg pt-5 my-5 position-</pre>
relative">
              <div class="card-body p-4">
                <div class="member-profile position-absolute w-
100 text-center">
                   <img class="rounded-circle mx-auto d-inline-
block shadow-sm" src="prashanta.png" alt="">
                </div>
                <div class="card-text pt-1">
 <h5 class="member-name mb-0 text-center text-primary font-
weight-bold">Prashanta Das</h5>
 <div class="mb-3 text-center"><b>Software Engineer</b></div>
                   <div>Lorem ipsum, dolor sit amet consectetur
adipisicing elit. Quas ea adipisci dolorem recusandae, facilis culpa
dolores eos natus, quis, explicabo temporibus corrupti provident
delectus debitis! Nobis dicta possimus perspiciatis ad? </div>
                </div>
</div>
46.456-13.32 273 41.584-8.122 60.426-16.243-14.292 20.791-32.161
39.308-52.628 54.253z"></path>
                       </svg><!-- <i class="fab fa-twitter fa-
fw"></i> Font Awesome fontawesome.com --></a>
                   <a class="text-dark"</pre>
href="#"><svg class="svg-inline--fa fa-medium fa-w-14 fa-fw" aria-
hidden="true" focusable="false" data-prefix="fab" data-
```

```
icon="medium" role="img" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 448 512" data-fa-i2svg="">
                           <path fill="currentColor" d="M0</pre>
32v448h448V32H0zm372.2 106.11-24 23c-2.1 1.6-3.1 4.2-2.7
6.7v169.3c-.4 2.6.6 5.2 2.7 6.7l23.5 23v5.1h-118V367l24.3-23.6c2.4-
2.4 2.4-3.1 2.
 </svg><!-- <i class="fab fa-medium fa-fw">
</i> Font Awesome fontawesome.com --></a>
                 </111>
                 <!--//social-list-->
              </div>
              <!--//card-footer-->
            </div>
            <!--//card-->
          </div>
         <!--//col-
<div class="col-12 col-md-6">
            <div class="card border-0 shadow-lg pt-5 my-5 position-</pre>
relative">
              <div class="card-body p-4">
                 <div class="member-profile position-absolute w-</pre>
100 text-center">
                   <img class="rounded-circle mx-auto d-inline-</pre>
block shadow-sm" src="Fahim.png" alt="">
                 </div>
                 <div class="card-text pt-1">
                   <h5 class="member-name mb-0 text-center text-
primary font-weight-bold">Yeasin Uddin Fahim</h5>
                   <div class="mb-3 text-
center"><b>CEO</b></div>
                   <div>Lorem ipsum, dolor sit amet consectetur
adipisicing elit. Quas ea adipisci dolorem recusandae, facilis culpa
dolores eos natus, quis, explicabo temporibus corrupti provident
delectus debitis! Nobis dicta possimus perspiciatis ad? </div>
                 </div>
              </div>
```

```
<!--//card-body-->
             <div class="card-footer theme-bg-primary border-0">
text-center">
                <a class="text-dark"</pre>
href="#"><svg class="svg-inline--fa fa-linkedin-in fa-w-14 fa-fw"
aria-hidden="true" focusable="false" data-prefix="fab" data-
icon="linkedin-in" role="img" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 448 512" data-fa-i2svg="">
                         <path fill="currentColor" d="M100.28</pre>
448H7.4V148. -55.69 37.7-55.69 76.7V448h-
92.78V148.9h89.08v40.8h1.3c12.4-23.5 42.69-48.3
                       </svg><!-- <i class="fab fa-medium fa-
fw"></i> Font Awesome fontawesome.com --></a>
                </111>
                <!--//social-list--
             </div>
             <!--//card-footer-
           </div>
           <!--//card-->
         </div>
         <!--//c
  <div class="col-12 col-md-6">
          <div class="card border-0 shadow-lg pt-5 my-5 position-</pre>
relative">
             <div class="card-body p-4">
                <div class="member-profile position-absolute w-</pre>
100 text-center">
                  <img class="rounded-circle mx-auto d-inline-
block shadow-sm" src="Rifat.png" alt="">
                </div>
                <div class="card-text pt-1">
                  <h5 class="member-name mb-0 text-center text-
primary font-weight-bold">Md.Rifat Hasan</h5>
                  <div class="mb-3 text-
center"><b>CEO</b></div>
```

```
<div>Lorem ipsum, dolor sit amet consectetur
adipisicing elit. Quas ea adipisci dolorem recusandae, facilis culpa
dolores eos natus, quis, explicabo temporibus corrupti provident
delectus debitis! Nobis dicta possimus perspiciatis ad? </div>
                </div>
              </div>
              <!--//card-body-->
              <div class="card-footer theme-bg-primary border-0">
text-center">
                <a class="text-dark"</pre>
href="#"><svg class="svg-inline--fa fa-linkedin-in fa-w-14 fa-fw"
aria-hidden="true" focusable="false" data-prefix="fab" data-
                         <path fill="currentColor" d="M0.4-3.7-1-</pre>
7.3-3.8-9.8L75 138.1V133h87.3l67.4 148L289
133.1h83.2v5z"></path>
                       </svg><!-- <i class="fab fa-medium fa-
fw"></i> Font Awesome fontawesome.com --></a>
                <!--//social-list-->
              </div>
              <!--//card-footer-->
           </div>
           <!--//card-->
 <div class="col-12 col-md-6">
         <div class="card border-0 shadow-lg pt-5 my-5 position-</pre>
relative">
              <div class="card-body p-4">
                <div class="member-profile position-absolute w-</pre>
100 text-center">
                  <img class="rounded-circle mx-auto d-inline-
block shadow-sm" src="Tommy.png" alt="">
                </div>
                <div class="card-text pt-1">
```

<div>Lorem ipsum, dolor sit amet consectetur adipisicing elit. Quas ea adipisci dolorem recusandae, facilis culpa dolores eos natus, quis, explicabo temporibus corrupti provident delectus debitis! Nobis dicta possimus perspiciatis ad? </div>

</div>

54.253z"></path>

<!--//card-body--><div class="card-footer theme-bg-primary border-0 text-center">

</svg><!-- <i class="fab fa-linkedin-in fa-

fw"></i> Font Awesome fontawesome.com -->

class="list-inline-item"><a class="text-dark"
href="#"><svg class="svg-inline--fa fa-twitter fa-w-16 fa-fw" ariahidden="true" focusable="false" data-prefix="fab" dataicon="twitter" role="img" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 512 512" data-fa-i2svg="">

</svg><!-- <i class="fab fa-twitter fa-fw"></i> Font Awesome fontawesome.com -->

<svg
class="svg-inline--fa fa-medium fa-w-14 fa-fw" aria-hidden="true"
focusable="false" data-prefix="fab" data-icon="medium" role="img"</pre>

```
xmlns="http://www.w3.org/2000/svg" viewBox="0 0 448 512" data-
fa-i2svg="">
                          <path fill="currentColor" d="M0</pre>
32v448h448V32H0zm372.2 106.11-24 23c-2.1 1.6-3.1 4.2-2.7 6. 4
148L289 133.1h83.2v5z"></path>
    </svg><!-- <i class="fab fa-medium fa-fw"></i> Font Awesome
fontawesome.com --></a>
                 <!--//social-list-->
              </div>
              <!--//card-footer-->
            </div>
            <!--//card-->
         </div>
         <!--//col
<div class="col-12 col-md-6">
            <div class="card border-0 shadow-lg pt-5 my-5 position-</pre>
relative">
              <div class="card-body p-4">
                 <div class="member-profile position-absolute w-</pre>
100 text-center">
                   <img class="rounded-circle mx-auto d-inline-
block shadow-sm" src="Jeshan.png" alt="">
                 </div<div class="card-text pt-1">
 <h5 class="member-name mb-0 text-center text-primary font-
weight-bold">Md.Jahidul Alam</h5>
<div class="mb-3 text-center"><b>CEO</b></div>
                   <div>Lorem ipsum, dolor sit amet consectetur
adipisicing elit. Quas ea adipisci dolorem recusandae, facilis culpa
dolores eos natus, quis, explicabo temporibus corrupti provident
delectus debitis! Nobis dicta possimus perspiciatis ad? </div>
                 </div>
              </div>
              <!--//card-body-->
              <div class="card-footer theme-bg-primary border-0">
text-center">
```

```
<a class="text-dark"</pre>
href="#"><svg class="svg-inline--fa fa-linkedin-in fa-w-14 fa-fw"
aria-hidden="true" focusable="false" data-prefix="fab" data-
icon="linkedin-in" role="img" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 448 512" data-fa-i2svg="">
                        <path fill="currentColor" d="M100.28</pre>
448H7.69-48.3 87.88-48.3 94 0 111.28 61.9 111.28
142.3V448z"></path>
                      </svg><!-- <i class="fab fa-linkedin-in fa-
fw"></i> Font Awesome fontawesome.com --></a>
                 <a class="text-dark"</pre>
href="#"><svg class="svg-inline--fa fa-twitter fa-w-16 fa-fw" aria-
hidden="true" focusable="false" data-prefix="fab" data-
icon="twitter" role="img" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 512 512" data-fa-i2svg="">
                        <path fill="currentColor" d="M459.37</pre>
                      </svg><!-- <i class="fab fa-twitter fa-
fw"></i> Font Awesome fontawesome.com --></a>
                 <a class="text-dark"</pre>
href="#"><svg class="svg-inline--fa fa-medium fa-w-14 fa-fw" aria-
hidden="true" focusable="false" data-prefix="fab" data-
icon="medium" role="img" xmlns="http://www.w3.org/2000/svg"
viewBox="0 0 448 512" data-fa-i2svg="">
                        <path fill="currentColor" d="M0</pre>
32v448h448V32H0zm372.2 106.11-24 23c-2.1 1.6-3.1 4.26.7v169.3c-
.4 2.6.6 5.2 2.7 -118.1V133h87.3l67.4 148L289
133.1h83.2v5z"></path>
                      </svg><!-- <i class="fab fa-medium fa-
fw"></i> Font Awesome fontawesome.com --></a>
               <!--//social-list-->
             </div>
             <!--//card-footer-->
           </div>
```

```
<!--//card-->
         </div>
         <!--//col-->
  <section>
    <div class="container">
       <div class="section-heading wow fadeIn">
         <h1>Seven-Tech Coching History</h1>
         <div class="heading-separator"></div>
       </div>
       <div class="row">
         <div class="history-wrapper">
            <div class="title-wrap text-center one-of-two">
            </div>
            <div class="timeline-box one-of-two">
              <img class="mb-1-6 rounded" src="1995.png"</pre>
alt="...">
              <div class="content">
                <h3 class="h4 mb-2 mb-md-3">Seven tech
coaching center history in 1995</h3>
                Duis autem vel eum iriure dolor in
hendrerit in vulputate velit esse molestie consequat, vel illum dolore
eu feugiat nulla facilisis at vero eros et accumsan et iusto odio
dignissim qui blandit praesent lup <div class="year">1995</div>
            </div>
            <div class="timeline-box one-of-two">
              <img class="mb-1-6 rounded" src="2003.png"</pre>
alt="...
              <div class="content">
                <h3 class="h4 mb-2 mb-md-3">Seven tech
coaching center history in 2003</h3>
                Duis autem vel eum iriure dolor in
hendrerit in vulputate velit esse molestie consequat, vel illum dolore
eu feugiat nulla facilisis at vero eros et accumsan et iusto odio
dignissim qui blandit praesent luptatum
              </div>
              <div class="year">2003</div>
```

```
</div>
            <div class="timeline-box one-of-two">
              <img class="mb-1-6 rounded" src="2018.png"</pre>
alt="...">
              <div class="content">
                <h3 class="h4 mb-2 mb-md-3">Seven tech
coaching center history in 2018</h3>
                Duis autem vel eum iriure dolor in
hendrerit in vulputate velit esse molestie consequat, vel illum dolore
eu feugiat nulla facilisis at vero eros et accumsan et iusto odio
dignissim qui blandit praesent luptatum
              </div>
              <div class="year">2018</div>
            </div>
            <div class="timeline-box one-of-two">
              <img class="mb-1-6 rounded" src="2021.png"</pre>
alt="...">
              <div class="content">
                <h3 class="h4 mb-2 mb-md-3">Seven tech
coaching center history in 2021</h3>
                Duis autem vel eum iriure dolor in
hendrerit in vulputate velit esse molestie consequat, vel illum dolore
eu feugiat nulla facilisis at vero eros et accumsan et iusto odio
dignissim qui blandit praesent luptatum
              </div>
              <div class="year">2021</div>
            </div>
         </div>
       </div>
     </div>
  </section>
  <section class="section gray-bg mt-5" id="contactus">
    <div class="container">
       <div class="row">
         <div class="col-lg-6">
            <div class="section-title">
```

```
<h2>Admission Form</h2>
              I design and develop services for customers of all
sizes, specializing in creating stylish, modern websites
            </div>
         </div>
       </div>
       <div class="row flex-row-reverse">
         <div class="col-md-7 col-lg-8 m-15px-tb">
            <div class="contact-form">
              <form action="data_check.php" method="POST"
class="contactform contact_form" id="contact_form">
                <div class="returnmessage valid-feedback p-15px-</pre>
b" data-success="Your message has been received, We will contact
you soon."></div>
                 <div class="empty_notice invalid-feedback p-15px-</pre>
b"><span>Please Fill Required Fields</span></div>
                 <div class="row">
                   <div class="col-md-6">
                     <div class="form-group">
                        <input required id="name" name="name"</pre>
type="text" placeholder="Full Name" class="form-control">
                     </div>
                   </div>
                   <div class="col-md-6">
<div class="form-group"> <input required id="email" name="email"</pre>
type="email" placeholder="Email Address" class="form-control">
                     </div>
                   </div>
                   <div class="col-12">
                     <div class="form-group">
                        <input required id="subject" name="phone"</pre>
type="text" placeholder="Phone" class="form-control">
                     </div>
                   </div>
                   <div class="col-md-12">
                     <div class="form-group">
```

```
<textarea required id="message" name="message"
placeholder="Message" class="form-control" rows="3"></textarea>
                     </div> <div class="col-md-12">
                     <div class="send">
                       <input class="btn btn-primary"</pre>
type="submit" value="Submit" id="submit" name="apply">
                     </div>
                  </div>
                </div>
              </form>
           </div>
         </div>
         <div class="col-md-5 col-lg-4 m-15px-tb";</pre>
           <div class="contact-name">
              <h5>Mail</h5>
              info@domainname.com
           </div>
           <div class="contact-name">
              <h5>Visit My Studio</h5>
              Warnwe Park Streetperrine, <br/>br>FL 33157 New
York City
           </div>
           <div class="contact-name">
             <h5>Phone</h5>
              +01 123 654 8096
            </div>
            <div class="social-share nav">
              <a class="dribbble" href="#">
                <i class="fab fa-dribbble"></i>
              </a>
              <a class="behance" href="#">
                <i class="fab fa-behance"></i>
              </a>
              <a class="linkedin" href="#">
                <i class="fab fa-linkedin-in"></i>
              </a>
           </div>
```

```
</div>
      </div>
    </div>
  </se
<section>
    <footer class="site-footer">
      <div class="container">
         <div class="row">
           <div class="col-lg-3 col-md-6">
             <!-- Contact Info-->
             <section class="widget widget-light-skin">
               <h3 class="widget-title">Get In Touch With
Us < /h3 >
               Phone: 00 33 169 7720
               <span class="opacity-50">Monday-
Friday:</span>9.00 am - 8.00 pm
                 <span class="opacity-
50">Saturday:</span>10.00 am - 6.00 pm
               <a class="navi-link-light"
href="#">support@Seven-TechCoching.com</a><a
class="social-button shape-circle sb-facebook sb-light-skin"
href="#"><i class="socicon-facebook"></i></a><a class="social-
button shape-circle sb-twitter sb-light-skin" href="#"><i
class="socion-twitter"></i></a><a class="social-button shape-circle
sb-instagram sb-light-skin" href="#"><i class="socicon-
instagram"></i></a><a class="social-button shape-circle sb-google-
plus sb-light-skin" href="#"><i class="socicon-googleplus"></i></a>
             </section>
           </div>
           <div class="col-lg-3 col-md-6">
             <!-- Mobile App Buttons-->
             <section class="widget widget-light-skin">
               <h3 class="widget-title">Our Mobile App</h3><a
class="market-button apple-button mb-light-skin" href="#"><span
class="mb-subtitle">Download on the</span><span class="mb-
```

```
title">App Store</span></a><a class="market-button google-button"
mb-light-skin" href="#"><span class="mb-subtitle">Download on
the</span><span class="mb-title">Google Play</span></a><a
class="market-button windows-button mb-light-skin" href="#"><span
class="mb-subtitle">Download on the</span><span class="mb-
title">Windows Store</span></a>
             </section>
           </div>
           <div class="col-lg-3 col-md-6">
             <!-- About Us-->
             <section class="widget widget-links widget-light-</pre>
skin">
               <h3 class="widget-title">About Us</h3>
               \langle ul \rangle
                 <a href="#">Careers</a>
                 <a href="#">About Unishop</a>
                 <a href="#">Our Story</a>
                 <a href="#">Services</a>
                 <a href="#">Our Blog</a>
               </section>
           </div>
           <div class="col-lg-3 col <!-- Account / Shipping Info-->
<section class="widget widget-links widget-light-skin">
               <h3 class="widget-title">Account & Dipping
Info</h3>
               <a href="#">Your Account</a>
                 <a href="#">Shipping Rates & amp;
Policies</a>
                 <a href="#">Refunds & amp;</a>;
Replacements</a>
                 <a href="#">Taxes</a>
                 <a href="#">Delivery Info</a>
                 <a href="#">Affiliate Program</a>
               </section>
```

```
</div>
        <hr class="hr-light mt-2 margin-bottom-2x">
         <div class="row">
            <div class="col-md-7 padding-bottom-1x"></div>
       <div class="col-md-5 padding-bottom-1x">
              <div class="margin-top-1x hidden-md-up"></div>
              <!--Subscription-->
              <form class="subscribe-form" action="#"
method="post" target="_blank" novalidate="">
                <div class="clearfix">
                   <div class="input-group input-light">
                     <input class="form-control" type="email"</pre>
name="EMAIL" placeholder="Your e-mail"><span class="input-
group-addon"><i class="icon-mail"></i></span>
                   </div>
                   <button class="btn btn-primary mt-2"</pre>
type="submit">Suscbribe</button>
                </div><span class="form-text text-sm text-white"
opacity-50">Subscribe to our Newsletter to receive early discount
offers, latest news, sales and promo information.</span>
              </form>
           </div <!-- Copyright <p class="footer-
copyright">© All rights reserved.</div>
    </footer>
  </section>
  <script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQmDKKtQBHU
uLZ9AsSv4jD4Xa" crossorigin="anonymous"></script>
</body>
</html>
```

Aboutus.php <?php error reporting(0); session_start(); session_destroy(); if (\$_SESSION['message']) { \$message = \$ SESSION['message']; echo "<script type='text/javascript'> alert('\$message'); </script>"; } \$host = "localhost"; suser = "root";\$password = ""; \$db = "schoolproject"; \$data = mysqli_connect(\$host, \$user, \$password, \$db); \$sql1 = "SELECT * FROM teacher"; \$result1 = mysqli_query(\$data, \$sql1); \$sql2 = "SELECT * FROM courses"; \$result2 = mysqli_query(\$data, \$sql2); ?> <!doctype html> <html lang="en">

scale=1">
 <title>Student Management System</title>
 link

href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.min.css" rel="stylesheet" integrity="sha384-gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csBvApHHNl/vI1Bx" crossorigin="anonymous">

<meta name="viewport" content="width=device-width, initial-</pre>

<head>

<meta charset="utf-8">

```
<link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/MaterialDesign-
awesome/5.12.1/css/all.min.css" integrity="sha256-
mmgLkCYLUQbXn0B1SRqzHar6dCnv9oZFPEC1g1cwlkk="
crossorigin="anonymous" />
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
      <button class="navbar-toggler" type="button" data-mdb-
toggle="collapse" data-mdb-target="#navbarButtonsExample" aria-
controls="navbarButtonsExample" aria-expanded="false" aria-
label="Toggle navigation">
        <i class="fas fa-bars"></i>
      </button>
      <div class="collapse navbar-collapse"</pre>
id="navbarButtonsExample">
        <a class="nav-link" href="index.php">
              <h3>Seven-Tech Coaching</h3>
            </a>
          <div class="d-flex align-items-center">
          class="nav-it">class="nav-it"
    <a class="nav-link" href="index.php">Home</a>
            cli class="nav-item">
              <a class="nav-link" href="course.php">Course</a>
            cli class="nav-item">
              <a class="nav-link"
href="admission.php">Admission</a>
```

```
cli class="nav-item">
                <a class="nav-link" href="aboutus.php">About
Us < /a >
              cli class="nav-item">
                <a class="nav-link" href="contact.php">Contact
Us < /a >
              class="nav-item">
                <a href="login.php" type="button" class="btn btn-
primary mx-5">
                   Login
                </a>
              </div>
       </div>
    </div>
  <div id="carouselExampleDark" class="carousel carousel-light</pre>
slide" data-bs-ride="carousel">
    <div class="carousel-indicators">
       <button type="button" data-bs-
target="#carouselExampleDark" data-bs-slide-to="0" class="active"
aria-current="true" aria-label="Slide 1"></button>
       <button type="button" data-bs-
target="#carouselExampleDark" data-bs-slide-to="1" aria-
label="Slide 2"></ <button type="button" data-bs-
target="#carouselExampleDark" data-bs-slide-to="2" aria-
label="Slide 3"></button>
    </div>
    <div class="carousel-inner">
       <div class="carousel-item active" data-bs-interval="10000">
         <img src="c2.png" class="d-block w-100" alt="...">
       </div>
       <div class="carousel-item" data-bs-interval="2000">
```

```
<img src="c3.png" class="d-block w-100" alt="...">
       </div>
       <div class="carousel-item">
         <img src="c1.png" class="d-block w-100" alt="...">
       </div>
     </div>
    <button class="carousel-control-prev text-light" type="button"</pre>
data-bs-target="#carouselExampleDark" data-bs-slide="prev">
       <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
       <span class="visually-hidden">Previous</span>
     </button>
    <button class="carousel-control-next text-light" type="button"</pre>
data-bs-target="#carouselExampleDark" data-bs-slide="next">
       <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
       <span class="visually-hidden">Next</span>
     </button>
  </div>
 <center>
     <h1>Our Teachers</h1>
  </center>
  <div class="container">
    <div class="row">
       <?php
       while ($info = $result1->fetch_assoc()) {
       ?>
          <div class="col-md-4">
            <div class="blog-card blog-card-blog">
              <div class="blog-card-image">
                 <a href="#"> <img class="teacher" src="<?php echo
"{$info['image']}" ?>"> </a>
                 <div class="ripple-cont"></div>
```

```
</div>
            <div class="blog-table">
               <h3 class="blog-card-caption">
                 <a href="#"><?php echo "{$info['name']}"
?></a>
               </h3>
               <?php echo</pre>
"{$info['description']}" ?>
            </div>
          </div>
        </div>
      <?php
    </div>
  </div> <section>
    <footer class="site-footer">
      <div class="container">
        <div class="row">
          <div class="col-lg-3 col-md-6">
            <!-- Contact Info-->
            <section class="widget widget-light-skin">
         <h3 class="widget-title">Get In Touch With Us</h3>
               Phone: 00 33 169 7720
               <span class="opacity-50">Monday-
Friday:</span>9.00 am - 8.00 pm <span class="opacity-
50">Saturday:</span>10.00 am - 6.0 <<p><a class="navi-link-light"
href="#">support@Seven-TechCoching.com</a><a
instagram"></i></a><a class="social-button shape-circle sb-google-
plus sb-light-skin" href="#"><i class="socicon-googleplus"></i></a>
            </section
          <div class="col-lg-3 col-md-6">
            <!-- Mobile App Buttons-->
            <section class="widget widget-light-skin">
               <h3 class="widget-title">Our Mobile App</h3><a
class="market-button apple-button mb-light-skin" href="#"><span
```

```
class="mb-subtitle">Download on the</span><span class="mb-
title"> class="mb-subtitle"> Download on the </ span> < span
class="mb-title">Windows Store</span></a>
            </section>
          </div>
          <div class="col-lg-3 col-md-6">
            <!-- About Us-->
            <section class="widget widget-links widget-light-</pre>
skin">
               <h3 class="widget-title">About Us</h3>
               <a href="#">Careers</a>
                 <a href="#">About Unishop</a>
                 <a href="#">Our Story</a>
                 <a href="#">Services</a>
                 <a href="#">Our Blog</a>
               < </div>
          <div class="col-lg-3 col-md-6">
            <!-- Account / Shipping Info-->
            <section class="widget widget-links widget-light-</pre>
skin">
              <h3 class="widget-title">Account & Shipping
Info</h3>
              ul>
                 <a href="#">Your Account</a>
                 <a href="#">Shipping Rates & amp;
Policies</a>
                 <a href="#">Refunds & amp;
Replacements</a>
                 <a href="#">Taxes</a>
                 <a href="#">Delivery Info</a>
                 <a href="#">Affiliate Program</a>
               </section>
          </div>
        </div>
```

```
<hr class="hr-light mt-2 margin-bottom-2x">
         <div class="row">
           <div class="col-md-7 padding-bottom-1x"></div>
           <div class="col-md-5 padding-bottom-1x">
             <div class="margin-top-1x hidden-md-up"></div>
             <!--Subscription-->
             <form class="subscribe-form" action="#"
method="post" target="_blank" novalidate="">
                <div class="clearfix">
                  <div class="input-group input-light">
                    <input class="form-control" type="email"</pre>
name="EMAIL" placeholder="Your e-mail"><span class="input-
group-addon"><i class="icon-mail"></i></span>
                  </div>
                  <button class="btn btn-primary mt-2" type</pre>
           </div>
         </div>
         <!-- Copyright-->
         © All rights
reserved.</a>
      </div>
    </footer>
  </section>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQmDKKtQBHU
uLZ9AsSv4jD4Xa" crossorigin="anonymous"></script>
</body>
</html>
```

Add_student.php

```
<?php
session_start();
if(!isset($ SESSION['username']))
     header("location.php");
elseif($_SESSION['usertype']=='student')
    header("location:login.php");
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
if(isset($_POST['add_student']))
     $username=$ POST['name'];
     $user_email=$_POST['email'];
     $user_phone=$_POST['phone'];
     $user_password=$_POST['password'];
     $usertype="student";
     $check="SELECT * FROM user WHERE
username='$username'";
     $check_user=mysqli_query($data,$check);
     $row_count=mysqli_num_rows($check_user);
     if($row_count==1)
           echo"<script type='text/javascript'>
           alert('Username Already Exist.Try Another One');
  </script>";
```

```
}
     else
  $sql="INSERT INTO
user(username,email,phone,usertype,password)
VALUES('$username','$user_email','$user_phone','$usertype','$user_
password')";
     $result=mysqli_query($data,$sql);
     if($result)
           echo"<script type='text/javascript'>
           alert('Data Uplorded Successfully');
           </script>";
     else
           echo"Uplord Failed":
<!DOCTYPE html>
<html lang="en">
<head>
      <meta charset="UTF-8">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
   <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin Dashboard</title>
```

```
<style>
           label
            display: inline-block;
            text-align:right;
            width: 100px;
            padding-top:10px;
            padding-bottom:10px;
           .div_deg
           background-color:skyblue;
           width: 400px;
           padding-top:70px;
           padding-bottom:70px;
     </style>
     <?php
     include'admin_css.php';
</head>
<body>
<?php
include'admin_sidebar.php';
<div class="content">
      <center>
    <h2><b>Add Student</b></h2><br>
    <div class="div_deg">
          <form action="#" method="POST">
                <div>
                 <label for="">Username:</label>
                 <input type="text"name="name"required>
```

```
</div>
                <div>
                 <label for="">Email:</label>
                 <input type="email"name="email" required>
                </div>
                <div>
                 <label for="">Phone:</label>
                 <input type="number"name="phone"required>
                </div>
                <div>
                 <label for="">Password:</label>
                 <input
type="password"name="password"required>
                </div>
                <div>
                 <input
type="submit"name="add_student"value="Add Student"class="btn
btn-primary">
                </div>
          </form>
    </div>
     </center>
</div>
</body>
</html>
```

admin_add_courses.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
     header("location.php");
elseif($_SESSION['usertype']=='student')
    header("location:login.php");
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
if(isset($_POST['add_courses']))
      $t_name=$_POST['name'];
      $t_description=$_POST['description'];
      $file=$_FILES['image']['name'];
      $dst="./image/".$file;
      $dst db="image/".$file;
     move_uploaded_file($_FILES['image']['tmp_name'],$dst);
     $sql="INSERT INTO courses
(name, description, image) VALUES
('$t name', '$t description', '$dst db')";
      $result=mysqli_query($data,$sql);
     if($result)
           header('location:admin_add_courses.php');
  <!DOCTYPE html>
<html lang="en">
```

```
<head>
      <meta charset="UTF-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
     <title>Admin Dashboard</title>
      <?php
     include'admin_css.php';
      ?>
     <style>
           .div_deg{
                 background-color:skyblue;
                 padding-top:70px;
                 padding-bottom:70px;
                 width:500px;
     </style>
</head>
<body>
<?php
include'admin_sidebar.php';
<div class="content">
      <center>
      <h1><b>Add Courses</b></h1><br>
      <div class="div_deg">
           <form
action="#"method="POST"enctype="multipart/form-data">
                 <div>
                       <label for="">Course Name:</label>
                       <input type="text" name="name"><div>
                 <label for="">Description:</label>
  <input type="text"name="desc</pre>
                                </di v>
<label for="">Image:</label>
    <input type="file" name="image">
```

```
</div><br/>
<div>
<input type="submit" name="add_courses" value="Add Courses"class="btn btn-primary">
</div>
</div>
</form>
</div>
</div>
</div>
</div>
</html>
```

admin_add_teacher.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
{
        header("location.php");
}
elseif($_SESSION['usertype']=='student')
{
        header("location:login.php");
}
$host="localhost";
$user="root";
$password="";
$db="schoolproject";</pre>
```

```
$data=mysqli connect($host,$user,$password,$db);
if(isset($_POST['add_teacher']))
      $t_name=$_POST['name'];
      $t_description=$_POST['description'];
      $file=$_FILES['image']['name'];
      $dst="./image/".$file;
      $dst_db="image/".$file;
     move_uploaded_file($_FILES['image']['tmp_name'],$dst);
     $sql="INSERT INTO teacher
(name,description,image)VALUES
('$t_name', '$t_description', '$dst_db')";
      $result=mysqli_query($data,$sql);
     if($result)
           header('location:admin_add_teacher.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta charset="UTF-8">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin Dashboard</title>
      <?php
     include'admin_css.php';
      ?>
<style>
      .div_deg
```

```
{
         background-color:skyblue;
         width: 500px;
         padding-top:70px;
         padding-bottom:70px;
</style>
</head>
<body>
<?php
include'admin_sidebar.php';
?>
<div class="content">
    <center>
    <h2><b>Add Teacher</b></h2><br
    <div class="div_deg">
         <form action="#" method="POST"
enctype="multipart/form-data">
               <div>
                     <label for="">Teacher Name:</label>
                     <input type="text"name="name">
               </div><br>
                <div>
                     <label for="">Description:</label>
                     <input type="text"name="description">
                </div><br>
               <div>
                     <label for="">Image:</label>
                     <input type="file"name="image">
               </div><br>
    <input type="submit"class="btn btn-
primary"name="add_teacher"
                     value="Add Teacher"
```

```
</div>
</form>
</div>
</center>
</div>
</div>
</hi>
</body>
</html>
```

admin_css.php

```
<link rel="stylesheet" href="admin.css">
      <!-- Latest compiled and minified CSS -->
      k rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@3.3.7/dist/css/bootstrap.
min.css" integrity="sha384-
     <!-- Optional theme -->
     k rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@3.3.7/dist/css/bootstrap-
theme.min.css" integrity="sha384-
rHyoN1iRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bW
YgmgJQIXwl/Sp" crossorigin="anonymous">
    <!-- Latest compiled and minified JavaScript -->
     <script
src="https://cdn.jsdelivr.net/npm/bootstrap@3.3.7/dist/js/bootstrap.mi
n.js" integrity="sha384-
Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA7l2mCWNIpG9m
GCD8wGNIcPD7Txa" crossorigin="anonymous"></script>
```

admin_sidebar.php

```
<header class="header">
    <a href="">Admin Dashboard</a>
    <div class="logout">
        <a class="btn btn-primary" href="logout.php">Logout</a>
        <a class="btn btn-primary" href="index.php">Home</a>
    </div>
</header>
<aside>
     ul>
           \langle li \rangle
                <a
href="admission_dashboard.php">Admission</a>
           <
                <a href="add student.php">Add Student</a>
           <a href="view_student.php">View Student</a>
           <1i>
                <a href="admin_add_teacher.php">Add
Teacher</a>
           <a href="admin_view_teacher.php">View
Teacher</a>
```

admin_update_courses.php

```
<?php
session_start();
error_reporting(0);
if(!isset($_SESSION['username']))
{
        header("location:login.php");
}
elseif($_SESSION['usertype']=='student')
{
        header("location:login.php");
}
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);</pre>
```

```
if($ GET['courses id'])
     $t id=$ GET['courses id'];
     $sql="SELECT * FROM courses WHERE id='$t_id'";
     $result=mysqli_query($data,$sql);
     $info=$result->fetch_assoc();
}
if(isset($_POST['update_courses']))
     $id=$_POST['id'];
     $t_name=$_POST['name'];
     $t_des=$_POST['description'];
     $file=$_FILES['image']['name'];
     $dst="./image/".$file;
     $dst db="image/".$file;
     move_uploaded_file($_FILES['image']['tmp_name'],$dst);
     if($file)
           $sql2="UPDATE courses SET
name='$t_name',description='$t_des',image='$dst_db' WHERE
id='$id'";
      else
           $sq12="UPDATE courses SET
name='$t_name',description='$t_des' WHERE id='$id'";
     $result2=mysqli_query($data,$sql2);
     if($result2)
```

```
header('location:admin_view_courses.php');
?
<!DOCTYPE html>
<html lang="en">
<head>
      <meta charset="UTF-8">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
     <title>Admin Dashboard</title>
      <?php
     include'admin_css.php';
      ?>
  <style type="text/css">
        label
           display:inline-block;
           width:150px;
           text-align:right;
           padding-top:10px;
           padding-bottom:10px;
        .form_deg
              background-color:skyblue;
              width: 600px;
              padding-top:70px;
              padding-bottom:70px;
  </style>
</head>
```

```
<body>
<?php
include'admin_sidebar.php';
?>
<div class="content">
      <center>
    <h2><b>Update Courses Data</b></h2><br
    <form class="form_deg" action="admin_update_courses.php"</pre>
method="POST" enctype="multipart/form-data">
          <input type="text" name="id"value="<?php</pre>
echo"{$info['id']}" ?>"hidden>
            <div>
                  <label for="">Course Name</label>
                  <input type="text" name="name"</pre>
                  value="<?php echo"{$info['name']}" ?>"
            </div>
            <div>
                  <label for="">About Courses</label>
                  <input type="text" name="description"</pre>
                  value="<?php echo"{$info['description']}" ?>">
            </div>
            <div>
                  <label for="">Course Old Image</label>
                  <img width="100px" height="100px" src="<?php</pre>
echo"{$info['image']}" ?>">
            </div>
            <div>
                  <label for="">Course New Image</label>
```

admin_update_teacher.php

```
<?php
session start();
error_reporting(0);
if(!isset($_SESSION['username']))
      header("location:login.php");
elseif($_SESSION['usertype']=='student')
    header("location:login.php");
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
if($_GET['teacher_id'])
      $t_id=$_GET['teacher_id'];
      $sql="SELECT * FROM teacher WHERE id='$t_id'";
      $result=mysqli_query($data,$sql);
      $info=$result->fetch_assoc();
}
```

```
if(isset($_POST['update_teacher']))
     $id=$_POST['id'];
     $t_name=$_POST['name'];
     $t_des=$_POST['description'];
     $file=$_FILES['image']['name'];
     $dst="./image/".$file;
     $dst_db="image/".$file;
     move_uploaded_file($_FILES['image']['tmp_name'],$dst);
     if($file)
           $sql2="UPDATE teacher SET
name='$t_name',description='$t_des',image='$dst_db' WHERE
id='$id'";
     else
           $sql2="UPDATE teacher SET
name='$t_name',description='$t_des' WHERE id='$id'";
     $result2=mysqli_query($data,$sql2);
     if($result2)
     header('location:admin_view_teacher.php');
<!DOCTYPE html>
```

```
<html lang="en">
<head>
      <meta charset="UTF-8">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
     <title>Admin Dashboard</title>
     <?php
     include'admin_css.php';
      ?>
  <style type="text/css">
        label
        {
           display:inline-block;
            width:150px;
           text-align:right;
           padding-top:10px;
           padding-bottom:10px;
        }
        .form_deg
              background-color:skyblue;
              width: 600px;
              padding-top:70px;
              padding-bottom:70px;
  </style>
</head>
<body>
<?php
include'admin_sidebar.php';
?>
```

```
<div class="content">
      <center>
    <h2><b>Update Teacher Data</b></h2><br/>form
class="form_deg" action="admin_update_teacher.php"
method="POST" enctype="multipart/form-data">
           <input type="text" name="id"value="<?php</pre>
echo"{$info['id']}" ?>"hidden>
            <div>
                  <label for="">Teacher Name</label>
                  <input type="text" name="name"</pre>
                  value="<?php echo"{$info['name']}</pre>
            </div>
            <div>
                  <label for="">About Teacher</label>
                  <input type="text" name="description"</pre>
                 value="<?php echo"{$info['description']}" ?>">
            </div>
            <div>
                  <label for="">Teacher Old Image</label>
                  <img width="100px" height="100px" src="<?php</pre>
echo"{$info['image']}" ?>">
            </div>
            <div>
                  <label for="">Teacher New Image</label>
                  <input type="file" name="image">
            </div>
            <div>
```

admin_view_courses.php

```
<?php
session start();
error_reporting(0);
if(!isset($_SESSION['username']))
     header("location.php");
elseif($_SESSION['usertype']=='student')
    header("location:login.php");
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
$sql="SELECT * FROM courses";
$result=mysqli_query($data,$sql);
if($_GET['courses_id'])
      $t_id=$_GET['courses_id'];
      $sql2="DELETE FROM courses WHERE id='$t id'";
      $result2=mysqli_query($data,$sql2);
     if($result2)
       header('location:admin_view_courses.php');
```

```
}
?>
<!DOCTYPE html>
     <html lang="en">
     <head>
           <meta charset="UTF-8">
           <meta http-equiv="X-UA-Compatible"
content="IE=edge">
           <meta name="viewport" content="width=device-width,</pre>
initial-scale=1.0">
           <title>Admin Dashboard</title>
           <?php
           include'admin_css.php';
           ?>
       <style>
             .table_th
                   padding:20px;
                  font-size:20px;
                  background-color:pink;
             .table_td
                   padding:20px;
                   background-color:skyblue;
       </style>
     </head>
     <body>
     <?php
     include'admin_sidebar.php';
     ?>
     <div class="content">
```

```
<center>
      <h2><b>View All Courses</b></h2><br>
      Course Name
              About Courses
              Image
              Delete
              Update
          <?php
           while($info=$result->fetch_assoc())
          ?>
          \langle tr \rangle
              <?php echo"{$info['name']}" ?>
               <?php echo"{$info['description']}" ?>
               <img height="100px"width="100px"</pre>
src="<?php echo"{$info['image']}" ?>">
              <?php
              echo"
               <a onClick=\"javascript:return confirm('Are</pre>
You Sure To Delete This');\" class='btn btn-danger'
href='admin_view_courses.php?courses_id={\$info['id']}'>Delete</a>
               ?>
```

```
<?php
            echo"
            <a class='btn btn-primary'
href='admin_update_courses.php?courses_id={$info['id']}'>Update</
a>";
            ?>
            <?php
           ?>
       </re>
   </div>
```

</body>

admin_view_teacher.php

```
<?php
session_start();
error_reporting(0);
if(!isset($_SESSION['username']))
     header("location.php");
elseif($_SESSION['usertype']=='student')
    header("location:login.php");
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
$sql="SELECT * FROM teacher";
$result=mysqli_query($data,$sql);
if($_GET['teacher_id'])
      $t_id=$_GET['teacher_id'];
      $sql2="DELETE FROM teacher WHERE id='$t_id'";
      $result2=mysqli_query($data,$sql2);
     if($result2)
       header('location:admin_view_teacher.php');
}
```

```
<!DOCTYPE html>
<html lang="en">
<head>
     <meta charset="UTF-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
     <title>Admin Dashboard</title>
     <?php
     include'admin_css.php';
      ?>
 <style>
       .table_th
             padding:20px;
             font-size:20px;
             background-color:pink;
        }
       .table_td
             padding:20px;
             background-color:skyblue;
 </style>
</head>
<body>
<?php
include'admin_sidebar.php';
?>
<div class="content">
      <center>
    <h2><b>View All Teacher Data</b></h2><br>
```

```
Teacher Name
          About Teacher
          Image
          Delete
          Update
      <?php
       while($info=$result->fetch_assoc())
     <?php echo"{$info['name']}"</pre>
           <?php echo"{$info['description']}" ?>
          <img height="100px"width="100px" src="<?php</pre>
echo"{$info['image']}" ?>">
          <a onClick=\"javascript:return confirm('Are You</pre>
Sure To Delete This');\" class='btn btn-danger'
href='admin_view_teacher.php?teacher_id={\$info['id']}'>Delete</a>"
           ?>
```

adminhome.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
{
     header("location.php");
}
elseif($_SESSION['usertype']=='student')
{
     header("location:login.php");
}</pre>
```

```
?>
<!DOCTYPE html>
<html lang="en">
<head>
     <meta charset="UTF-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-
scale=1.0">
     <title>Admin Dashboard</title>
     <?php
     include'admin_css.php';
</head>
<body>
<?php
include'admin_sidebar.php';
?>
<div class="content">
    <h1>Admin Dashboard</h1>
</div>
</body>
</html>
```

admission.php

```
<?php
error_reporting(0);
session_start();
session_destroy();
if ($_SESSION['message']) {</pre>
```

```
$message = $ SESSION['message'];
      echo "<script type='text/javascript'>
         alert('$message');
         </script>";
     $host = "localhost";
     $user = "root";
     $password = "";
     $db = "schoolproject";
     $data = mysqli_connect($host, $user, $password, $db);
     $sql1 = "SELECT * FROM teacher";
     $result1 = mysqli_query($data, $sql1);
     $sql2 = "SELECT * FROM courses";
     $result2 = mysqli_query($data, $sql2);
     ?>
<!doctype html>
     <html lang="en">
     <head>
      <meta charset="utf-8">
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
      <title>Student Management System</title>
      link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csB
vApHHNl/vI1Bx" crossorigin="anonymous">
      k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/MaterialDesign-
Webfont/5.3.45/css/materialdesignicons.css" integrity="sha256-
NAxhqDvtY0l4xn+YVa6WjAcmd94NNfttjNsDmNatFVc="
crossorigin="anonymous" />
      <link rel="stylesheet" href="jstyle.css">
```

```
<link rel="stylesheet"</pre>
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.12.1/css/all.min.css" integrity="sha256-
mmgLkCYLUQbXn0B1SRqzHar6dCnv9oZFPEC1g1cwlkk="
crossorigin="anonymous" />
<style>
        .accordion-style .card {
         background: transparent;
         box-shadow: none;
         margin-bottom: 15px;
         margin-top: 0 !important;
         border: none;
 .accordion-style .card:last-child {
       margin-bottom: 0;
        .accordion-style .card-header {
         border: 0;
         background: none;
         padding: 0;
         border-bottom: none;
        .accordion-style .btn-link {
         color: #f99218;
         position: relative;
         display: block;
         width: 100%;
         text-align: left;
         white-space: normal;
         box-shadow: none;
         padding: 15px 55px;
         text-decoration: none;
        .mx-auto {
```

```
margin-right: auto !important;
margin-left: auto !important;
.rounded {
border-radius: 0.25rem !important;
img {
max-width: 100%;
height: auto;
vertical-align: top;
} .accordion-style .btn-link:hover {
text-decoration: none;
.accordion-style .btn-link.collapsed {
color: #575a7b;
.accordion-style .btn-link.collapsed:after {
content: "+";
position: absolute;
top: 50%;
left: 0:
font-size: 1rem;
color: #f99218;
width: 40px;
height: 40px;
border-radius: 50%;
background: #ffffff;
display: flex;
align-items: center;
justify-content: center;
transform: translateY(-50%);
box-shadow: 8px 8px 30px 0 rgba(0, 0, 0, 0.12);
```

```
.accordion-style .btn-link:after {
content: "-";
position: absolute;
top: 50%;
left: 0;
font-size: 1rem;
color: #fff;
width: 40px;
height: 40px;
border-radius: 50%;
background: #f99218;
display: flex;
align-items: center;
justify-content: center;
transform: translateY(-50%);
box-shadow: 8px 8px 30px 0 rgba(0, 0, 0, 0.12);
.accordion-style .card-body {
padding-top: 0px;
padding-left: 3.5rem;
padding-bottom: 0;
.accordion-style .card-body:before {
position: absolute;
content: "";
border-style: dashed;
border-width: 0 0 0 1.2px;
border-color: #f99218;
left: 20px;
top: 0;
z-index: 1;
bottom: 0;
```

```
@media screen and (max-width: 767px) {
     .accordion-style .btn-link {
     padding: 15px 40px 15px 55px;
     @media screen and (max-width: 575px) {
     .accordion-style .btn-link {
     padding: 15px 30px 15px 55px;
* {
     font-family: Arial;
     box-sizing: border-box;
     table {
     width: 100px;
     box-shadow: -1px 12px 12px -6px rgba(0, 0, 0, 0.5);
      }
     table,
     td,
     th {
     padding: 20px;
     border: 1px solid lightgray;
     border-collapse: collapse;
     text-align: center;
     cursor: pointer;
      }
     td {
     font-size: 18px;
```

```
}
     th {
     background-color: blue;
     color: white;
     tr:nth-child(odd) {
     background-color: lightblue;
      }
     tr:nth-child(odd):hover {
     background-color: dodgerblue;
     color: white;
transform: scale(1);
      }
tr:nth-child(even) {
     background-color: #ededed;
      }
     tr:nth-child(even):hover {
     background-color: skyblue;
     color: rgb(151, 37, 37);
     transform: scale(1);
     </style>
     </head>
     <body>
```

```
<nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
    <button class="navbar-toggler" type="button" data-mdb-
toggle="collapse" data-mdb-target="#navbarButtonsExample" aria-
controls="navbarButtonsExample" aria-expanded="false" aria-
label="Toggle navigation">
    <i class="fas fa-bars"></i>
    </button>
    <div class="collapse navbar-collapse"</pre>
id="navbarButtonsExample">
    <a class="nav-link" href="index.php">
    <h3>Seven-Tech Coaching</h3>
    </a>
    <div class="d-flex align-items-center">
    cli class="nav-item">
    <a class="nav-link" href="index.php">Home</a>
    cli class="nav-item">
    <a class="nav-link" href="course.php">Course</a>
    cli class="nav-item">
    <a class="nav-link" href="admission.php">Admission</a>
    cli class="nav-item">
    <a class="nav-link" href="aboutus.php">About Us</a>
    cli class="nav-item">
    <a class="nav-link" href="contact.php">Contact Us</a>
```

```
<a href="login.php" type="button" class="btn btn-primary mx-
5">
     Login
     </a>
     </div>
     </</div>
     </nav>
     <div id="carouselExampleDark" class="carousel carousel-light</pre>
slide" data-bs-ride="carousel">
     <div class="carousel-indicators">
     <button type="button" data-bs-target="#carouselExampleDark"</pre>
data-bs-slide-to="0" class="active" aria-current="true" aria-
label="Slide 1"></button>
     <button type="button" data-bs-target="#carouselExampleDark"</pre>
data-bs-slide-to="1" aria-label="Slide 2"></button>
     <button type="button" data-bs-target="#carouselExampleDark"</pre>
data-bs-slide-to="2" aria-label="Slide 3"></button>
     </div>
     <div class="carousel-inner">
     <div class="carousel-item active" data-bs-interval="10000">
     <img src="c5.png" class="d-block w-100" alt="...">
     </div>
     <div class="carousel-item" data-bs-interval="2000">
     <img src="c4.png" class="d-block w-100" alt="...">
     </div>
     <div class="carousel-item">
     <img src="c6.png" class="d-block w-100" alt="...">
     </div>
     </div>
     <button class="carousel-control-prev text-light" type="button"</pre>
data-bs-target="#carouselExampleDark" data-bs-slide="prev">
```

```
<span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
     <span class="visually-hidden">Previous</span>
     </button>
     <button class="carousel-control-next text-light" type="button"</pre>
data-bs-target="#carouselExampleDark" data-bs-slide="next">
     <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
     <span class="visually-hidden">Next</span>
     </button>
     </div>
<section class="section gray-bg mt-5" id="contactus"</pre>
     <div class="container">
     <div class="row">
     <div class="col-lg-6">
     <div class="section-title">
     <h2>Admission Form</h2>
     I design and develop services for customers of all sizes,
specializing in creating stylish, modern websites
     </div>
     </div>
     </div>
     <div class="row flex-row-reverse">
     <div class="col-md-7 col-lg-8 m-15px-tb">
     <div class="contact-form">
     <form action="data_check.php" method="POST"</pre>
class="contactform contact_form" id="contact_form">
     <div class="returnmessage valid-feedback p-15px-b" data-</pre>
success="Your message has been received, We will contact you
soon."></div>
     <div class="empty_notice invalid-feedback p-15px-</pre>
b"><span>Please Fill Required Fields</span></div>
     <div class="row">
     <div class="col-md-6">
     <div class="form-group">
     <input required id="name" name="name" type="text"</pre>
placeholder="Full Name" class="form-control">
```

```
</div>
     </div>
     <div class="col-md-6">
     <div class="form-group">
     <input required id="email" name="email" type="email"</pre>
placeholder="Email Address" class="form-control">
     </div>
     </div>
     <div class="col-12">
     <div class="form-group">
     <input required id="subject" name="phone" type="text"</pre>
placeholder="Phone" class="form-control">
     </div>
     </div>
     <div class="col-md-12">
     <div class="form-group">
     <textarea required id="message" name="message"
placeholder="Message" class="form-control" rows="3"></textarea>
     </div>
     </div>
     <div class="col-md-12">
     <div class="send">
     <input class="btn btn-primary" type="submit" value="Submit"</pre>
id="submit" name="apply">
     </div>
     </div>
     </div>
     </form>
     </div>
     </div>
     <div class="col-md-5 col-lg-4 m-15px-tb">
     <div class="contact-name">
     <h5>Mail</h5>
     info@domainname.com
     </div>
     <div class="contact-name">
     <h5>Visit My Studio</h5>
```

```
Warnwe Park Streetperrine, <br/> Streetperrine, 
City
                     </di <div class="contact-name">
                      <h5>Phone</h5>
                      +01 123 654 8096
                      </div>
                      <div class="social-share nav">
                      <a class="dribbble" href="#">
                      <i class="fab fa-dribbble"></i>
                      </a>
                     <a class="behance" href="#">
                      <i class="fab fa-behance"></i>
                      </a>
                     <a class="linkedin" href="#">
                     <i class="fab fa-linkedin-in"></i>
                      </a>
                      </div>
                      </div>
                      </div>
                      </div>
                      </section>
                                                                                   --Html Table-
                      <center>
                      <section class="container mt-5 mb-5">
                      Course Name
                     Teacher Name
                      Teacher Details
                      Month
                     Course Fee
                      Class
```

```
HTML
Miftahul Jannat
B.sc In Computer Engineer
<br/>br>(Port City International University)
 6 
6,000
Sataurday <br/>
y
9 PM-10 PM)
Tuesday <br/>(10 AM - 11 AM)
Wednesday<br>(7 AM- 10 AM)
\langle tr \rangle
CSS
Md.Rifat
B.sc In Computer Engineer
<br/>br>(Post City International University)
 6 
3,000
Sataurday <br/>
(8 PM-9 PM)
Sunday <br><math><(8 AM - 9 AM)
Java Script
Md.Shaown Miyazi
B.sc In Computer Engineer
<br/>
<br/>
<br/>
Primiyer University)
 6 
4,000
Friday <br/>br>(3 PM-5 PM)
```

```
Sunday <br>(11 AM - 1 PM)
PHP
Yeasin Uddin Fahim
B.sc In Computer Engineer
<br/>br>(East Delta University)
 6 
6.500
Wednesday <br>(4 PM- 7 PM)
Thursday <br/>6 AM - 8 AM)
Friday<br/>friday<br/>(7 AM- 10 AM)
MYSQL
Tommy Chodhury
M.sc In Computer Engineer
<br/>
<br/>
<br/>
Primiyer University)
 4 
3,000
Tuesday<br>(10 PM-12 PM)
Wednesday <br/>(7 AM - 10 AM)
C#
Prashanta das
M.sc In Computer Engineer
<br/>
<br/>
dr>(Dhaka University)
6
```

```
12,300
Sunday <br>(4 PM- 7 PM)
Monday<br>(1 PM - 3 PM)
Wednesday<br>(6 AM- 7 AM)
 C 
Md.Nofel Hossen
M.sc In Computer Engineer
<br/>
<br/>
dr>(Islam University)
6
15,000
Friday <br/>(9 AM - 11 AM)
Sunday <br/>6 PM - 9 PM)
Wednesday<br>(7 AM- 10 AM)
Laravel
Md.Jahidul Alam
M.sc In Computer Engineer
<br/>
<br/>
dr>(Islam University)
6
11,200
Friday <br>(9 AM - 11 AM)
Sunday <br>(6 PM - 9 PM)
Wednesday<br/>(7 AM- 10 AM)
Java Script
Punam Das
B.sc In Computer Engineer
```

```
<br/> <br/> (Primiyer University)
    5
    3,000
    Friday <br>(9 AM - 11 AM)
    Sunday <br/>for>(6 PM - 9 PM)
    Wednesday<br/>(7 AM- 10 AM)
    </section>
</center>
<div class="container mt-5 mb-5">
    <div class="row align-items-center">
    <div class="col-lg-6 mb-4 mb-lg-0">
    <div class="mx-auto text-center">
    <img src="a1.png" class="rounded" alt="...">
    </div>
    </div>
    <div class="col-lg-6">
    <div class="ps-lg-6 ps-xl-10 w-lg-90">
    <div class="mb-4">
    <div class="main-title title-left">
    <h2>About Us</h2><span class="line-left"></span>
    </div>
    The greater part of the people trust on us
     </div>
    <div id="accordion" class="accordion-style">
    <div class="card">
    <div class="card-header" id="headingOne">
    <h5 class="mb-0">
```

```
<button class="btn btn-link collapsed" data-bs-
toggle="collapse" data-bs-target="#collapseOne" aria-
expanded="false" aria-controls="collapseOne">How quick will my
credit be subsidized?</button>
     </h5>
     </div>
     <div id="collapseOne" class="collapse" aria-
labelledby="headingOne" data-bs-parent="#accordion">
     <div class="card-body position-relative">There are many
variations of passages of Lorem Ipsum available, but the majority
have suffered alteration in some form, by injected humour, or
randomised words which don't look even slightly believable. There are
many variations
     of passages of Lorem Ipsum available, but the majority have
suffered alteration in some form, by injected humour, or randomised.
     </div>
     </div>
     </div>
     <div class="card">
     <div class="card-header" id="headingTwo">
     <h5 class="mb-0">
     <button class="btn btn-link collapsed" data-bs-
toggle="collapse" data-bs-target="#collapseTwo" aria-
expanded="false" aria-controls="collapseTwo">What is outsourced
financial support?</button>
     </h5>
     </div>
     <div id="collapseTwo" class="collapse" aria-
labelledby="headingTwo" data-bs-parent="#accordion">
     <div class="card-body position-relative">
     It is a long established fact that a reader will be distracted by the
readable content of a page when looking at its layout. The point of
using Lorem Ipsum is that it has a more-or-less normal distribution of
letters, as opposed to using 'Content here,
     content here', making it look like readable English.
     </div>
     </div>
```

```
</div>
     <div class="card">
     <div class="card-header" id="headingThree">
     <h5 class="mb-0">
     <button class="btn btn-link collapsed" data-bs-
toggle="collapse" data-bs-target="#collapseThree" aria-
expanded="false" aria-controls="collapseThree">How long is an
affirmed financing cost and credit offer substantial?</button>
     </h5>
     </div>
     <div id="collapseThree" class="collapse" aria-</pre>
labelledby="headingThree" data-bs-parent="#accordion">
     <div class="card-body position-relative">
     Many desktop publishing packages and web page editors now
use Lorem Ipsum as their default model text, and a search for 'lorem
ipsum' will uncover many web sites still in their infancy. Various
versions have evolved over the years, sometimes by accident,
     sometimes on purpose (injected humour and the like).
     </div>
     </div>
     </div>
     <div class="card">
     <div class="card-header" id="headingFour">
     <h5 class="mb-0">
     <button class="btn btn-link collapsed" data-bs-
toggle="collapse" data-bs-target="#collapseFour" aria-
expanded="false" aria-controls="collapseFour">What sorts of
commercial enterprise financing do you offer?</button>
     </h5>
     </div>
     <div id="collapseFour" class="collapse" aria-</pre>
labelledby="headingFour" data-bs-parent="#accordion">
     <div class="card-body position-relative">
     It was popularised in the 1960s with the release of Letraset
sheets containing Lorem Ipsum passages, and more recently with
desktop publishing software like Aldus PageMaker including versions
of Lorem Ipsum.
```

```
</div>
     </div>
     </div>
     <div class="card">
     <div class="card-header" id="headingFive">
     <h5 class="mb-0">
     <button class="btn btn-link collapsed" data-bs-
toggle="collapse" data-bs-target="#collapseFive" aria-
expanded="false" aria-controls="collapseFive">How might I roll out
an improvement to my application?</button>
     </h5>
     </div>
     <div id="collapseFive" class="collapse" aria-</pre>
labelledby="headingFive" data-bs-parent="#accordion">
     <div class="card-body position-relative">
     All the Lorem Ipsum generators on the Internet tend to repeat
predefined chunks as necessary, Making this the first true generator
on the Internet. It uses a dictionary of over 200 Latin words,
combined with a handful of model sentence structures, to
     generate Lorem Ipsum which looks reasonable.
     </div>
     </div>
     </div>
     </div>
     </div>
     </div>
     </div>
</div>
     </div>
     </div>
     </div>
<section>
     <footer class="site-footer">
```

```
<div class="container">
     <div class="row">
     <div class="col-lg-3 col-md-6">
     <!-- Contact Info-->
     <section class="widget widget-light-skin">
     <h3 class="widget-title">Get In Touch With Us</h3>
     Phone: 00 33 169 7720
     <span class="opacity-50">Monday-Friday:</span>9.00 am
-8.00 \text{ pm} < /\text{li} >
     <span class="opacity-50">Saturday:</span>10.00 am - 6.00
pm
     <a class="navi-link-light" href="#">support@Seven-
TechCoching.com</a><a class="social-button shape-circle sb-
facebook sb-light-skin" href="#"><i class="socicon-
facebook"></i></a><a class="social-button shape-circle sb-twitter sb-
light-skin" href="#"><i class="socicon-twitter"></i><a
class="social-button shape-circle sb-instagram sb-light-skin"
href="#"><i class="socicon-instagram"></i></a><a class="social-
button shape-circle sb-google-plus sb-light-skin" href="#"><i
class="socicon-googleplus"></i></a>
     </section>
     </div>
     <div class="col-lg-3 col-md-6">
     <!-- Mobile App Buttons-->
    <section class="widget widget-light-skin">
     <h3 class="widget-title">Our Mobile App</h3><a
class="market-button apple-button mb-light-skin" href="#"><span
class="mb-subtitle">Download on the</span><span class="mb-
title">App Store</span></a><a class="market-button google-button"
mb-light-skin" href="#"><span class="mb-subtitle">Download on
the</span><span class="mb-title">Google Play</span></a><a
class="market-button windows-button mb-light-skin" href="#"><span
class="mb-subtitle">Download on the</span><span class="mb-
title">Windows Store</span></a>
     </sect
```

```
</div>
    <div class="col-lg-3 col-md-6">
    <!-- About Us-->
    <section class="widget widget-links widget-light-skin">
    <h3 class="widget-title">About Us</h3>
    <u1>
    <a href="#">Careers</a>
    <a href="#">About Unishop</a>
    <a href="#">Our Story</a>
    <a href="#">Services</a>
    <a href="#">Our Blog</a>
    </section>
    </div>
    <div class="col-lg-3 col-md-6">
    <!-- Account / Shipping Info-->
    <section class="widget widget-links widget-light-skin">
    <h3 class="widget-title">Account & amp; Shipping Info</h3>
    <111>
    <a href="#">Your Account</a>
    <a href="#">Shipping Rates & amp; Policies</a>
    <a href="#">Refunds & amp; Replacements</a>
    <a href="#">Taxes</a>
    <a href="#">Delivery Info</a>
    <a href="#">Affiliate Program</a>
    </section>
     </div>
    </div>
    <hr class="hr-light mt-2 margin-bottom-2x">
    <div class="row">
    <div class="col-md-7 padding-bottom-1x"></div>
    <div class="col-md-5 padding-bottom-1x">
    <div class="margin-top-1x hidden-md-up"></div</pre>
    <!--Subscription-->
    <form class="subscribe-form" action="#" method="post"
target="_blank" novalidate="">
```

```
<div class="clearfix">
     <div class="input-group input-light">
     <input class="form-control" type="email" name="EMAIL"</pre>
placeholder="Your e-mail"><span class="input-group-addon"><i
class="icon-mail"></i></span>
     </div>
     <button class="btn btn-primary mt-2"</pre>
type="submit">Suscbribe</button>
     </div><span class="form-text text-sm text-white opacity-
50">Subscribe to our Newsletter to receive early discount offers,
latest news, sales and promo information.</span>
     </form>
     </div>
     </div>
     <!-- Copyright-->
     © All rights
reserved.</a>
     </div>
     </footer>
     </section>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQmDKKtQBHU
uLZ9AsSv4jD4Xa" crossorigin="anonymous"></script>
     </body>
     </html>
```

admission_dashboard.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
     header("location.php");
elseif($_SESSION['usertype']=='student')
    header("location:login.php");
$host = "localhost";
$user = "root";
$password = "";
$db = "schoolproject";
$data = mysqli_connect($host, $user, $password, $db);
$sql= "SELECT * FROM admission";
$result= mysqli_query($data, $sql);
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta charset="UTF-8">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin Dashboard</title>
      <?php
     include'admin_css.php';
```

```
?>
<style>
 .table_td{
  padding:20px;
  background-color:skyblue;
</style>
</head>
<body>
<?php
include'admin_sidebar.php';
?>
<div class="content">
 <center>
  <h2><b>Applied For Admission</b></h2><br
  color:pink;"><b>Name</b>
     color:pink;"><b>Email</b>
     color:pink;"><b>phone</b>
     color:pink;"><b>
      Message
     </b>
    <?php
    while($info=$result->fetch_assoc())
    ?>
```

```
<?php echo"{$info['name']}";?>
    <?php echo"{$info['email']}";?>
    <?php echo"{$info['phone']}";?>
    <?php echo"{$info['message']}";?>
    <?php
    ?>
  </center>
</div>
</body>
</html>
```

contact.php

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
 <title>Contact Form</title>
 k rel="stylesheet" href="contact.css";
</head>
<body>
 <?php
 session_start();
 $host = "localhost":
 $user = "root";
 $password = "";
 $db = "schoolproject";
 $data = mysqli_connect($host, $user, $password, $db);
 if ($data == false) {
   die("Connection Error");
 if (isset($_POST['send'])) {
   $data_name = $_POST['username'];
   $data_email = $_POST['useremail'];
   $data phone = $ POST['userphone'];
   $data_message = $_POST['usermessage'];
```

```
$sql = "INSERT INTO contact(name,email,phone,message)
      VALUES(' $data_name', '$data_email', '
$data_phone','$data_message')";
   $result = mysqli_query($data, $sql);
   if ($result) {
     $_SESSION['message'] = "Your Information Is Received
Successfully";
     header("location:contact.php");
   } else {
     echo "ApplyFailed";
  }
 ?>
<div class="form-container">
   <div class="contact-title">
     <h2><b>Say Hello</b></h2>
     <h3>We Are Always Ready To Serve You!</h3>
   </div>
   <form action="#" method="post" name="">
     <div class="input-row">
       <label for="">Name:<em>*</em></label>
       <input type="text" name="username" required>
     </div>
     <div class="input-row">
       <label for="">Email:<em>*</em></label>
       <input type="email" name="useremail" required>
     </div>
     <div class="input-row">
       <label for="">Phone:<em>*</em></label>
       <input type="tel" name="userphone" required>
     </div>
     <div class="input-row">
       <label for="">Message:<em>*</em></label>
       <textarea name="usermessage" required></textarea>
```

```
</div>
     <div class="input-row">
       <input type="submit" name="send" value="Submit"><br>
       <center>
         <a style="color:white" href="index.php">Home</a>
       </center>
       <?php if (!empty($message)) {</pre>
       ?>
         <div class="success">
          <strong><?php echo $message; ?></strong>
         </div>
       <?php } ?>
     </div>
   </form>
 </div>
</body>
</html>
```

Contact_dashboard.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
{
     header("location.php");
}
elseif($_SESSION['usertype']=='student')
{
     header("location:login.php");
}
$host = "localhost";</pre>
```

```
$user = "root";
$password = "";
$db = "schoolproject";
$data = mysqli_connect($host, $user, $password, $db);
$sql= "SELECT * FROM contact";
$result= mysqli_query($data, $sql);
?>
<!DOCTYPE html>
<html lang="en">
<head>
     <meta charset="UTF-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
     <title>Admin Dashboard</title>
     <?php
     include'admin_css.php';
     ?>
<style>
  .table_td{
    padding:20px;
    background-color:skyblue;
</style>
</head>
<body>
<?php
include'admin_sidebar.php';
?>
<div class="content">
  <center>
    <h2><b>Contact Us</b></h2><br>
```

```
background-color:pink;"><b>Name</b>
    background-color:pink;"><b>Email</b>
    background-color:pink;"><b>phone</b>
    background-color:pink;"><b>
     Message
    </b>
   <?php
   while($info=$result->fetch_assoc())
   ?>
   <?php echo"{$info['name']}";?>
   <?php echo"{$info['email']}";?>
   <?php echo"{$info['phone']}";?>
   <?php echo"{$info['message']}";?>
   <?php
```

course.php

```
<?php
error_reporting(0);
session_start();
session_destroy();
if ($_SESSION['message']) {
  $message = $_SESSION['message'];
  echo "<script type='text/javascript'>
    alert('$message');
    </script>";
}
$host = "localhost";
$user = "root";
$password = "";
$db = "schoolproject";
$data = mysqli_connect($host, $user, $password, $db);
$sql1 = "SELECT * FROM teacher";
$result1 = mysqli_query($data, $sql1);
$sql2 = "SELECT * FROM courses";
$result2 = mysqli_query($data, $sql2);
?>
<!doctype html>
```

```
<html lang="en">
<head>
  <meta charset="utf-8">
  <meta name="viewport" content="width=device-width, initial-</pre>
scale=1">
  <title>Student Management System</title>
  link
href="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/css/bootstrap.
min.css" rel="stylesheet" integrity="sha384-
gH2yIJqKdNHPEq0n4Mqa/HGKIhSkIHeL5AyhkYV8i59U5AR6csB
vApHHNl/vI1Bx" crossorigin="anonymous">
  k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/MaterialDesign-
Webfont/5.3.45/css/materialdesignicons.css" integrity="sha256-
NAxhqDvtY0l4xn+YVa6WjAcmd94NNfttjNsDmNatFVc="
crossorigin="anonymous" />
  <link rel="stylesheet" href="jstyle.css">
  k rel="stylesheet"
href="https://cdnjs.cloudflare.com/ajax/libs/font-
awesome/5.12.1/css/all.min.css" integrity="sha256-
mmgLkCYLUQbXn0B1SRqzHar6dCnv9oZFPEC1g1cwlkk="
crossorigin="anonymous" />
  <style>
   font-family: Arial;
   box-sizing: border-box;
  table {
```

```
width: 100px;
  box-shadow: -1px 12px 12px -6px rgba(0, 0, 0, 0.5);
 }
 table,
 td,
 th {
  padding: 20px;
  border: 1px solid lightgray;
  border-collapse: collapse;
  text-align: center;
  cursor: pointer;
 }
 td {
  font-size: 18px;
 }
 th {
  background-color: blue;
  color: white;
 }
 tr:nth-child(odd) {
  background-color: lightblue;
 tr:nth-child(odd):hover {
  background-color: dodgerblue;
  color: white;
  transform: scale(1);
tr:nth-child(even) {
```

```
background-color: #ededed;
  }
  tr:nth-child(even):hover {
   background-color: skyblue;
   color: rgb(151, 37, 37);
   transform: scale(1);
  </style>
</head>
<body>
  <nav class="navbar navbar-expand-lg navbar-dark bg-dark">
    <div class="container">
      <button class="navbar-toggler" type="button" data-mdb-
toggle="collapse" data-mdb-target="#navbarButtonsExample" aria-
controls="navbarButtonsExample" aria-expanded="false" aria-
label="Toggle navigation">
        <i class="fas fa-bars"></i>
       </button>
      <div class="collapse navbar-collapse"</pre>
id="navbarButtonsExample">
       cli class="nav-item">
             <a class="nav-link" href="index.php">
               <h3>Seven-Tech Coaching</h3>
             </a>
           <div class="d-flex align-items-center">
```

```
<a class="nav-link" href="index.php">Home</a>
            cli class="nav-item">
              <a class="nav-link" href="course.php">Course</a>
            cli class="nav-item">
              <a class="nav-link"
href="admission.php">Admission</a>
            cli class="nav-item">
              <a class="nav-link" href="aboutus.php">About
Us</a>
            cli class="nav-item">
              <a class="nav-link" href="contact.php">Contact
Us < /a >
            cli class="nav-item">
              <a href="login.php" type="button" class="btn btn-
primary mx-5"
                 Login
    </div>
  </nav>
  <div id="carouselExampleDark" class="carousel carousel-light</pre>
slide" data-bs-ride="carousel">
    <div class="carousel-indicators">
```

```
<button type="button" data-bs-
target="#carouselExampleDark" data-bs-slide-to="0" class="active"
aria-current="true" aria-label="Slide 1"></button>
       <button type="button" data-bs-
target="#carouselExampleDark" data-bs-slide-to="1" aria-
label="Slide 2"></button>
       <button type="button" data-bs-
target="#carouselExampleDark" data-bs-slide-to="2" aria-
label="Slide 3"></button>
     </div>
     <div class="carousel-inner">
       <div class="carousel-item active" data-bs-interval="10000">
         <img src="c2.png" class="d-block w-100" alt="...">
       </div>
       <div class="carousel-item" data-bs-interval="2000">
         <img src="c3.png" class="d-block w-100" alt="...">
       </div>
       <div class="carousel-item">
         <img src="c1.png" class="d-block w-100" alt="...">
       </div>
     </div>
    <button class="carousel-control-prev text-light" type="button"</pre>
data-bs-target="#carouselExampleDark" data-bs-slide="prev">
       <span class="carousel-control-prev-icon" aria-</pre>
hidden="true"></span>
       <span class="visually-hidden">Previous</span>
     </button>
    <button class="carousel-control-next text-light" type="button"</pre>
data-bs-target="#carouselExampleDark" data-bs-slide="next">
       <span class="carousel-control-next-icon" aria-</pre>
hidden="true"></span>
       <span class="visually-hidden">Next</span>
    </butto </div>
<center>
```

```
<h1>Our Courses</h1>
  </center>
  <div class="container">
    <div class="row">
      <?php
      while ($info = $result2->fetch_assoc()) {
      ?>
         <div class="col-md-4">
           <div class="blog-card blog-card-blog";</pre>
             <div class="blog-card-image">
                <a href="#"> <img class="teacher" src="<?php echo
"{$info['image']}" ?>"> </a>
                <div class="ripple-cont"></div>
             </div>
             <div class="blog-table">
                <h3 class="blog-card-caption">
                  <a href="#"><?php echo "{$info['name']}"
?></a>
                </h3>
                <?php echo</pre>
"{\$info['description']}" ?>
             </div>
           </div>
         </div>
       <?php
    </div>
  </div>
```

<center>

```
<section class="container mt-5 mb-5">
Course Name
  Teacher Name
  Teacher Details
  Month
  Course Fee
  Class
 \langle tr \rangle
  HTML
  Miftahul Jannat
  B.sc In Computer Engineer
   <br/> <br/> (Port City International University)
   6 
  6,000
  Sataurday <br/>
y
9 PM-10 PM)
  Tuesday <br/>(10 AM - 11 AM)
  Wednesday<br>(7 AM- 10 AM)
 CSS
  Md.Rifat
  B.sc In Computer Engineer
   <br/>br>(Post City International University)
  6
  3,000
  Sataurday <br/>(8 PM-9 PM)
  Sunday <br>(8 AM - 9 AM)
```

```
Java Script
Md.Shaown Miyazi
B.sc In Computer Engineer
 <br/> <br/> (Primiyer University)
 6 
4,000
Friday <br/> (3 PM-5 PM)
Sunday <br/>(11 AM - 1 PM)
PHP
Yeasin Uddin Fahim
B.sc In Computer Engineer
 <br/>br>(East Delta University)
6
6,500
Wednesday <br>(4 PM- 7 PM)
Thursday <br>(6 AM - 8 AM)
Friday<br>(7 AM- 10 AM)
MYSQL
Tommy Chodhury
M.sc In Computer Engineer
 <br/> <br/> (Primiyer University)
4
```

```
3.000
   Tuesday<br>(10 PM-12 PM)
   Wednesday <br/>(7 AM - 10 AM)
   <
    C# 
   Prashanta das
   M.sc In Computer Engineer
    <br/>
<br/>
dr>(Dhaka University)
    6 
   12,300
   Sunday <br/>(4 PM- 7 PM)
   Monday<br>(1 PM - 3 PM)
   Wednesday<br>(6 AM- 7 AM)
    C 
   Md.Nofel Hossen
   M.sc In Computer Engineer
    <br/>
<br/>
dr>(Islam University)
   6
   15,000
   Friday <br>(9 AM - 11 AM)
   Sunday <br>(6 PM - 9 PM)
   Wednesday<br>(7 AM- 10 AM)
   Laravel
   Md.Jahidul Alam
   M.sc In Computer Engineer
    <br/>
<br/>
dr>(Islam University)
```

```
 6 
    11,200
    Friday <br>(9 AM - 11 AM)
    Sunday <br>(6 PM - 9 PM)
    Wednesday<br>(7 AM- 10 AM)
   \langle tr \rangle
    Java Script
    Punam Das
    B.sc In Computer Engineer
     <br/> <br/> (Primiyer University)
    5
    3,000
    Friday <br>(9 AM - 11 AM)
    Sunday <br/>for>(6 PM - 9 PM)
    Wednesday<br>(7 AM- 10 AM)
   </section>
</center>
<section>
   <footer class="site-footer">
     <div class="container">
      <div class="row">
        <div class="col-lg-3 col-md-6">
          <!-- Contact Info-->
```

```
<section class="widget widget-light-skin">
               <h3 class="widget-title">Get In Touch With
Us < /h3 >
               Phone: 00 33 169 7720
               <span class="opacity-50">Monday-
Friday:</span>9.00 am - 8.00 pm
                  <span class="opacity-
50">Saturday:</span>10.00 am - 6.00 pm
               </111>
               <a class="navi-link-light"
href="#">support@Seven-TechCoching.com</a><a
class="social-button shape-circle sb-facebook sb-light-skin"
href="#"><i class="socicon-facebook"></i></a><a class="social-
button shape-circle sb-twitter sb-light-skin" href="#"><i
class="socion-twitter"></i></a><a class="social-button shape-circle
sb-instagram sb-light-skin" href="#"><i class="socicon-
instagram"></i></a><a class="social-button shape-circle sb-google-
plus sb-light-skin" href="#"><i class="socicon-googleplus"></i></a>
             </section>
           </div>
           <div class="col-lg-3 col-md-6">
             <!-- Mobile App Buttons-->
             <section class="widget widget-light-skin">
               <h3 class="widget-title">Our Mobile App</h3><a
class="market-button apple-button mb-light-skin" href="#"><span
class="mb-subtitle">Download on the</span><span class="mb-
title">App Store</span></a><a class="market-button google-button"
mb-light-skin" href="#"><span class="mb-subtitle">Download on
the</span><span class="mb-title">Google Play</span></a><a
class="market-button windows-button mb-light-skin" href="#"><span
class="mb-subtitle">Download on the</span><span class="mb-
title">Windows Store</span></a>
             </section>
           </div>
           <div class="col-lg-3 col-md-6">
             <!-- About Us-->
```

```
<section class="widget widget-links widget-light-</pre>
skin">
               <h3 class="widget-title">About Us</h3>
               <a href="#">Careers</a>
                 <a href="#">About Unishop</a>
                 <a href="#">Our Story</a>
                 <a href="#">Services</a>
                 <a href="#">Our Blog</a>
               </section>
          </div>
          <div class="col-lg-3 col-md-6">
            <!-- Account / Shipping Info-->
            <section class="widget widget-links widget-light-</pre>
skin">
               <h3 class="widget-title">Account & Shipping
Info < /h3 >
               ul>
                 <a href="#">Your Account</a>
                 <a href="#">Shipping Rates & amp;
Policies</a>
                 <a href="#">Refunds & amp;
Replacements</a>
                 <a href="#">Taxes</a>
                 <a href="#">Delivery Info</a>
                 <a href="#">Affiliate Program</a>
               </section>
          </div>
        </div>
        <hr class="hr-light mt-2 margin-bottom-2x">
        <div class="row">
          <div class="col-md-7 padding-bottom-1x"></div>
          <div class="col-md-5 padding-bottom-1x">
            <div class="margin-top-1x hidden-md-up"></div>
            <!--Subscription-->
```

```
<form class="subscribe-form" action="#"
method="post" target="_blank" novalidate="">
                <div class="clearfix">
                  <div class="input-group input-light">
                    <input class="form-control" type="email"</pre>
name="EMAIL" placeholder="Your e-mail"><span class="input-
group-addon"><i class="icon-mail"></i></span>
                  </div>
                  <button class="btn btn-primary mt-2"</pre>
type="submit">Suscbribe</button>
                </div><span class="form-text text-sm text-white"
opacity-50">Subscribe to our Newsletter to receive early discount
offers, latest news, sales and promo information.</span>
             </form>
           </div>
         </div>
         <!-- Copyright-->
         © All rights
reserved.</a>
      </div>
    </footer>
  </section>
<script
src="https://cdn.jsdelivr.net/npm/bootstrap@5.2.0/dist/js/bootstrap.bu
ndle.min.js" integrity="sha384-
A3rJD856KowSb7dwlZdYEkO39Gagi7vIsF0jrRAoQmDKKtQBHU
uLZ9AsSv4jD4Xa" crossorigin="anonymous"></script>
</body>
</html>
```

data_check.php

```
<?php
session_start();
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
if($data==false)
     die("Connection Error");
if(isset($_POST['apply']))
     $data_name=$_POST['name'];
     $data email=$ POST['email'];
     $data phone=$ POST['phone'];
     $data_message=$_POST['message'];
     $sql="INSERT INTO admission(name,email,phone,message)
     VALUES('$data_name', '$data_email', '
$data phone','$data message')";
     $result=mysqli_query($data,$sql);
     if($result)
       $_SESSION['message']="Your Aplication Sent Successfil";
       header("location:index.php");
     else
```

```
echo"ApplyFailed";
}
}
?>
```

delete.php

```
<?php
session_start();
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
if($_GET['student_id'])
      $user_id=$_GET['student_id'];
     $sql="DELETE FROM user WHERE id='$user_id'";
      $result=mysqli_query($data,$sql);
     if($result)
           $_SESSION['message']='Delete Student Is Successful';
           header("location:view_student.php");
}
?>
```

login.php

```
<!DOCTYPE html>
<html lang="en">
<head>
 <meta charset="UTF-8">
 <meta http-equiv="X-UA-Compatible" content="IE=edge">
 <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
 <title>login</title>
 <link rel="stylesheet" href="style.css">
 link rel="stylesheet"
href="https://cdn.jsdelivr.net/npm/bootstrap@3.3.7/dist/css/bootstrap.
min.css" integrity="sha384-
BVYiiSIFeK1dGmJRAkycuHAHRg32OmUcww7on3RYdg4Va+Pm
STsz/K68vbdEjh4u" crossorigin="anonymous">
 <link rel="stylesheet"</pre>
href="https://cdn.jsdelivr.net/npm/bootstrap@3.3.7/dist/css/bootstrap-
theme.min.css" integrity="sha384-
rHyoN1iRsVXV4nD0JutlnGaslCJuC7uwjduW9SVrLvRYooPp2bW
YgmgJQIXwl/Sp" crossorigin="anonymous">
 <script
src="https://cdn.jsdelivr.net/npm/bootstrap@3.3.7/dist/js/bootstrap.mi
n.js" integrity="sha384-
Tc5IQib027qvyjSMfHjOMaLkfuWVxZxUPnCJA712mCWNIpG9m
GCD8wGNIcPD7Txa" crossorigin="anonymous"></script>
</head>
<body background="img10.jpeg" class="body_deg"
<center>
   <div class="form_deg">
     <center class="title_deg">
      Login Form
```

```
< h4>
        <?php
        error_reporting(0);
        session_start();
        session_destroy();
        echo $_SESSION['loginmessage'];
         ?>
       </h4>
 </center>
     <form class="login_form" action="login_check.php</pre>
method="POST">
       <div>
         <label class="label_deg">Username:</label>
         <input type="text" name="username" required>
       </div><br><br>>
       <div>
         <label class="label_deg">Password:</label>
         <input type="password" name="password">
       </div><br><br>>
       <div>
         <input class="btn btn-primary" type="submit"</pre>
name="submit" value="Login">
       </div>
     </form>
   </div>
 </center>
</body>
</html>
```

login_check.php

```
<?php
error_reporting(0);
session_start();
$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
if($data===false)
     die("Connection Error");
if($_SERVER["REQUEST_METHOD"]=="POST")
     $name=$ POST['username'];
     $password=$_POST['password'];
     $sql="select*from user where username="".$name."'AND
password="".$password."" ";
     $result=mysqli_query($data,$sql);
     $row=mysqli_fetch_array($result);
     if($row["usertype"]=="student")
           $_SESSION['username']=$name;
           $ SESSION['usertype']="student";
           header("location:studenthome.php");
     elseif($row["usertype"]=="admin")
           $_SESSION['username']=$name;
           $_SESSION['usertype']="admin";
           header("location:adminhome.php");
```

```
else
{
    $message= "Username Or Password Do Not Match";
    $_SESSION['loginmessage']=$message;
    header("location:login.php");
}
```

logout.php

```
<?php
session_start();
session_destroy();
header("location:login.php");
?>
```

student_css.php

student_profile.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
{
        header("location.php");
}
elseif($_SESSION['usertype']=='admin')
{
        header("location:login.php");
}

$host="localhost";
$user="root";
$password="";
$db="schoolproject";
$data=mysqli_connect($host,$user,$password,$db);
$name=$_SESSION['username'];
$sql="SELECT * FROM user WHERE username='$name'";
$result=mysqli_query($data,$sql);</pre>
```

```
$info=mysqli_fetch_assoc($result);
if(isset($_POST['update_profile']))
    $s_email=$_POST['email'];
    $s_phone=$_POST['phone'];
    $s_password=$_POST['password'];
    $sq12="UPDATE user SET
email='$s_email',phone='$s_phone',password='$s_password' WHERE
username='$name'";
    $result2=mysqli_query($data,$sql2);
    if($result2)
         header('location:student_profile.php');
}
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta charset="UTF-8">
     <meta http-equiv="X-UA-Compatible" content="IE=edge">
     <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin Dashboard</title>
     <?php
     include'student_css.php'
```

```
?>
<style type="text/css">
   label{
         display:inline-block;
         text-align:right;
         width: 100px;
         padding-top:10px;
         padding-bottom:10px;
   .div_deg
         background-color:skyblue;
         width: 500px;
         padding-top:70px;
         padding-bottom:70px;
</style>
</head>
<body>
    <?php
       include'student_sidebar.php'
    <div class="content">
          <center>
                <h1>Update Profile</h1><br>
          <form action="#"method="POST">
          <div class="div_deg">
```

```
<div>
                    <label for="">Email:</label>
                    <input type="email"name="email"</pre>
                    value="<?php echo"{$info['email']}" ?>"
              </div>
              <div>
                    <label for="">Phone:</label>
                    <input type="number"name="phone"</pre>
                    value="<?php echo"{$info['phone']}"</pre>
              </div>
              <div>
                    <label for="">Password:</label>
                    <input type="text"name="password"</pre>
                    value="<?php echo"{$info['password']}" ?>"
              </div>
              <div>
                    <input type="submit" class="btn btn-
primary"name="update_profile" value="Update">
              </div>
            </div>
           </form>
</center>
     </div>
</body>
</html>
```

student_sidebar.php

```
<header class="header">
           <a href="">Student Dashboard </a>
      <div class="logout">
           <a class="btn btn-primary"
href="logout.php">Logout</a>
     </div>
    </header>
<aside>
      \langle ul \rangle
              \langle li \rangle
                  <a href="student_profile.php">My Profile</a>
            <1i>
                  <a href="">My Courses</a>
            >
                  <a href="">My Result</a>
            </aside>
```

studenthome.php

```
<?php
session_start();
if(!isset($_SESSION['username']))
     header("location.php");
elseif($_SESSION['usertype']=='admin')
    header("location:login.php");
?>
<!DOCTYPE html>
<html lang="en">
<head>
      <meta charset="UTF-8">
      <meta http-equiv="X-UA-Compatible" content="IE=edge">
      <meta name="viewport" content="width=device-width, initial-</pre>
scale=1.0">
      <title>Admin Dashboard</title>
      <?php
include'student_css.php'
?>
</head>
<body>
    <?php
       include'student_sidebar.php'
  ?>
</body>
</html>
```

update_student.php

```
<?php
    session_start();
    if(!isset($_SESSION['username']))
          header("location.php");
    elseif($_SESSION['usertype']=='student')
         header("location:login.php");
     $host="localhost";
     $user="root";
     $password="";
     $db="schoolproject";
     $data=mysqli_connect($host,$user,$password,$db);
     $id=$_GET['student_id'];
     $sql="SELECT * FROM user WHERE id='$id'";
     $result=mysqli_query($data,$sql);
     $info=$result->fetch assoc();
    if(isset($_POST['update']))
          $name=$_POST['name'];
          $email=$_POST['email'];
          $phone=$_POST['phone'];
          $password=$ POST['password'];
          $query="UPDATE user SET
username='$name',email='$email',phone='
          $phone',password='$password' WHERE id='$id''';
```

```
$result2=mysqli_query($data,$query);
          if($result2)
              header("location:view_student.php");
    }
     ?>
    <!DOCTYPE html>
     <html lang="en">
     <head>
          <meta charset="UTF-8">
          <meta http-equiv="X-UA-Compatible"
content="IE=edge">
          <meta name="viewport" content="width=device-
width, initial-scale=1.0">
          <title>Admin Dashboard</title>
          <?php
          include'admin_css.php';
          ?>
       <style>
             label
                  display: inline-block;
                  width:100px;
                  text-align:center;
                  padding-top:10px;
                  padding-bottom:10px;
             .div_deg
             background-color:skyblue;
             width:400px;
```

```
padding-bottom:70px;
         padding-top:70px;
   </style>
</head>
<body>
<?php
include'admin_sidebar.php';
?>
<div class="content">
      <center>
    <h2><b>Update Student</b></h2><br>
    <div class="div_deg">
      <form action="#" method="POST">
          <div>
                <label for="">Username:</label>
                <input type="text" name="name"</pre>
                value="<?php echo "{$info['username']}";?>"
          </div>
          <div>
                <label for="">Email:</label>
                <input type="email" name="email"</pre>
                value="<?php echo "{$info['email']}";?>"
          </div>
          <div>
                <label for="">Phone:</label>
                <input type="number" name="phone"</pre>
                value="<?php echo "{$info['phone']}";?>"
          </div>
  <div>
```

view_student.php

```
<?php
    error_reporting(0);
    session_start();

if(!isset($_SESSION['username']))
    {
        header(''location.php'');
}</pre>
```

```
elseif($_SESSION['usertype']=='student')
         header("location:login.php");
    $host="localhost";
    $user="root";
    $password="";
    $db="schoolproject";
    $data=mysqli_connect($host,$user,$password,$db);
    $sql="SELECT * FROM user WHERE
usertype='student'";
    $result=mysqli_query($data,$sql);
     ?>
<!DOCTYPE html>
    <html lang="en">
    <head>
          <meta charset="UTF-8">
         <meta http-equiv="X-UA-Compatible"
content="IE=edge">
          <meta name="viewport" content="width=device-
width, initial-scale=1.0">
          <title>Admin Dashboard</title>
          <?php
          include'admin_css.php';
          ?>
    <style>
          .table_th
               padding:20px;
               font-size:20px;
```

```
background-color:pink;
    .table_padding
        padding:20px;
        background-color:skyblue;
</style>
</head>
<body>
<?php
include'admin_sidebar.php';
?>
<div class="content">
    <center>
   <h2><b>Student Data</b></h2>
   <?php
   if($_SESSION['message'])
       echo $_SESSION['message'];
   unset($_SESSION['message']);
   ?>
   <br><br>>
   Username
           Email
           Phone
```

```
Delete
              Update
          <?php
          while($info=$result->fetch assoc())
           ?>
         <?php echo ''{$info['username']}</pre>
          <?php echo ''{$info['email']}'';?>
          <?php echo ''{$info['phone']}'';?>
          <?php echo ''{$info['password']}'';?>
          <?php echo ''<a class='btn btn-danger'
onCLICK=\"javascript:return confirm('Are Your Sure To Delete
This');\"
href='delete.php?student_id={\$info['id']}'>Delete</a>'';?>
          <?php echo ''<a class='btn btn-primary'</pre>
href='update_student.php?student_id={$info['id']}'>Update</a>''
;?>
```

Password

```
        <?php
        }
        </table>
        </center>
</div>
</body>
</html>
```

table.css

```
*{
    margin: 0;
    padding: 0;
    box-sizing: border-box;
}
body{
    width: 100%;
    height: 100vh;
    display: flex;
    align-items: center;
    justify-content: center;
```

```
background-color: #d15cff;
background: linear-gradient(45deg,#d15cff,#4b28e1);
}
```

style.css

```
nav {
  background-color: skyblue;
  height: 70px;
  width: 100%;
  z-index: 1;
  position: fixed;
.logo {
  font-size: 25px;
  position: relative;
  left: 5%;
  color: white;
  font-weight: bold;
  line-height: 70px;
ul {
  position: relative;
  float: right;
 margin-right: 20px;
ul li {
  display: inline-block;
  line-height: 70px;
  margin: 0 5px;
```

```
ul li a {
     text-decoration: none;
     color: white;
     font-size: 17px;
   .main_img {
     width: 100%;
     height: 430px;
.imgtext {
     position: absolute;
     top: 20%;
     left: 30%;
     color: wheat;
     background-color: midnightblue;
     padding-right: 20px;
     padding-left: 20px;
     font-size: 35px;
   .img2 {
     width: 100%;
     height: 250px;
   .teacher {
     width: 100%;
     height: 270px;
```

```
.courses {
  width: 100%;
  height: 270px;
.label_text {
  display: inline-block;
  width: 100px;
  text-align: right;
  padding-right: 10px;
.input_deg {
  width: 30%;
  height: 40px;
  border-radius: 20px;
  border: 2px solid blueviolet;
}
.adm_int {
  padding-top: 10px;
}
.text_1 {
  width: 30%;
  height: 120px;
  border-radius: 20px;
  border: 2px solid blueviolet;
#submit {
  position: relative;
  width: 15%;
  left: 5%;
```

```
.adm {
  padding-top: 30px;
  padding-bottom: 30px;
.form_deg {
  padding-top: 200px;
.label_deg {
  display: inline-block;
  color: #ffffff;
  width: 100px;
  text-align: right;
  padding-top: 10px;
  padding-bottom: 10px;
.login_form {
  background-color: black;
  width: 400px;
  padding-top: 70px;
  padding-bottom: 70px;
.title_deg {
  background-color: skyblue;
  color: white;
  text-align: center;
  font-weight: bold;
  width: 400px;
  padding-top: 10px;
  padding-bottom: 10px;
```

}

```
font-size: 20px;
}
.body_deg {
  background-repeat: no-repeat;
  background-attachment: fixed;
  background-size: 100% 100%;
}
```


admin.css

```
*
{
    margin: 0px;
    padding: 0px;
}
.header
{
    background-color: skyblue;
    line-height: 70px;
    padding-left: 30px;

}
a,a:hover
{
    text-decoration: none!important;
}
.logout
{
    float: right;
    padding-right: 30px;
}
```

```
}
ul
background-color: #424a5b;
width: 16%;
height: 100%;
position: fixed;
padding-top: 5%;
text-align: center;
ul li
      list-style: none;
      padding-bottom: 30px;
      font-size: 15px;
ul li a
      color: white;
      font-weight:bold;
ul li a:hover
      color: skyblue;
      text-decoration: none;
.content
      margin-left:20%;
      margin-top: 5%;
```

OUTPUT





Our Courses









CSS










PHP







Our Student's Say



Seven-Tech Coching History

1995

2018



Seven tech coaching center history in 2003

Dalls surters will man littare dolor in Negotierit in sulfurate yells econocioetie consequer, will flum dolore ou beuglar malla facilità ar vera econ





Seven tech coaching center history in 1995

Data satisfy yell sum trian color in headership volganite ville ears
molecule coassiguar, vel illum diction out traggle salle facilities or very organ
technique.



Seven tech coaching center history in 2018
Out autent of earlier color in beatingt in odparate will ease
motivate consultat, of fluid colors at teaching technics or one

Email Address

Admission Form

I design and develop services for customers of all sizes, specializing in creating stylish, modern websites

Mail

info@domainname.com

Visit My Studio

Warnwe Park Streetperrine, FL 33157 New York City

Phone

+01 123 654 8096









Full Name

Phone


Message

Submit










| Course Name | Taxcher Name | Teacher Decalls | Month | Course Fee | Class | | |
|-----------------|-------------------------------|--|-------|---------------|------------------------------|--------------------------------|-------------------------------|
| HTML | Militarious Jaconsol | Bac In Computer Engineer (Port City International Uniternatity) | e | 6,000 | Sataunday (S PM-10 PM) | Tueostay (10 AM - 11 AM) | Wednesday (7 AM- 10 AM) |
| ces | Read Profiles | Backin Computer Engineer (Post City International University) | | 3,000 | Sateurday (8 PM-9 PM) | Sunday (BAM - 9 AM) | |
| Janes Skript | Md.Shaown Miyazii | Bac In Compular Engineer (Primiyer University) | e | 4,000 | Friday (3 PM-5 PM) | Sunday (11.AM - 1 IPM) | |
| Peri | Venezini Urbdiri Fahire | Bac In Computer Engineer (East Delte University) | | 6,500 | Wednesday (4 PM- 7 PM) | Thursday (6 AM - 8 AM) | Friday (7 AM- 10 AM) |
| MYSQL | Tommy Chodhury | Mac In Computer Engineer (Primiper University) | 4 | 3,000 | Tuesday (10 PM-12 PM) | Wednesday (FAM - 10 AM) | |
| C# | Praeduction class | Mac In Computer Engineer (Oheka University) | 6 | 12,300 | Sunday (4 PW- 7 PW) | Monday (1 PM - 3 PM) | Wednesday (6.AM- 7 AM) |
| С | Md.Nofel Hossen | Mac In Computer Engineer (bitem University) | 6 | 15,000 | Friday (9 AM - 11 AM) | Sunday (6 PM - 9 PM) | Wednesday (7 AM- 10 AM) |
| Lansevel | McLawhidul Alam | Mac in Compular Engineer (bilarn University) | 6 | 11,200 | Friday (SAM - 11 AM) | Sumday (6 PM - 9 PM) | Wednesday (7 AW- 10 AM) |
| Janua Script | Punem Des | Bac In Computer Engineer (Primityer University) | 5 | 3,000 | Friday (9 AM - 11 AM) | Sunday (8 PM - 9 PM) | Wednesday (7 AM- 10 AM) |




About Us

The greater part of the people trust on us

- + How quick will my credit be subsidized?
- + What is outsourced financial support?
- + How long is an affirmed financing cost and credit offer substantial?
- What sorts of commercial enterprise financing do you offer?
- + How might I roll out an improvement to my application?





Admin Dashboard Logout Home

Admission

Add Student

View Student

Add Teacher

View Teacher

Add Courses

View Courses

Contact Us

Admin Dashboard



Admission

Add Student

View Student

Add Teacher

View Teacher

Add Courses

View Courses

Contact Us

Applied For Admission

| Name | Email | phone | Message |
|-----------------|-------------------|------------|------------------------|
| Rahaman Hossain | rahaman@gmail.com | 1862990524 | I Want Get HTML Course |

Activate Windows Go to Settings to activate Windows.

Logout Home

Admin Dashboard

Add Student

Admission

View Student

Add Teacher


View Teacher

Add Courses

View Courses

Contact Us

Add Student





Admission

Add Student

View Student

Add Teacher

View Teacher

Add Courses

View Courses

Contact Us

Student Data

| Username | Email | Phone | Password | Delete | Update |
|-----------------|-------------------|------------|----------|--------|--------|
| Rahaman Hossain | rahaman@gmail.com | 1862990524 | 12345 | Delete | Update |
| Prashanta Das | nofel@gmail.com | 2147483647 | 12345 | Delete | Update |

Activate Windows
Go to Settings to activate Windows.

Admin Dashboard

Logout Home

Admission

Add Student

View Student

Add Teacher


View Teacher


Add Courses

View Courses

Contact Us

Add Teacher





Admin Dashboard

Logout Home

Admission

Add Student

View Student

Add Teacher

View Teacher

Add Courses

View Courses

Contact Us

Add Courses

| Course Name | | |
|--------------|-------------|--|
| Description: | | |
| Choose File | Image: | |
| | Add Courses | |
| | | |
| | | |



View All Courses

| Course Name | About Courses | Image | Delete | Update |
|-------------|---------------|---------------------------------|--------|------------|
| HTML | | HTML HyperTeckNahap.Language | Delete | Update |
| CSS | | CSS. | Delete | Update |
| JAVA | | | Delete | Activate W |

Admin Dashboard

Logout

Logout

Home



Admission

Add Student

View Student

Add Teacher

View Teacher


Add Courses

View Courses

Contact Us

Contact Us

| Name | Email | phone | Message |
|----------------|-----------------|------------|-------------|
| Rahaman Hosain | nofel@gmail.com | 6873872435 | How are you |



Activate Windows
Go to Settings to activate Windows.

Logout Home

Conclusion:

Having a greater understanding of the team gives us the best chance of accomplishing our goals as a team. Understanding a students educative factors and helping our students become better versions of themselves is half the battle. If you can study on an individual basis, you will surely be on your way to becoming a successfully creating a Project