

Terminal - Files & Folders

The last PDF covered how to **MOVE**, but when using **LINUX**. A lot of the time when changing settings, or installing apps; you'll be asked to **MOVE**, **COPY**, **DELETE**, **MAKE** Files or Folders.

Apps will have *their own Instructions*, but **sometimes**, certain instructions are iffy or different. Knowing how to **MOVE**, **COPY**, **DELETE**, **MAKE** Files or **Folders**. Will let you help yourself.

- Make sure *you're located in the "~" FOLDER (YOUR User's Home Folder)*

```
vboxuser@ExampleName:~/Downloads$ cd ~
vboxuser@ExampleName:~$
```

Our First Command

> **mkdir YourFolderName** This **MAKES** a folder (AKA Directory)

```
vboxuser@ExampleName:~$ mkdir Games
vboxuser@ExampleName:~$ ls
Desktop    Downloads  Music      Public    Templates
Documents  Games      Pictures   snap      Videos
```

Now *on top of the **mkdir** command*; a lot of commands have **OPTIONS**. Which are *tools to change the function of a command*.

- Sometimes, *APP INSTRUCTIONS* tell you to make new Folders *INSIDE* new Folders; this can get annoying

> **mkdir -p Games/2DGames** If you assume we **DIDN'T** make the Games Folder first; **"-p"** *ALLOWS* us to make Games & 2DGames at the same time. Otherwise It'd yell at you

Our Second Command

> **rmdir YourFolderName** This **DELETES** a folder (AKA Directory)

- This is also where you may *need* another **OPTION**. This command is designed with safeties to **NOT** delete a **FOLDER** with files inside of it.

> **rm -rf YourFolderName** **-r** means to **delete EVERYTHING** (Including the folders **INSIDE** that Folder), and that **-f** means **DON'T** ask me *yes or no*.

```
ubuntu@ubuntu:~$ ls Games
2DGames
ubuntu@ubuntu:~$ rmdir Games
rmdir: failed to remove 'Games': Directory not empty
ubuntu@ubuntu:~$ rm -rf Games
ubuntu@ubuntu:~$ ls
Desktop    Downloads  Pictures   Templates  snap
Documents  Music      Public     Videos
```

- Notice how this COMMAND is **rm** NOT **rmdir**; This is due to the limitation above. This is actually the BASE REMOVE command.

Our Third Command

> **rm TheFileYouWantToDelete** This REMOVES whatever you asked it to.

- As you saw above, this command with **OPTIONS** is needed to **DELETE** folders with stuff inside

Now let us **MOVE** and **COPY** files *between our folders*. This is something you get asked to do quite a bit in certain APPLICATIONS.

Our Fourth Command

> **cp "YourFilePath" "YourDestinationPath"** This COPIES Your file into the path you wish to copy it into. (*cp is copy*)

- Download an image from Firefox on the Virtual Machine, Let's move it to the Documents Folder
 - (Firefox may not work on the Online one, if so use cd to go to your Downloads Folder and WRITE in the TERMINAL: **touch example.txt** this will make an empty text file, which will be what we move for you)

```
vboxuser@ExampleName:~/Downloads$ ls
images.jpeg
vboxuser@ExampleName:~/Downloads$ cp images.jpeg ~/Documents
vboxuser@ExampleName:~/Downloads$ ls ~/Documents
images.jpeg
vboxuser@ExampleName:~/Downloads$
```

Remember **~** is your **HOME** folder, where all of your **BASE FOLDERS** (Like Documents) live. Since its Relative you need to get the **DOCUMENT** folder path **FROM** the Downloads Folder. If you were in the **~** FOLDER already you Wouldn't need it.

Our Fifth Command

> `mv "YourFilePath" "YourDestinationPath"` This MOVES Your file *into the path you wish to copy it into*. (*mv is move*)

- As you can see, its *IDENTICAL* to `cp`

```
vboxuser@ExampleName:~/Downloads$ ls
images.jpeg
vboxuser@ExampleName:~/Downloads$ mv images.jpeg ~/Desktop
vboxuser@ExampleName:~/Downloads$ ls ~/Desktop
images.jpeg
```

These commands are ALL you really need for 90% of USE for daily driving Linux.

If you want to learn more for Curiosity sake, see the AMATEUR LAB

Bonus

`cp` can be used to DUPLICATE a file, by making the DESTINATION the name of your duplicate) `cp OriginalFileName.jpeg DuplciateFileName.jpeg`

`mv` can be used to RENAME a file, by making the DESTINATION the name of your duplicate) `mv OldFileName.jpeg NewFileName.jpeg`