

# Basic Web Design

---

Making a website is normally split up into **two separate parts**. Something known as front-end and back-end. **Back-end** is anything that uses a server to do something. **YouTube** uses their back-end to fill your recommended with videos, because it needs outside information to know what to recommend.

- We're focusing on front-end. Which is **MOSTLY** the pretty visuals and layout of the page. **As well editing the content on the pages.** (*and caching*)

---

Alright, to get started; We use **TWO** languages to make the website's layout and it's styling.

- **Open** VSCODE, or any editor and make a folder, and add an HTML file.



---

The way you code in HTML, is by doing something called **ELEMENTS**.

- **Elements** are really basic, like a *header element*, an *image element*, a *paragraph element*, a *line element*, a *bolded text element*. It's just describing things you'd usually have on a page.

This is how you make a header (**h1** meaning **biggest header**, sizes 1-4)

```
<h1>Some text</h1>
```

You see the syntax? It wraps whatever you want, i.e. h1 in this format

- **<openyourelement>Some Text</closeyourelement>**

Go to the top left and find **"Run"**. Then run with or without debugging.

**Some text**

We're basically just make a Google Doc; but a lot harder using "elements" instead.

- We'd use `<p>Some Text</p>` to make a paragraph.
  - Use `<img>` to make an image.
  - Use `<strong>Some Text</strong>` to make bold text.
  - Use `<em>Some Text</em>` to make *italicized* text.
  - Use `<mark>Highlighted Text</mark>` to make highlighted text.
  - Use `<h1>Some text</h1>` to make HEADERS, of sizes 1-4, *four being smaller*.
  - Use `<a></a>` to make links (With something called 'href').
  - Use `<li>List Item 1</li>` to make a list like this one.
- 

What if I want to make my text red?

- Well there isn't an element called `<red></red>` for red text.

Instead, we can go INSIDE an element we want to change stuff like the color, the font, the font size, image shadows, borders and more.

Look here, we have a paragraph element.

```
<p style="font-size: 40px;">some text</p>
```

What we did, was inside the first `<p>` we specified a "style"

- And we specified that we want to change the font-size property. And we want it to be 40 pixels.

```
<p style = "some-property: value;">some text</p>
```

In essence, in order to change the styling of an element, you can go inside it and edit certain properties, called in-line styling.

---

What other text properties can I edit "in-line", just like a google doc we can...

- text-align: left, right, center;
- background-color: anything;
- word-spacing: #px;
- letter-spacing: #px;
- line-height: #px;

Putting stuff inside the element ("in-line") isn't only for styling, FOR EXAMPLE; we can use it for images grabbing their files to show.


- Download a random picture from here, and put it in the same folder as your HTML file. [🌐 Lorem Picsum](#)

So the image is in the folder, so we feed the image the file path.

```

```

```
<> example.html  
🖼️ myImage.jpg
```



---

With this, we can basically mimic a google doc. But, this is just to put the content on the page, we want to position it in certain places. Think of the YouTube homepage, images aren't just

That's why in HTML you use something called a DIV `<div>Some Element</div>`

- DIV, meaning DIVISOR is used to group up your elements into certain sections. You put your content like your paragraphs and images into these div's so you can POSITION them using the SECOND LANGUAGE (CSS), without CSS, div's make no difference.

Like this →

```
<div>  
  <p>Some Text</p>  
</div>
```

---

So, the next part cover the idea of having DIVISORS, and using the 2<sup>nd</sup> language (CSS) alongside HTML to create pages that are organized. Meaning, putting the image in one part of the screen, the text in one part.