

Spacing & Positioning Content

After deciding on the skeleton of the website, *we need to actually get that content in there; space them and position them correctly.*

First, we have POSITIONING attribute.

- There's THREE positioning styles; absolute, fixed, sticky.

What do those mean?

Let's have a use case for ALL 3.

- First, LET'S use FIXED.

We will add a HELP button on the bottom right. This will use FIXED; because it **effectively FLOATS above the page**. When I scroll it will stay FIXED on that part of the page.

- Let's go to the CSS file.

First; *let's make a class called BUBBLE.*

```
.bubble {  
  position: fixed;  
}
```

This makes our element STAY in the coordinates we give it; and **exist above the page**.

- Now, let's give it the coordinates | We use top, left, right, bottom to act as coordinates
 - right: 20px; means its TWENTY PIXELS from the *right corner*.
 - bottom: 20px; means its TWENTY PIXELS from the bottom of *the screen*.

```
.bubble {  
  position: fixed;  
  bottom: 20px;  
  right: 20px;  
}
```

Then create our HTML (Anywhere inside the skeleton div)

```
<div class="bubble"> <button>Help</button> </div>
```

That makes it look like this, in the bottom right. Notice how it looks like it's floating above the page; and how it stays in that exact spot when we scroll? That's what fixed does.



Next, ABSOLUTE.

Absolute is the same as fixed, but in relation to being fixed inside a division; not the entire page. So it's RELATIVE to the division it sits inside; then doesn't move.

- What does that mean, what does that look like?

So the EXAMPLE I'll use is like putting a notification on top of our bubble class.

```
.notification{  
  position: absolute;  
  top: 0px;  
  right: -5px;  
  background-color: red;  
}
```

Then make our HTML division, so INSIDE the bubble division, add a new div with this notification class, then put a random number like 4.

```
<div class="bubble">  
  <button>Help</button>  
  <div class="notification">4</div>  
</div>
```



So, you can see; **ABSOLUTE** is used to put something ON TOP of a div.

- Note, the parent division has to use the fixed/absolute position; or relative. Relative just means it allows other divisions to be positioned RELATIVE to it.

Lastly, **STICKY**; it's called sticky because it FOLLOWS you after you scroll past it.

- Let's apply this to the **title**

Currently, our `title` class looks like this.

```
.title {  
  background-color: #6b6b6b;  
  grid-column: 1 / -1;  
}
```

We need it to be `STICKY`, so it follows us as we scroll past it.

So add the `STICKY` position.

- But we ALSO need to tell it where to stick.
 - `top: 0px;` it will `STICK 0 pixels` from the top.

```
.title {  
  position: sticky;  
  top: 0px;  
  background-color: #6b6b6b;  
  grid-column: 1 / -1;  
}
```



Now, The `TOP` follows us as we scroll past it.

OK, now let's go back and make some stuff look more pretty.

(Well, as pretty as I can make it without nice colors and images.)

- We can add a specified `width` and `height` to our bubble; then make it curve with an attribute called `border-radius`; as well as a nice border.
 - So, we'll have to make a sub-class where we define new attributes.

```
.bubble-style {  
  height: 50px;  
  width: 50px;  
  border-radius: 30px;  
  background-color: #6b6b6b;  
  color: white;  
  border: black 2px solid  
}
```


Then; we give the button this class in the HTML.

```
<button class="bubble-style">Help</button>
```

Now, we make the *notification* more pretty.

```
.notification{
  position: absolute;
  top: 0px;
  right: -5px;
  color: rgb(214, 89, 89);
  border-radius: 40px;
  background-color: white;
  width: 20px;
  height: 20px;
}
```

The new FOUR lines make the NOTIFICATION look like this.




Now, the text is off; two ways to fix this.

- The easier way I have to teach more in detail, so for now we'll do a separate class **INSIDE** that is *positioned absolute ON the notification*.

```
.notification-number {
  position: absolute;
  top: 0px;
  right: 5px;
  color: rgb(214, 89, 89);
}
```

Then, add the HTML class inside the notification division.

```
<div class="notification">
  <div class="notification-number">3</div>
</div>
```



That's it for this part, in the next part; we'll actually make content.