


Making Content

Let's fill in the Title with 3 horizontal content; Header, Subtitle & Image

> Let's do the *title section*.

I want to use the two fonts I always use in these documents.

- So, let's go to **GOOGLE FONTS**; Grab Montserrat → [Google Fonts](#)



Copy that code on the **bottom right**. PUT it in the head of your HTML doc.

```
<link rel="preconnect" href="https://fonts.googleapis.com">
```

```
<link rel="preconnect" href="https://fonts.gstatic.com" crossorigin>
```

First, THE *lines above* let us talk to the Google Fonts website.

```
<link href="https://fonts.googleapis.com/css2?
```

```
family=Montserrat:ital,wght@0,100..900;1,100..900&family=Roboto+Mono:ital,wght@0,100..700;1,100..700&display=swap" rel="stylesheet">
```

```
<link href="https://fonts.googleapis.com/css2?
```

```
family=Montserrat:ital,wght@0,100..900;1,100..900&family=Roboto+Mono:ital,wght@0,100..700;1,100..700&display=swap" rel="stylesheet">
```

SECONDLY, THE *next two lines* let us GRAB those fonts; so we can use them now,

OK, now we'll apply it.

- Make 3 new **DIVISIONS**; which will go inside the title division.

> title-header

> title-header-sub

> logo

For our text classes; MAKE THE CLASSES, and attach the fonts.

```
.title-header {  
  font-family: 'Montserrat', sans-serif;  
}  
.title-header-sub {  
  font-family: 'Roboto Mono', monospace;  
}
```

Then we want to use a *GRID*; to position these divisions

> Go to the `title` class, the division everything is going into.

```
display: grid;  
grid-template-columns: auto 1fr auto;
```

`auto`, meaning scale to how big the content inside it; `1fr` means take up all the space not used.

> Then, let's add some gap between our elements.

```
gap: 36px;
```

`gap`, meaning how FAR APART each division is.

Go back to the HTML. Let's make and fill in our divisions; Here's what I put in; WE'LL add our picture after.

```
<div class="title">  
  <div class="title-header">[Tech Micro Learning]</div>  
  <div class="title-header-sub">Free Learning PDF's for self learning. I highly  
encourage putting into AI to self learn better; as it's the reason I made it in PDF  
form.</div>  
  <img class = logo>  
</div>
```

Our divisions are INSIDE the title.

Now let's fix the FONT STYLING.

- Set **EMBOLDENING** with `font-weight: 1-900;`
 - Set font size with `font-size: 20px;`
 - Set the S P A C I N G (top, bottom, left, right) with `margin-left: 10px;`
-

```
.title-header {  
  margin-left: 10px;  
  margin-top: 16px;  
  font-size: 30px;  
  font-weight: 700;  
  font-family: 'Montserrat', sans-serif;  
}  
  
.title-header-sub {  
  margin-top: 8px;  
  font-size: 20px;  
  font-weight: 400;  
  font-family: 'Roboto Mono', monospace;  
  color: #d3d3d3;  
  word-wrap: break-word;  
}
```

These are the classes for our **TEXT** divisions.

`word-wrap: break-word;` you probably don't know. It just means *like a google doc* it goes to the next line when the text can't fit on the same line.

Image next then.

We'll just grab an image from Google, (Royalty Required; By: [Pisut Tardging](#))

🌐 Download Sunset png graphic clipart design for free



Put, this file in your folder.

Let's set the HEIGHT & WIDTH, then let's S P A C E it out via the MARGINS.

```
.logo {  
  width: 60px;  
  height: 60px;  
  margin-top: 5px;  
  margin-right: 16px;  
}
```




Now, this is our page. LET'S FILL THE TABLE OF CONTENTS NEXT.

I want my table of content to be a **big TITLE**; then a list of multiple lab summaries.

> So, I could either use a grid (but it'd require more fidgeting) OR, we can use a **new TOOL**.

- **FLEX**, which a tool for stacking divisions in one ROW, or one COLUMN. **On top, or Side by Side**.
 - We're using FLEX, because we have an unknown number of divisions we want to stack in one dimension (**Up/Down, Right/Left**)

So simply add:

```
display: flex;
```

```
flex-direction: column;
```

- **First**, let's make our summary section. (*You should individually know what each of these attributes do*)

```
.contents-title {
```

```
  font-weight: 600;
```

```
  padding: 20px;
```

```
  font-size: 22px;
```

```
  font-family: 'Roboto Mono', monospace;
```

```
  color: #d3d3d3;
```

```
  word-wrap: break-word;
```

```
  text-align: center;}
```

Same process, make the **division** inside the parent division.

```
<div class="table-of-contents">
  <div class="contents-title">Table of Contents</div>
</div>
```


Then, the Lab information

- This will be a box with ONE component, text. So we can just do something called **PADDING** (*Space AROUND actual content*) to mimic a box.

```
.lab-content-summary {
  font-weight: 400;
  font-size: 18px;
  font-family: 'Roboto Mono', monospace;
  color: #d3d3d3;
  background-color: #555e61;
  width: fit-content;
  word-wrap: break-word;
  border-radius: 8px;
  height: 30px;
  padding: 4px 12px;
  align-self: center;}
```

Then, the Lab information in HTML, we can now add ANY AMOUNT

```
<div class="table-of-contents">
  <div class="contents-title">Table of Contents</div>
  <div class="lab-content-summary">1. HTML &lt;/&gt; </div>
</div>
```



Lastly, we're gonna fit the middle with a GRID; that is dynamic. You know how if you zoom in or out on YouTube, the amount of videos in a row switch?

- We're gonna make grid like that; **but with lab cards**

So, we make the container for the lab cards, then a **class for the actual cards**.

Making the CARD GRID, is actually pretty easy. **Only THREE properties.**

- display: flex; MEANS **it's children will TRY** to stay in ONE ROW.
- flex-wrap: wrap; takes in that flex, and says. **GO TO THE NEXT LINE.**

```
.card-container {  
  display: flex;  
  flex-wrap: wrap;  
  gap: 16px;  
  padding: var(--spacing);  
  justify-content: center;}
```

- flex: 1 1 250px; MEANS, when I zoom in or out grow by the factor of 1. **But try for 250px wide.**
- max-width: 250px; **SIMPLY** makes it not able to be bigger than 250px.

```
.cards {  
  flex: 1 1 250px;  
  max-width: 250px;  
}
```

Now, as we've always been doing we can FILL the INSIDE of this division by the BOX MODEL. But for **basics I'm just gonna put text inside it.**

- **I'll style it, NEXT LAB WILL COVER ANIMATIONS.**



Table of Contents

1. HTML </>
2. Python
3. SQL
4. System Design
5. Powershell (7.x)
6. Bash
7. Linux Starting
8. Linux Advanced

HTML

Python

SQL

