

Transitions & Feedback

OK, we want to make our page RESPONSIVE. This is done via TRANSITIONS and FEEDBACK.

- Which requires NO NEW HTML.

I want my CARDS to move up a little bit *when I hover over them*.

So I go to CSS, I look for the class that I want to give a transition.

`.cards`

So, now we add something called a PSEUDO-CLASS.

`.cards:hover` CSS has these PSEUDO-CLASSES that can be used to change the division based on an action or event.

- This one can be used to change a class based on if I hover my mouse over it.

I want to transition the TRANSFORM value, *meaning* moving it.

- First we go to our base class.
 - Say which attribute is being changed, how long the change takes, the timing function (ease-in)

TO the class `.cards {}` add the TRANSITION line.

- `transition: transform, 0.3s ease-in-out`

Then we go to the PSEUDO CLASS; and tell it WHAT it's gonna change.

```
.cards:hover {  
  transform: translateY(-5px);  
};
```

In fact, we can change MORE than one attribute. Let's change the background color too.

- Change the base cards class to

```
transition: transform, 0.3s ease-in-out, background-color 0.3s ease-in;
```

- Then to the PSUEDO class, add.

background-color: #373a3c;

That's some good feedback, LOOK at the **transition yourself** now. but let's add some more. Let's make it so the **HELP BUTTON** feels more like a button.

- We're adding an attribute called, **cursor**. And passing in **pointer**. To the class "bubble-style"

```
cursor: pointer;
```

And, let's add TWO new **pseudo classes**.

- Active, and then Hover again. And we're going to **transition the background & transform**

Add THIS to the bubble-style **CLASS**.

```
.bubble-style {  
  cursor: pointer;  
  transition: transform 0.1s ease-in-out, background-color 0.1s ease-in-out;  
}
```

> Then ADD these two; In which we change the **BACKGROUND & TRANSFORM**.

- Add any background color, and transform you want.

```
.bubble-style:active {}  
.bubble-style:hover {}
```

Now, the issue is here; We're switching states from **base** → **hover** → **active**. So I need to add the transition to the hover class too (Same one if I like, or different.)

This part isn't all too important, **next part will cover most main uses for basic JAVASCRIPT**, then *end the lab*.