# Weekly Optimization & Report Building — Step-by-Step Guide

Status: current, written 2026-06-04. Screenshots captured from a live web UI against the completed reference session `opt_3f4050fadb0c`.

This is the hands-on, click-by-click guide for running a **Weekly Coverage** optimization and turning it into the deployable team package and reports. For the deeper reference (folder layout, package internals, lane diversity rules) see `weekly_coverage_package_user_guide.md`.

---

## What this workflow does

One **Weekly Coverage** run sweeps a fixed grid of trading lanes and produces a deployable set of named NinjaTrader templates — two (or more) operationally distinct winners per lane.

As of 2026-06-04 the run is **one launch, three automatic stages**:

1. **Broad search** — sweeps MA / stop / target per lane and keeps the best *N* structural winners per lane (you choose *N* via **Templates per bucket**).
2. **Risk-knob refine** — for each lane winner, sweeps **ProfitStop / LossStop / MaxTrades** (max profit / max loss / max trades) and keeps the single best-tuned variant. Your per-bucket count is preserved.
3. **Final validation** — fixed backtests on the refined winners, filtered by your guardrails.

You no longer open a separate page for the risk stage — it runs inline. (A manual risk-refine page still exists for optional extra tuning.)

---

## Prerequisites

- **NinjaTrader 8 running** with the batch-control AddOn deployed. NT cold-starts take 1–2 minutes; wait before launching.
- **The web app running**: `python -m ta_foundation.web.app --port 7739` (any free port). Open `http://127.0.0.1:7739/optimizer/weekly-coverage`.
- A **strategy with a seed template**. Pantheon (`PantheonMasterBotV01TesterV2`) is auto-selected; if no seed exists, click **Generate weekly seed** (no NT download needed).

---

## Step 1 — Open the Weekly Coverage page

Go to `/optimizer/weekly-coverage`. The top panel states the fixed grid and the three-stage flow, and the default lane math (72 lanes, up to 144 deployable templates).

**Run the weekly coverage recipe**

Fixed grid: 6 time buckets, God/Monster sides, slowMA 20/50/100/200/300/400, target 2 diverse winners per lane.

One run, three stages — fully automatic: 1) broad search (MA / stop / target per lane) → 2) risk-knob refine (max profit / max loss / max trades on each lane winner) → 3) final fixed-backtest validation. You don't open a separate page for the risk stage anymore — it runs inline.

72 lanes
Max deployable target: 144 templates

## Step 2 — Pick the strategy and seed

The **Strategy** drop-down defaults to Pantheon. The **Seed template** auto-fills with the matching recipe seed. Set the **Run label**, **Instrument** (must carry the full contract, e.g. `NQ 06-26`), and **Market suffix**. Set the **Final backtest start / end** dates for the validation stage.

Strategy: PantheonMasterBotV01TesterV2 (155 seeds)

Seed template: PantheonMasterBotV01TesterV2_recipe_seed (NQ 06-26, weekly

Selected seed:
.ta_artifacts\web_optimizer\recipe_seeds\PantheonMasterBotV01TesterV2\PantheonMasterBotV01TesterV2_recipe_seed.xml

Generate weekly seed

Run label: Weekly Coverage

Instrument: NQ 06-26

Market suffix: NQ

Final backtest start: mm/dd/yyyy

Final backtest end: mm/dd/yyyy

> If the seed drop-down is empty, click **Generate weekly seed** — it builds a pinned seed in the project seed store. You never need to save a template from NinjaTrader first.

## Step 3 — Set the validation guardrails

These filters decide which final backtests are allowed into the package:

- **Min trades**, **Min PF**, **Max DD**, **Min net**, **Min % days traded**.

Defaults (20 / 1.2 / 2500 / 0 / 20) are a reasonable starting point. **Reset defaults** restores them.

**VALIDATION GUARDRAILS**

Reset defaults

| Min trades | Min PF | Max DD | Min net | Min % days traded |
| --- | --- | --- | --- | --- |
| 20 | 1.2 | 2500 | 0 | 20 |

## Step 4 — Set the lane grid and per-bucket count

The lanes are **start hours × 2 directions (God/Monster) × slow-MA values**.

- **Session start hours** — one time bucket per hour (default `0, 4, 8, 12, 16, 20`).
- **Session duration (hours)** — bucket length.
- **Templates per bucket** — how many winners to keep per lane. **This number is what flows all the way through to the deployable package** — set it to what you want shipped (e.g. `4`).
- **Slow MA lane values** — defines the lanes (default `20, 50, 100, 200, 300, 400`).


---

## Step 5 — Risk refinement (auto-chained)

This is the stage that sweeps **max profit / max loss / max trades**. It is **on by default**.


- Leave **Auto-refine...** checked to sweep ProfitStop / LossStop / MaxTrades on each lane winner. Uncheck it for a quick structure-only run (risk knobs stay at seed defaults).
- Edit the three ranges if you want (min / max / step).
- **Keep the cost in check with one click:** type a budget into **Keep risk pass under ... backtests** and press **Fit ranges**. It widens the steps (keeping your min/max) until `winners × risk-combos` fits the budget. Below, the MaxTrades step was auto-widened so the pass targets ≤ 34 risk combos per winner.

**RISK REFINEMENT (AUTO-CHAINED FINAL STAGE)**

☑ Auto-refine ProfitStop / LossStop / MaxTrades on each lane winner

After the broad search picks winners per lane, this second optimizer pass sweeps the three risk knobs (max profit / max loss / max trades) on each winner and keeps the single best-tuned version — so your **Templates per bucket** count is preserved. Turn it off for a quick structure-only run.

**ProfitStop** (max profit · min / max / step): 1 | 1001 | 500

**LossStop** (max loss · min / max / step): 1 | 1001 | 500

**MaxTrades** (min / max / step): 1 | 11 | 5

Keep risk pass under 5000 backtests **Fit ranges** Fit to 144 winners: targeting ≤ 34 risk combos each.

---

## Step 6 — Review the estimate and run

The scope line shows the broad-search backtest count and a second amber line for the **risk pass** (winners × risk combos). When the numbers look right, click **Run weekly coverage**.

```
72 templates x 112 combos = 8,064 backtests (72 lanes)
+ risk pass: up to 144 winners x 27 risk combos = 3,888 backtests
```

**Run weekly coverage**

> **Volume note:** the risk pass multiplies backtests. On a full 84-lane grid at 4/bucket the default ranges add ~18k backtests; **Fit ranges** brings that down (e.g. ~4k under a 5,000 budget). Use it before launching a large grid.

After you click Run, the request is sent to NinjaTrader. Keep the page open.

---

## Step 7 — Watch the run (three stages, automatic)

The **Last weekly run** panel appears and polls status. It advances itself through all three stages — you'll see `1/3 broad search`, then `2/3 risk-knob refine`, then `3/3 final validation`. When the final backtests are ingested it turns green:

**LAST WEEKLY RUN** Forget

opt_3f4050fadb0c — Weekly Coverage.

Session status | Advanced view | Stage results

✓ Final backtests are in — click Build package & reports.

**WEEKLY PACKAGE & REPORTS**

Unlocks automatically once the NinjaTrader final backtests finish and are ingested.

**Build package & reports**

The panel survives a browser restart. If you lose it, use **Resume a recent weekly run** higher up the page to pick the session back up from any browser.

---

## Step 8 — Build the package and reports

Once the status is green, click **Build package & reports**. The builder reads the final backtest review (it does **not** rerun NinjaTrader), copies the best named templates per lane, and unlocks the report links. The summary shows how many templates were validated and how many lanes were covered (here: 34 validated, 17 / 84 lanes covered — this reference session was a partial run).




From here you can:

- **Open standard report** — per-candidate finalist report.
- **Open coverage report** — the lane coverage package report (Step 9).
- **Build daily update** — lightweight daily progress report.
- **Prune near-identical (category bundle)** — collapse duplicate shapes.
- **Extra manual risk refine (optional)** — only if you want to hand-pick winners and re-sweep risk knobs with different ranges (the run already did one pass).
- **Download package .zip** — the deployable bundle for the team.

---

## Step 9 — Read the coverage report

**Open coverage report** shows the package summary cards, the **lane coverage table** (which buckets × sides × slowMA got validated winners), the best-effort fallbacks, and the full template manifest with parameters.

## Operationally Diverse Weekly Coverage Package

Diversity rule: Long/Short direction flags and realized trade-count profile are first-class distinctions. A one-trade style is not treated as the same shape as a multi-trade style.

| | | | |
|---|---|---|---|
| **34**<br>Validated templates<br>operationally diverse and validated | **0**<br>Best-effort fallbacks<br>filled empty lanes (below guardrails) | **17**<br>Lanes covered of 84<br>67 still have nothing to run | **17**<br>Full lanes<br>2 distinct validated shapes |

### Lane Coverage

| Bucket | Side | slowMA | Name | Passed | Unique Shapes | Validated | Fallback | Run IDs |
|---|---|---|---|---|---|---|---|---|
| 00-04 | God | 20 | Hermes | 4 | 4 | 2 | 0 | F_067; F_086 |
| 00-04 | God | 50 | Hermes | 14 | 14 | 2 | 0 | F_005; F_006 |
| 00-04 | God | 100 | Artemis | 16 | 16 | 2 | 0 | F_037; F_038 |
| 00-04 | God | 200 | Apollo | 10 | 10 | 2 | 0 | F_109; F_110 |
| 00-04 | God | 300 | Ares | 2 | 2 | 2 | 0 | F_145; F_146 |
| 00-04 | God | 400 | Aphrodite | 12 | 12 | 2 | 0 | F_003; F_004 |
| 00-04 | God | 500 | Dionysus | 16 | 16 | 2 | 0 | F_001; F_002 |
| 00-04 | Monster | 20 | Harpy | 14 | 13 | 2 | 0 | F_119; F_120 |
| 00-04 | Monster | 50 | Harpy | 0 | 0 | 0 | 0 | |
| 00-04 | Monster | 100 | Griffin | 12 | 12 | 2 | 0 | F_097; F_098 |
| 00-04 | Monster | 200 | Hydra | 14 | 14 | 2 | 0 | F_061; F_062 |
| 00-04 | Monster | 300 | Cerberus | 8 | 6 | 2 | 0 | F_051; F_052 |
| 00-04 | Monster | 400 | Siren | 0 | 0 | 0 | 0 | |
| 00-04 | Monster | 500 | Typhon | 8 | 7 | 2 | 0 | F_023; F_024 |
| 04-08 | God | 20 | Hermes | 0 | 0 | 0 | 0 | |
| 04-08 | God | 50 | Hermes | 12 | 12 | 2 | 0 | F_015; F_016 |
| 04-08 | God | 100 | Artemis | 12 | 12 | 2 | 0 | F_013; F_014 |
| 04-08 | God | 200 | Apollo | 10 | 10 | 2 | 0 | F_068; F_069 |
| 04-08 | God | 300 | Ares | 6 | 3 | 2 | 0 | F_087; F_117 |
| 04-08 | God | 400 | Aphrodite | 6 | 6 | 2 | 0 | F_049; F_050 |
| 04-08 | God | 500 | Dionysus | 0 | 0 | 0 | 0 | |
| 04-08 | Monster | 20 | Harpy | 0 | 0 | 0 | 0 | |
| 04-08 | Monster | 50 | Harpy | 0 | 0 | 0 | 0 | |
| 04-08 | Monster | 100 | Griffin | 0 | 0 | 0 | 0 | |
| 04-08 | Monster | 200 | Hydra | 0 | 0 | 0 | 0 | |
| 04-08 | Monster | 300 | Cerberus | 0 | 0 | 0 | 0 | |
| 04-08 | Monster | 400 | Siren | 0 | 0 | 0 | 0 | |
| 04-08 | Monster | 500 | Typhon | 0 | 0 | 0 | 0 | |
| 08-12 | God | 20 | Hermes | 0 | 0 | 0 | 0 | |
| 08-12 | God | 50 | Hermes | 0 | 0 | 0 | 0 | |
| 08-12 | God | 100 | Artemis | 0 | 0 | 0 | 0 | |
| 08-12 | God | 200 | Apollo | 0 | 0 | 0 | 0 | |
| 08-12 | God | 300 | Ares | 0 | 0 | 0 | 0 | |
| 08-12 | God | 400 | Aphrodite | 0 | 0 | 0 | 0 | |
| 08-12 | God | 500 | Dionysus | 0 | 0 | 0 | 0 | |
| 08-12 | Monster | 20 | Harpy | 0 | 0 | 0 | 0 | |
| 08-12 | Monster | 50 | Harpy | 0 | 0 | 0 | 0 | |
| 08-12 | Monster | 100 | Griffin | 0 | 0 | 0 | 0 | |
| 08-12 | Monster | 200 | Hydra | 0 | 0 | 0 | 0 | |
| 08-12 | Monster | 300 | Cerberus | 0 | 0 | 0 | 0 | |
| 08-12 | Monster | 400 | Siren | 0 | 0 | 0 | 0 | |
| 08-12 | Monster | 500 | Typhon | 0 | 0 | 0 | 0 | |
| 12-16 | God | 20 | Hermes | 0 | 0 | 0 | 0 | |
| 12-16 | God | 50 | Hermes | 0 | 0 | 0 | 0 | |
| 12-16 | God | 100 | Artemis | 0 | 0 | 0 | 0 | |
| 12-16 | God | 200 | Apollo | 0 | 0 | 0 | 0 | |
| 12-16 | God | 300 | Ares | 0 | 0 | 0 | 0 | |
| 12-16 | God | 400 | Aphrodite | 0 | 0 | 0 | 0 | |
| 12-16 | God | 500 | Dionysus | 0 | 0 | 0 | 0 | |
| 12-16 | Monster | 20 | Harpy | 0 | 0 | 0 | 0 | |
| 12-16 | Monster | 50 | Harpy | 0 | 0 | 0 | 0 | |
| 12-16 | Monster | 100 | Griffin | 0 | 0 | 0 | 0 | |
| 12-16 | Monster | 200 | Hydra | 0 | 0 | 0 | 0 | |
| 12-16 | Monster | 300 | Cerberus | 0 | 0 | 0 | 0 | |
| 12-16 | Monster | 400 | Siren | 0 | 0 | 0 | 0 | |
| 12-16 | Monster | 500 | Typhon | 0 | 0 | 0 | 0 | |
| 16-20 | God | 20 | Hermes | 0 | 0 | 0 | 0 | |
| 16-20 | God | 50 | Hermes | 0 | 0 | 0 | 0 | |
| 16-20 | God | 100 | Artemis | 0 | 0 | 0 | 0 | |
| 16-20 | God | 200 | Apollo | 0 | 0 | 0 | 0 | |
| 16-20 | God | 300 | Ares | 0 | 0 | 0 | 0 | |
| 16-20 | God | 400 | Aphrodite | 0 | 0 | 0 | 0 | |
| 16-20 | God | 500 | Dionysus | 0 | 0 | 0 | 0 | |
| 16-20 | Monster | 20 | Harpy | 0 | 0 | 0 | 0 | |
| 16-20 | Monster | 50 | Harpy | 0 | 0 | 0 | 0 | |

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| 16-20 | Monster | 50 | Harpy | 0 | 0 | 0 | 0 |
| 16-20 | Monster | 100 | Griffin | 0 | 0 | 0 | 0 |
| 16-20 | Monster | 200 | Hydra | 0 | 0 | 0 | 0 |
| 16-20 | Monster | 300 | Cerberus | 0 | 0 | 0 | 0 |
| 16-20 | Monster | 400 | Siren | 0 | 0 | 0 | 0 |
| 16-20 | Monster | 500 | Typhon | 0 | 0 | 0 | 0 |
| 20-24 | God | 20 | Hermes | 0 | 0 | 0 | 0 |
| 20-24 | God | 50 | Hermes | 0 | 0 | 0 | 0 |
| 20-24 | God | 100 | Artemis | 0 | 0 | 0 | 0 |
| 20-24 | God | 200 | Apollo | 0 | 0 | 0 | 0 |
| 20-24 | God | 300 | Ares | 0 | 0 | 0 | 0 |
| 20-24 | God | 400 | Aphrodite | 0 | 0 | 0 | 0 |
| 20-24 | God | 500 | Dionysus | 0 | 0 | 0 | 0 |
| 20-24 | Monster | 20 | Harpy | 0 | 0 | 0 | 0 |
| 20-24 | Monster | 50 | Harpy | 0 | 0 | 0 | 0 |
| 20-24 | Monster | 100 | Griffin | 0 | 0 | 0 | 0 |
| 20-24 | Monster | 200 | Hydra | 0 | 0 | 0 | 0 |
| 20-24 | Monster | 300 | Cerberus | 0 | 0 | 0 | 0 |
| 20-24 | Monster | 400 | Siren | 0 | 0 | 0 | 0 |
| 20-24 | Monster | 500 | Typhon | 0 | 0 | 0 | 0 |

### Template Manifest

| Run | Template | Lane | Direction | Trade Band | Trades | Net | PF | Params |
|---|---|---|---|---|---|---|---|---|
| F_001 | RiseDionysusSerenityS-NQ.xml | 00-04 God Dionysus 500 | short_only | moderate_6_15 | 11 | 1525.0 | 99.0 | fast=3, maxTrades=1, stop=50, rr=0.6 |
| F_002 | RiseDionysusSerenitySV2-NQ.xml | 00-04 God Dionysus 500 | short_only | moderate_6_15 | 11 | 1525.0 | 99.0 | fast=3, maxTrades=1, stop=50, rr=0.6 |
| F_003 | RiseAphroditeEmberL-NQ.xml | 00-04 God Aphrodite 400 | long_only | moderate_6_15 | 10 | 2590.0 | 24.55 | fast=3, maxTrades=7, stop=100, rr=0.6 |
| F_004 | RiseAphroditeEmberLV2-NQ.xml | 00-04 God Aphrodite 400 | long_only | moderate_6_15 | 10 | 2590.0 | 24.55 | fast=3, maxTrades=11, stop=100, rr=0.6 |
| F_005 | RisingHermesFireS-NQ.xml | 00-04 God Hermes 50 | short_only | active_16_40 | 16 | 2750.0 | 12.0 | fast=9, maxTrades=11, stop=50, rr=0.8 |
| F_006 | RisingHermesCosmosS-NQ.xml | 00-04 God Hermes 50 | short_only | active_16_40 | 16 | 2750.0 | 12.0 | fast=9, maxTrades=11, stop=50, rr=0.8 |
| F_013 | PrimingArtemisFireL-NQ.xml | 04-08 God Artemis 100 | long_only | active_16_40 | 17 | 12595.0 | 6.79 | fast=6, maxTrades=11, stop=350, rr=0.6 |
| F_014 | PrimingArtemisFireLV2-NQ.xml | 04-08 God Artemis 100 | long_only | active_16_40 | 17 | 12595.0 | 6.79 | fast=6, maxTrades=9, stop=350, rr=0.6 |
| F_015 | PrimeHermesFireL-NQ.xml | 04-08 God Hermes 50 | long_only | active_16_40 | 19 | 7810.0 | 6.17 | fast=5, maxTrades=1, stop=250, rr=0.8 |
| F_016 | PrimeHermesFireLV2-NQ.xml | 04-08 God Hermes 50 | long_only | active_16_40 | 19 | 7810.0 | 6.17 | fast=5, maxTrades=1, stop=250, rr=0.8 |
| F_023 | RisingTyphonSerenityL-NQ.xml | 00-04 Monster Typhon 500 | short_only | active_16_40 | 21 | 2350.0 | 5.7 | fast=11, maxTrades=5, stop=50, rr=0.6 |
| F_024 | RisingTyphonCosmosL-NQ.xml | 00-04 Monster Typhon 500 | short_only | active_16_40 | 21 | 2350.0 | 5.7 | fast=11, maxTrades=5, stop=50, rr=0.6 |
| F_037 | RiseArtemisInfernoL-NQ.xml | 00-04 God Artemis 100 | long_only | active_16_40 | 17 | 7620.0 | 4.23 | fast=5, maxTrades=1, stop=350, rr=1.4 |
| F_038 | RiseArtemisInfernoLV2-NQ.xml | 00-04 God Artemis 100 | long_only | active_16_40 | 17 | 7620.0 | 4.23 | fast=5, maxTrades=1, stop=350, rr=1.4 |
| F_049 | PrimingAphroditeSerenityL-NQ.xml | 04-08 God Aphrodite 400 | long_only | active_16_40 | 32 | 2800.0 | 3.24 | fast=5, maxTrades=9, stop=50, rr=0.6 |
| F_050 | PrimingAphroditeSerenityLV2-NQ.xml | 04-08 God Aphrodite 400 | long_only | active_16_40 | 32 | 2800.0 | 3.24 | fast=5, maxTrades=7, stop=50, rr=0.6 |
| F_051 | RiseCerberusBoltS-NQ.xml | 00-04 Monster Cerberus 300 | long_only | moderate_6_15 | 14 | 5575.0 | 3.79 | fast=10, maxTrades=3, stop=100, rr=1.6 |
| F_052 | RiseCerberusBoltSV2-NQ.xml | 00-04 Monster Cerberus 300 | long_only | moderate_6_15 | 14 | 5575.0 | 3.79 | fast=10, maxTrades=9, stop=100, rr=1.6 |
| F_061 | RisingHydraBoltS-NQ.xml | 00-04 Monster Hydra 200 | long_only | active_16_40 | 17 | 6480.0 | 3.55 | fast=2, maxTrades=5, stop=100, rr=1.8 |
| F_062 | RiseHydraBoltS-NQ.xml | 00-04 Monster Hydra 200 | long_only | active_16_40 | 17 | 6480.0 | 3.55 | fast=2, maxTrades=5, stop=100, rr=1.8 |
| F_067 | RisingHermesFireB-NQ.xml | 00-04 God Hermes 20 | both | high_activity_41_plus | 44 | 7740.0 | 2.92 | fast=7, maxTrades=3, stop=200, rr=0.6 |
| F_068 | PrimingApolloSerenityL-NQ.xml | 04-08 God Apollo 200 | long_only | active_16_40 | 31 | 2650.0 | 3.12 | fast=9, maxTrades=9, stop=50, rr=0.6 |
| F_069 | PrimingApolloSerenityLV2-NQ.xml | 04-08 God Apollo 200 | long_only | active_16_40 | 31 | 2650.0 | 3.12 | fast=9, maxTrades=5, stop=50, rr=0.6 |
| F_086 | RiseHermesCosmosB-NQ.xml | 00-04 God Hermes 20 | both | active_16_40 | 23 | 4265.0 | 2.94 | fast=7, maxTrades=1, stop=200, rr=0.6 |
| F_087 | PrimingAresInfernoL-NQ.xml | 04-08 God Ares 300 | long_only | active_16_40 | 37 | 10025.0 | 2.26 | fast=7, maxTrades=3, stop=100, rr=1.8 |
| F_097 | RisingGriffinHunterS-NQ.xml | 00-04 Monster Griffin 100 | long_only | active_16_40 | 23 | 7215.0 | 2.8 | fast=9, maxTrades=7, stop=100, rr=1.8 |
| F_098 | RisingGriffinHunterSV2-NQ.xml | 00-04 Monster Griffin 100 | long_only | active_16_40 | 23 | 7215.0 | 2.8 | fast=9, maxTrades=11, stop=100, rr=1.8 |
| F_109 | RisingApolloHunterL-NQ.xml | 00-04 God Apollo 200 | long_only | active_16_40 | 24 | 3750.0 | 2.36 | fast=11, maxTrades=9, stop=50, rr=2.0 |
| F_110 | RisingApolloHunterLV2-NQ.xml | 00-04 God Apollo 200 | long_only | active_16_40 | 24 | 3750.0 | 2.36 | fast=11, maxTrades=3, stop=50, rr=2.0 |
| F_117 | PrimingAresInfernoLV3-NQ.xml | 04-08 God Ares 300 | long_only | active_16_40 | 37 | 8025.0 | 2.01 | fast=7, maxTrades=3, stop=100, rr=1.6 |
| F_119 | RisingHarpyHunterL-NQ.xml | 00-04 Monster Harpy 20 | short_only | high_activity_41_plus | 42 | 4555.0 | 1.91 | fast=2, maxTrades=9, stop=50, rr=1.8 |
| F_120 | RisingHarpyHunterLV2-NQ.xml | 00-04 Monster Harpy 20 | short_only | high_activity_41_plus | 42 | 4555.0 | 1.91 | fast=2, maxTrades=11, stop=50, rr=1.8 |
| F_145 | RisingAresFireS-NQ.xml | 00-04 God Ares 300 | short_only | active_16_40 | 19 | 6180.0 | 2.34 | fast=9, maxTrades=3, stop=300, rr=0.6 |
| F_146 | RisingAresFireSV2-NQ.xml | 00-04 God Ares 300 | short_only | active_16_40 | 19 | 6180.0 | 2.34 | fast=9, maxTrades=3, stop=300, rr=0.6 |

## Step 10 — See exactly which lanes are covered

To see coverage as a grid (and optionally refine further), open the **Refine** page for the session. The **Lane coverage** panel maps every lane:

- **green** = covered with validated winners (the number is how many),
- **amber** = thin / fallback only,
- **red** = nothing ran.

Hover any cell for its run ids. This is the fastest way to spot gaps before a re-run.

**LANE COVERAGE — WHAT'S ALREADY COVERED**

17/84 lanes covered

Each cell is a lane (time bucket × side × slowMA). green = covered with validated winners, amber = thin / fallback only, red = nothing ran. Hover a cell for run ids.

God

| Bucket | 20 | 50 | 100 | 200 | 300 | 400 | 500 |
|---|---|---|---|---|---|---|---|
| 00-04 | 2 | 2 | 2 | 2 | 2 | 2 | 2 |
| 04-08 | 0 | 2 | 2 | 2 | 2 | 2 | 0 |
| 08-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

Monster

| Bucket | 20 | 50 | 100 | 200 | 300 | 400 | 500 |
|---|---|---|---|---|---|---|---|
| 00-04 | 2 | 0 | 2 | 2 | 2 | 0 | 2 |
| 04-08 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 08-12 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 12-16 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 16-20 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| 20-24 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |

## Step 11 — Decision dashboard and leaderboard

The **Decision** dashboard ranks every finalist by robustness-adjusted score, with per-check badges (bootstrap / walk-forward / neighborhood / shadow). Rename final templates, build reports, or hand-pick rows here.




The **Leaderboard** ranks *every* backtest the recipe scored — including rows the optimizer didn't pick — so nothing is hidden.




## Quick reference

| You want... | Do this |
|---|---|
| Ship more templates per lane | Raise **Templates per bucket** (Step 4) |
| Sweep max profit / loss / trades | Leave **Auto-refine** on (Step 5) — it's automatic |
| Keep the run cheap | **Fit ranges** with a budget (Step 5) |
| Skip the risk sweep | Uncheck **Auto-refine** (Step 5) |
| See what's covered | Refine page → lane coverage grid (Step 10) |
| Hand off to the team | **Download package .zip** (Step 8) |

## Notes and gotchas

- **Per-bucket count is preserved end-to-end.** The risk pass keeps one tuned variant per lane winner, so "Templates per bucket = 4" yields 4 risk-optimized templates per lane, not 8.
- **Restart the web app** after pulling code that changes routes or the recipe builder — routes load at import.
- Existing sessions keep their original recipe; only **new** runs use the three-stage flow.
- Contracts must be fully qualified ( `NQ 06-26` , not `NQ` ) — preflight enforces it.

See also: `weekly_coverage_package_user_guide.md`, `recipe_optimizer_user_guide.md`, `pantheon_web_optimizer_full_run.md`.