

Chef de Groupe : N : 047I25 RAJAOBELINA Tahinjanahary

283I25 RANDRIAMBOLA Nomena Jean Gayetan

433I25 RAZAFINDRANALY Nacia Clara

254I25 RANDRIANARISON Miarintsoa

```
C:\Windows\System32\cmd.e X + v
Microsoft Windows [version 10.0.22631.6199]
(c) Microsoft Corporation. Tous droits réservés.

E:\xampp\mysql\bin>mysql -u root
Welcome to the MariaDB monitor.  Commands end with ; or \g.
Your MariaDB connection id is 9
Server version: 10.4.32-MariaDB mariadb.org binary distribution

Copyright (c) 2000, 2018, Oracle, MariaDB Corporation Ab and others.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

MariaDB [(none)]> create database cinema2;
Query OK, 1 row affected (0.001 sec)

MariaDB [(none)]> use cinema2;
Database changed
MariaDB [cinema2]> create table VILLE (CodePostal int(3) primary key not null , NomVille char(20));
Query OK, 0 rows affected (0.010 sec)

MariaDB [cinema2]> create table CINEMA ( NumCine int(3) primary key not null, NomCine char(20) not null, Adresse char(20), foreign key(CodePostal) r
eferences VILLE (CodePostal));
ERROR 1072 (42000): Key column 'CodePostal' doesn't exist in table
MariaDB [cinema2]> create table CINEMA ( NumCine int(3) primary key not null, NomCine char(20) not null, Adresse char(20), CodePostal int(3), foreig
n key(CodePostal) references VILLE (CodePostal));
Query OK, 0 rows affected (0.043 sec)

MariaDB [cinema2]> create table SALLE (NumSalle int(2) primary key not null, Capacite int(3) not null, NumCine int(3), foreign key (NumCine) referen
ces CINEMA (NumCine));
Query OK, 0 rows affected (0.041 sec)

MariaDB [cinema2]> create table FILM (NumExploit int(3) primary key not null, Titre char(20) not null, Duree int(3) not null);
Query OK, 0 rows affected (0.013 sec)

MariaDB [cinema2]> create table PROJECTION (NumExploit int(3),NumSalle int(2), NumSemaine int(3) not null, Nbentrees int(3) not null, foreign key (N
umExploit) references FILM (NumExploit), foreign key (NumSalle) references SALLE(NumSalle));
Query OK, 0 rows affected (0.042 sec)
```

```
C:\Windows\System32\cmd.exe X + v

MariaDB [cinema2]> create table FILM (NumExploit int(3) primary key not null, Titre char(20) not null, Duree int(3) not null);
Query OK, 0 rows affected (0.013 sec)

MariaDB [cinema2]> create table PROJECTION (NumExploit int(3), NumSalle int(2), NumSemaine int(3) not null, Nbentrees int(3) not null, foreign key (NumExploit) references FILM (NumExploit), foreign key (NumSalle) references SALLE(NumSalle));
Query OK, 0 rows affected (0.042 sec)

MariaDB [cinema2]> alter table VILLE modify CodePostal char(4);
ERROR 1833 (HY000): Cannot change column 'CodePostal': used in a foreign key constraint 'cinema_ibfk_1' of table 'cinema2.cinema'
MariaDB [cinema2]> insert into VILLE values ( 101, 'Antananarivo');
Query OK, 1 row affected (0.027 sec)

MariaDB [cinema2]> insert into VILLE values ( 102, 'Toamasina');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 103, 'Fianarantsoa');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 104, 'Mahajanga');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 105, 'Toliara');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 106, 'Antsirabe');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 107, 'Nosy Be');
Query OK, 1 row affected (0.002 sec)

MariaDB [cinema2]> insert into VILLE values ( 108, 'Morondava');
Query OK, 1 row affected (0.008 sec)

MariaDB [cinema2]> insert into VILLE values ( 109, 'Sambava');
Query OK, 1 row affected (0.005 sec)
```

```
C:\Windows\System32\cmd.e  X  +  v  -  [icon]  X

MariaDB [cinema2]> insert into VILLE values ( 109,'Sambava');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 110,'Manakara');
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema2]> insert into VILLE values ( 111,'Ambanja');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema2]> insert into VILLE values ( 112,'Farafangana');
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema2]> insert into VILLE values ( 113,'Ambositra');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 114,'Antalaha');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 115,'Tsiroanomandidy');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 116,'Maintirano');
Query OK, 1 row affected (0.002 sec)

MariaDB [cinema2]> insert into VILLE values ( 117,'Moramanga');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 118,'Ambatondrazaka');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into VILLE values ( 119,'Amboasary');
Query OK, 1 row affected (0.008 sec)

MariaDB [cinema2]> insert into VILLE values ( 120,'Betafo');
Query OK, 1 row affected (0.005 sec)
```

```
C:\Windows\System32\cmd.e  X  +  v

MariaDB [cinema2]> insert into VILLE values ( 120,'Betafo');
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 1,'Cine Tana 1','Analakely', 101);
Query OK, 1 row affected (0.007 sec)

MariaDB [cinema2]> insert into CINEMA values ( 2,'Cine Tana 2','Behoririka', 101);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 3,'Cine Tamatave','Centre Ville', 103);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema2]> insert into CINEMA values ( 4,'Cine Fianara','Tanambao', 103);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 5,'Cine Majunga','Mahabibo', 104);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 6,'Cine Tulear','Sanfil', 105);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 7,'Cine Atsirabe','Ville Haute', 106);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 8,'Cine Nosy Be','Ambatoloaka', 107);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 9,'Cine Morondava','Centre', 108);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 10,'Cine Sambava','Bazary', 109);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema2]> insert into CINEMA values ( 11,'Cine Manakara','Ville Basse', 110);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 12,'Cine Ambanja','Centre', 111);
```

```
C:\Windows\System32\cmd.e  X  +  v
MariaDB [cinema2]> insert into CINEMA values ( 12,'Cine Ambanja','Centre', 111);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 13,'Cine Farafangana','Tanambao', 112);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 14,'Cine Ambositra','Centre', 115);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 15,'Cine Antalaha','Ville Haute', 114);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema2]> insert into CINEMA values ( 16,'Cine Tsiroa','Cente', 115);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema2]> insert into CINEMA values ( 17,'Cine Maintirano','Cente', 116);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 18,'Cine Moramanga','Ville Haute', 117);
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema2]> insert into CINEMA values ( 19,'Cine Ambato','Centre', 118);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into CINEMA values ( 20,'Cine Amboasary','Centre', 119);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into SALLE values ( 1,150,1);
Query OK, 1 row affected (0.013 sec)

MariaDB [cinema2]> insert into SALLE values ( 2,200,1);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into SALLE values ( 3,220,2);
Query OK, 1 row affected (0.003 sec)

MariaDB [cinema2]> insert into SALLE values ( 4,180,3);
```

```
MariaDB [cinema2]> insert into FILM values (1,'Avengers', 120);  
Query OK, 1 row affected (0.007 sec)
```

```
MariaDB [cinema2]> insert into FILM values (2,'Titanic', 195);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (3,'Inception', 148);  
Query OK, 1 row affected (0.004 sec)
```

```
MariaDB [cinema2]> insert into FILM values (4,'Interstellar', 169);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (5,'Gladiator', 155);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (6,'Joker', 122);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (7,'Avatar', 162);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (8,'The Matrix', 136);  
Query OK, 1 row affected (0.008 sec)
```

```
MariaDB [cinema2]> insert into FILM values (9,'Frozen', 102);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (10,'Coco', 105);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (11,'Black Panther', 134);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (12,'The Lion King', 118);  
Query OK, 1 row affected (0.005 sec)
```

Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into SALLE values ( 18,165,17);

Query OK, 1 row affected (0.004 sec)

MariaDB [cinema2]> insert into SALLE values ( 19,185,18);

Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> select \* from SALLE;

| NumSalle | Capacite | NumCine |
|----------|----------|---------|
| 1        | 150      | 1       |
| 2        | 200      | 1       |
| 3        | 220      | 2       |
| 4        | 180      | 3       |
| 5        | 220      | 4       |
| 6        | 160      | 5       |
| 7        | 140      | 6       |
| 8        | 130      | 7       |
| 9        | 250      | 8       |
| 10       | 175      | 9       |
| 11       | 190      | 10      |
| 12       | 210      | 11      |
| 13       | 110      | 12      |
| 14       | 170      | 13      |
| 15       | 230      | 14      |
| 16       | 145      | 15      |
| 17       | 155      | 16      |
| 18       | 165      | 17      |
| 19       | 185      | 18      |

19 rows in set (0.001 sec)

MariaDB [cinema2]> select \* from CINEMA;

| NumCine | NomCine | Adresse | CodePostal |
|---------|---------|---------|------------|
|---------|---------|---------|------------|

Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> select \* from FILM;

| NumExploit | Titre              | Duree |
|------------|--------------------|-------|
| 1          | Avengers           | 120   |
| 2          | Titanic            | 195   |
| 3          | Inception          | 148   |
| 4          | Interstellar       | 169   |
| 5          | Gladiator          | 155   |
| 6          | Joker              | 122   |
| 7          | Avatar             | 162   |
| 8          | The Matrix         | 136   |
| 9          | Frozen             | 102   |
| 10         | Coco               | 105   |
| 11         | Black Panther      | 134   |
| 12         | The Lion King      | 118   |
| 13         | Fast & Furious     | 130   |
| 14         | Harry Potter       | 152   |
| 15         | Spider-Man         | 140   |
| 16         | Doctor Strange     | 115   |
| 17         | The Batman         | 176   |
| 18         | Top Gun            | 131   |
| 19         | Jurassic Park      | 127   |
| 20         | Mission Impossible | 147   |

20 rows in set (0.001 sec)

MariaDB [cinema2]> insert into PROJECTION values (1,1,1,120);  
Query OK, 1 row affected (0.011 sec)

MariaDB [cinema2]> insert into PROJECTION values (2,2,1,120);  
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into PROJECTION values (3,3,2,90);



```
MariaDB [cinema2]> delete from PROJECTION where NumSemaine = 5;  
Query OK, 2 rows affected (0.005 sec)
```

```
MariaDB [cinema2]> select * from PROJECTION;
```

| NumExploit | NumSalle | NumSemaine | Nbentrees |
|------------|----------|------------|-----------|
| 3          | 3        | 2          | 140       |
| 4          | 4        | 8          | 160       |
| 5          | 5        | 3          | 200       |
| 6          | 6        | 3          | 140       |
| 7          | 7        | 4          | 160       |
| 8          | 8        | 4          | 160       |
| 11         | 11       | 6          | 190       |
| 12         | 12       | 6          | 180       |
| 13         | 13       | 7          | 150       |
| 14         | 14       | 7          | 150       |
| 15         | 15       | 8          | 210       |
| 16         | 16       | 8          | 130       |
| 17         | 17       | 9          | 140       |
| 18         | 18       | 9          | 160       |
| 19         | 19       | 10         | 175       |

```
15 rows in set (0.001 sec)
```

```
MariaDB [cinema2]> |
```

```
C:\Windows\System32\cmd.e X + v
20 rows in set (0.001 sec)

MariaDB [cinema2]> select * from VILLE;
+-----+-----+
| CodePostal | NomVille |
+-----+-----+
| 101 | Antananarivo |
| 102 | Toamasina |
| 103 | Fianarantsoa |
| 104 | Mahajanga |
| 105 | Toliara |
| 106 | Antsirabe |
| 107 | Nosy Be |
| 108 | Morondava |
| 109 | Sambava |
| 110 | Manakara |
| 111 | Ambanja |
| 112 | Farafangana |
| 113 | Ambositra |
| 114 | Antalaha |
| 115 | Tsiroanomandidy |
| 116 | Maintirano |
| 117 | Moramanga |
| 118 | Ambatondrazaka |
| 119 | Amboasary |
| 120 | Betafo |
+-----+-----+
20 rows in set (0.001 sec)

MariaDB [cinema2]> insert into FILM values (1,'Avengers', 120);
Query OK, 1 row affected (0.007 sec)

MariaDB [cinema2]> insert into FILM values (2,'Titanic', 195);
Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into FILM values (3,'Inception', 148);
```

```
MariaDB [cinema2]> insert into FILM values (1,'Avengers', 120);  
Query OK, 1 row affected (0.007 sec)
```

```
MariaDB [cinema2]> insert into FILM values (2,'Titanic', 195);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (3,'Inception', 148);  
Query OK, 1 row affected (0.004 sec)
```

```
MariaDB [cinema2]> insert into FILM values (4,'Interstellar', 169);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (5,'Gladiator', 155);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (6,'Joker', 122);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (7,'Avatar', 162);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (8,'The Matrix', 136);  
Query OK, 1 row affected (0.008 sec)
```

```
MariaDB [cinema2]> insert into FILM values (9,'Frozen', 102);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (10,'Coco', 105);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (11,'Black Panther', 134);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (12,'The Lion King', 118);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (11,'Black Panther', 134);
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (12,'The Lion King', 118);
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (13,'Fast & Furious', 130);
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [cinema2]> insert into FILM values (14,'Harry Potter', 152);
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (15,'Spider-Man', 140);
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (16,'Doctor Strange', 115);
Query OK, 1 row affected (0.006 sec)
```

```
MariaDB [cinema2]> insert into FILM values (17,'The Batman', 176);
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (18,'Top Gun', 131);
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (19,'Jurassic Park', 127);
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into FILM values (20,'Mission Impossible', 147);
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> select * from FILM;
```

| NumExploit | Titre    | Duree |
|------------|----------|-------|
| 1          | Avengers | 120   |
| 2          | Titanic  | 195   |

Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> select \* from FILM;

| NumExploit | Titre              | Duree |
|------------|--------------------|-------|
| 1          | Avengers           | 120   |
| 2          | Titanic            | 195   |
| 3          | Inception          | 148   |
| 4          | Interstellar       | 169   |
| 5          | Gladiator          | 155   |
| 6          | Joker              | 122   |
| 7          | Avatar             | 162   |
| 8          | The Matrix         | 136   |
| 9          | Frozen             | 102   |
| 10         | Coco               | 105   |
| 11         | Black Panther      | 134   |
| 12         | The Lion King      | 118   |
| 13         | Fast & Furious     | 130   |
| 14         | Harry Potter       | 152   |
| 15         | Spider-Man         | 140   |
| 16         | Doctor Strange     | 115   |
| 17         | The Batman         | 176   |
| 18         | Top Gun            | 131   |
| 19         | Jurassic Park      | 127   |
| 20         | Mission Impossible | 147   |

20 rows in set (0.001 sec)

MariaDB [cinema2]> insert into PROJECTION values (1,1,1,120);

Query OK, 1 row affected (0.011 sec)

MariaDB [cinema2]> insert into PROJECTION values (2,2,1,120);

Query OK, 1 row affected (0.005 sec)

MariaDB [cinema2]> insert into PROJECTION values (3,3,2,90);

```
MariaDB [cinema2]> insert into PROJECTION values (2,2,1,120);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (3,3,2,90);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (4,4,2,130);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (5,5,3,200);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (6,6,3,140);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (7,7,4,160);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (8,8,4,110);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (9,9,5,220);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (10,10,5,170);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (11,11,6,190);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (12,12,6,180);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (13,13,7,100);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (9,9,5,220);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (10,10,5,170);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (11,11,6,190);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (12,12,6,180);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (13,13,7,100);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (14,14,7,150);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (15,15,8,210);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (16,16,8,130);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (17,17,9,140);  
Query OK, 1 row affected (0.002 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (18,18,9,160);  
Query OK, 1 row affected (0.005 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (19,19,10,175);  
Query OK, 1 row affected (0.003 sec)
```

```
MariaDB [cinema2]> insert into PROJECTION values (20,20,10,185);
```

```
MariaDB [cinema2]> select * from PROJECTION;
```

| NumExploit | NumSalle | NumSemaine | Nbentrees |
|------------|----------|------------|-----------|
| 1          | 1        | 1          | 120       |
| 2          | 2        | 1          | 120       |
| 3          | 3        | 2          | 90        |
| 4          | 4        | 2          | 130       |
| 5          | 5        | 3          | 200       |
| 6          | 6        | 3          | 140       |
| 7          | 7        | 4          | 160       |
| 8          | 8        | 4          | 110       |
| 9          | 9        | 5          | 220       |
| 10         | 10       | 5          | 170       |
| 11         | 11       | 6          | 190       |
| 12         | 12       | 6          | 180       |
| 13         | 13       | 7          | 100       |
| 14         | 14       | 7          | 150       |
| 15         | 15       | 8          | 210       |
| 16         | 16       | 8          | 130       |
| 17         | 17       | 9          | 140       |
| 18         | 18       | 9          | 160       |
| 19         | 19       | 10         | 175       |

```
19 rows in set (0.001 sec)
```

```

MariaDB [cinema2]> update SALLE set Capacite = 300 where NumSalle = 1;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [cinema2]> update SALLE set Capacite = 250 where NumSalle = 2;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [cinema2]> update SALLE set Capacite = 180 where NumSalle = 3;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [cinema2]> update SALLE set Capacite = 200 where Capacite = 150;
Query OK, 0 rows affected (0.000 sec)
Rows matched: 0  Changed: 0  Warnings: 0

MariaDB [cinema2]> update SALLE set Capacite = Capacite + 20 where NumSalle = 5;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [cinema2]> update SALLE set Capacite = Capacite - 10 where NumSalle = 6;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0

MariaDB [cinema2]> select * from SALLE;
+-----+-----+-----+
| NumSalle | Capacite | NumCine |
+-----+-----+-----+
| 1 | 300 | 1 |
| 2 | 250 | 1 |
| 3 | 180 | 2 |
| 4 | 180 | 3 |
| 5 | 240 | 4 |
| 6 | 150 | 5 |
| 7 | 140 | 6 |
| 8 | 130 | 7 |

```

Rows matched: 0 Changed: 0 Warnings: 0

MariaDB [cinema2]> update SALLE set Capacite = Capacite + 20 where NumSalle = 5;  
Query OK, 1 row affected (0.005 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update SALLE set Capacite = Capacite - 10 where NumSalle = 6;  
Query OK, 1 row affected (0.005 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> select \* from SALLE;

| NumSalle | Capacite | NumCine |
|----------|----------|---------|
| 1        | 300      | 1       |
| 2        | 250      | 1       |
| 3        | 180      | 2       |
| 4        | 180      | 3       |
| 5        | 240      | 4       |
| 6        | 150      | 5       |
| 7        | 140      | 6       |
| 8        | 130      | 7       |
| 9        | 250      | 8       |
| 10       | 175      | 9       |
| 11       | 190      | 10      |
| 12       | 210      | 11      |
| 13       | 110      | 12      |
| 14       | 170      | 13      |
| 15       | 230      | 14      |
| 16       | 145      | 15      |
| 17       | 155      | 16      |
| 18       | 165      | 17      |
| 19       | 185      | 18      |

19 rows in set (0.001 sec)

MariaDB [cinema2]> update CINEMA set Adresse = 'Nouvelle Adresse' where NumCine = 3;  
Query OK, 1 row affected (0.006 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update CINEMA set Adresse = 'Centre Ville' where NumCine = 4;  
Query OK, 1 row affected (0.002 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update CINEMA set CodePostal = 101 where NumCine = 10;  
Query OK, 1 row affected (0.006 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update CINEMA set CodePostal = 102 where NumCine = 15;  
Query OK, 1 row affected (0.003 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> select \* from CINEMA;

| NumCine | NomCine        | Adresse          | CodePostal |
|---------|----------------|------------------|------------|
| 1       | Cine Tana 1    | Analakely        | 101        |
| 2       | Cine Tana 2    | Behoririka       | 101        |
| 3       | Cine Tamatave  | Nouvelle Adresse | 103        |
| 4       | Cine Fianara   | Centre Ville     | 103        |
| 5       | Cine Majunga   | Mahabibo         | 104        |
| 6       | Cine Tulear    | Sanfil           | 105        |
| 7       | Cine Atsirabe  | Ville Haute      | 106        |
| 8       | Cine Nosy Be   | Ambatoloaka      | 107        |
| 9       | Cine Morondava | Centre           | 108        |
| 10      | Cine Sambava   | Bazary           | 101        |

C:\Windows\System32\cmd.e X

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update CINEMA set CodePostal = 101 where NumCine = 10;

Query OK, 1 row affected (0.006 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update CINEMA set CodePostal = 102 where NumCine = 15;

Query OK, 1 row affected (0.003 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> select \* from CINEMA;

| NumCine | NomCine          | Adresse          | CodePostal |
|---------|------------------|------------------|------------|
| 1       | Cine Tana 1      | Analakely        | 101        |
| 2       | Cine Tana 2      | Behoririka       | 101        |
| 3       | Cine Tamatave    | Nouvelle Adresse | 103        |
| 4       | Cine Fianara     | Centre Ville     | 103        |
| 5       | Cine Majunga     | Mahabibo         | 104        |
| 6       | Cine Tulear      | Sanfil           | 105        |
| 7       | Cine Atsirabe    | Ville Haute      | 106        |
| 8       | Cine Nosy Be     | Ambatoloaka      | 107        |
| 9       | Cine Morondava   | Centre           | 108        |
| 10      | Cine Sambava     | Bazary           | 101        |
| 11      | Cine Manakara    | Ville Basse      | 110        |
| 12      | Cine Ambanja     | Centre           | 111        |
| 13      | Cine Farafangana | Tanambao         | 112        |
| 14      | Cine Ambositra   | Centre           | 115        |
| 15      | Cine Antalaha    | Ville Haute      | 102        |
| 16      | Cine Tsiroa      | Cente            | 115        |
| 17      | Cine Maintirano  | Cente            | 116        |
| 18      | Cine Moramanga   | Ville Haute      | 117        |
| 19      | Cine Ambato      | Centre           | 118        |
| 20      | Cine Amboasary   | Centre           | 119        |

20 rows in set (0.001 sec)

C:\Windows\System32\cmd.e X + v

20 rows in set (0.001 sec)

MariaDB [cinema2]> update FILM set Duree = 130 where NumExploit = 1;  
Query OK, 1 row affected (0.005 sec)  
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update FILM set Duree = 210 where NumExploit = 2;  
Query OK, 1 row affected (0.005 sec)  
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update FILM set Duree = Duree + 5 where NumExploit = 3;  
Query OK, 1 row affected (0.003 sec)  
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update FILM set Duree = Duree - 10 where NumExploit = 4;  
Query OK, 1 row affected (0.005 sec)  
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update FILM set Duree = 120;  
Query OK, 20 rows affected (0.005 sec)  
Rows matched: 20 Changed: 20 Warnings: 0

MariaDB [cinema2]> update FILM set Titre = 'Gladiator 2' where NumExploit = 5;  
Query OK, 1 row affected (0.005 sec)  
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update FILM set Titre = 'Joker 2' where NumExploit = 6;  
Query OK, 1 row affected (0.005 sec)  
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update FILM set Titre = 'Avatar 2' where NumExploit = 7;  
Query OK, 1 row affected (0.005 sec)  
Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> select \* from FILM;  
+-----+-----+-----+  
| NumExploit | Titre | Duree |

```
MariaDB [cinema2]> update FILM set Titre = 'Joker 2' where NumExploit = 6;  
Query OK, 1 row affected (0.005 sec)  
Rows matched: 1 Changed: 1 Warnings: 0
```

```
MariaDB [cinema2]> update FILM set Titre = 'Avatar 2' where NumExploit = 7;  
Query OK, 1 row affected (0.005 sec)  
Rows matched: 1 Changed: 1 Warnings: 0
```

```
MariaDB [cinema2]> select * from FILM;
```

| NumExploit | Titre              | Duree |
|------------|--------------------|-------|
| 1          | Avengers           | 120   |
| 2          | Titanic            | 120   |
| 3          | Inception          | 120   |
| 4          | Interstellar       | 120   |
| 5          | Gladiator 2        | 120   |
| 6          | Joker 2            | 120   |
| 7          | Avatar 2           | 120   |
| 8          | The Matrix         | 120   |
| 9          | Frozen             | 120   |
| 10         | Coco               | 120   |
| 11         | Black Panther      | 120   |
| 12         | The Lion King      | 120   |
| 13         | Fast & Furious     | 120   |
| 14         | Harry Potter       | 120   |
| 15         | Spider-Man         | 120   |
| 16         | Doctor Strange     | 120   |
| 17         | The Batman         | 120   |
| 18         | Top Gun            | 120   |
| 19         | Jurassic Park      | 120   |
| 20         | Mission Impossible | 120   |

```
20 rows in set (0.001 sec)
```

```
MariaDB [cinema2]> |
```

C:\Windows\System32\cmd.e X + v

```
|      20 | Mission Impossible |    120 |
+-----+-----+-----+
20 rows in set (0.001 sec)
```

```
MariaDB [cinema2]> update PROJECTION set Nbentrees = 200 where NumExploit = 1;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
MariaDB [cinema2]> update PROJECTION set Nbentrees = 150 where NumSalle = 2;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
MariaDB [cinema2]> update PROJECTION set Nbentrees = Nbentrees +20 where NumExploit = 3;
Query OK, 1 row affected (0.006 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
MariaDB [cinema2]> update PROJECTION set Nbentrees = Nbentrees +30 where NumSemaine = 2;
Query OK, 2 rows affected (0.005 sec)
Rows matched: 2  Changed: 2  Warnings: 0
```

```
MariaDB [cinema2]> update PROJECTION set Nbentrees = 180 where NumSemaine = 5;
Query OK, 2 rows affected (0.005 sec)
Rows matched: 2  Changed: 2  Warnings: 0
```

```
MariaDB [cinema2]> update PROJECTION set NumSemaine = 12 where NumSalle = 1;
Query OK, 1 row affected (0.008 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
MariaDB [cinema2]> update PROJECTION set NumSemaine = 8 where NumExploit = 4;
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
MariaDB [cinema2]> select * from PROJECTION;
```

```
+-----+-----+-----+
| NumExploit | NumSalle | NumSemaine | Nbentrees |
+-----+-----+-----+
|          1 |          1 |          12 |          200 |
+-----+-----+-----+
```

Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [cinema2]> update PROJECTION set NumSemaine = 12 where NumSalle = 1;  
Query OK, 1 row affected (0.008 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> update PROJECTION set NumSemaine = 8 where NumExploit = 4;  
Query OK, 1 row affected (0.005 sec)

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> select \* from PROJECTION;

| NumExploit | NumSalle | NumSemaine | Nbentrees |
|------------|----------|------------|-----------|
| 1          | 1        | 12         | 200       |
| 2          | 2        | 1          | 150       |
| 3          | 3        | 2          | 140       |
| 4          | 4        | 8          | 160       |
| 5          | 5        | 3          | 200       |
| 6          | 6        | 3          | 140       |
| 7          | 7        | 4          | 160       |
| 8          | 8        | 4          | 110       |
| 9          | 9        | 5          | 180       |
| 10         | 10       | 5          | 180       |
| 11         | 11       | 6          | 190       |
| 12         | 12       | 6          | 180       |
| 13         | 13       | 7          | 100       |
| 14         | 14       | 7          | 150       |
| 15         | 15       | 8          | 210       |
| 16         | 16       | 8          | 130       |
| 17         | 17       | 9          | 140       |
| 18         | 18       | 9          | 160       |
| 19         | 19       | 10         | 175       |

19 rows in set (0.001 sec)

MariaDB [cinema2]> |

```
+-----+
19 rows in set (0.001 sec)
```

```
MariaDB [cinema2]> update VILLE set NomVille = 'Betafo Ville' where NomVille = 'Betafo';
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
MariaDB [cinema2]> update VILLE set NomVille = 'Nosy Be Centre' where NomVille = 'Nosy Be';
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
MariaDB [cinema2]> update VILLE set NomVille = 'Morondava Ville' where NomVille = 'Morondava';
Query OK, 1 row affected (0.005 sec)
Rows matched: 1  Changed: 1  Warnings: 0
```

```
MariaDB [cinema2]> select * from VILLE;
```

```
+-----+
| CodePostal | NomVille |
+-----+
| 101 | Antananarivo |
| 102 | Toamasina |
| 103 | Fianarantsoa |
| 104 | Mahajanga |
| 105 | Toliara |
| 106 | Antsirabe |
| 107 | Nosy Be Centre |
| 108 | Morondava Ville |
| 109 | Sambava |
| 110 | Manakara |
| 111 | Ambanja |
| 112 | Farafangana |
| 113 | Ambositra |
| 114 | Antalaha |
| 115 | Tsiroanomandidy |
| 116 | Maintirano |
| 117 | Moramanga |
| 118 | Ambatondrazaka |
```

Rows matched: 1 Changed: 1 Warnings: 0

MariaDB [cinema2]> select \* from VILLE;

| CodePostal | NomVille        |
|------------|-----------------|
| 101        | Antananarivo    |
| 102        | Toamasina       |
| 103        | Fianarantsoa    |
| 104        | Mahajanga       |
| 105        | Toliara         |
| 106        | Antsirabe       |
| 107        | Nosy Be Centre  |
| 108        | Morondava Ville |
| 109        | Sambava         |
| 110        | Manakara        |
| 111        | Ambanja         |
| 112        | Farafangana     |
| 113        | Ambositra       |
| 114        | Antalaha        |
| 115        | Tsiroanomandidy |
| 116        | Maintirano      |
| 117        | Moramanga       |
| 118        | Ambatondrazaka  |
| 119        | Amboasary       |
| 120        | Betafo Ville    |

20 rows in set (0.001 sec)

MariaDB [cinema2]> update SALLE set Capacite = 200 where Capacite < 150 ;  
Query OK, 4 rows affected (0.006 sec)

Rows matched: 4 Changed: 4 Warnings: 0

MariaDB [cinema2]> select \* from SALLE;

| NumSalle | Capacite | NumCine |
|----------|----------|---------|
|----------|----------|---------|

```
|      120 | Betafo Ville |
+-----+
20 rows in set (0.001 sec)
```

```
MariaDB [cinema2]> update SALLE set Capacite = 200 where Capacite < 150 ;
Query OK, 4 rows affected (0.006 sec)
Rows matched: 4  Changed: 4  Warnings: 0
```

```
MariaDB [cinema2]> select * from SALLE;
```

```
+-----+-----+-----+
| NumSalle | Capacite | NumCine |
+-----+-----+-----+
|      1 |      300 |      1 |
|      2 |      250 |      1 |
|      3 |      180 |      2 |
|      4 |      180 |      3 |
|      5 |      240 |      4 |
|      6 |      150 |      5 |
|      7 |      200 |      6 |
|      8 |      200 |      7 |
|      9 |      250 |      8 |
|     10 |      175 |      9 |
|     11 |      190 |     10 |
|     12 |      210 |     11 |
|     13 |      200 |     12 |
|     14 |      170 |     13 |
|     15 |      230 |     14 |
|     16 |      200 |     15 |
|     17 |      155 |     16 |
|     18 |      165 |     17 |
|     19 |      185 |     18 |
+-----+-----+-----+
```

```
19 rows in set (0.001 sec)
```

```
MariaDB [cinema2]> update PROJECTION set Nbentrees = Nbentrees + 50 where Nbentrees < 120;
Query OK, 2 rows affected (0.005 sec)
Rows matched: 2  Changed: 2  Warnings: 0
```

C:\Windows\System32\cmd.e X + v

|    |     |    |
|----|-----|----|
| 17 | 155 | 16 |
| 18 | 165 | 17 |
| 19 | 185 | 18 |

19 rows in set (0.001 sec)

MariaDB [cinema2]> update PROJECTION set Nbentrees = Nbentrees + 50 where Nbentrees < 120;

Query OK, 2 rows affected (0.005 sec)

Rows matched: 2 Changed: 2 Warnings: 0

MariaDB [cinema2]> select \* from PROJECTION;

| NumExploit | NumSalle | NumSemaine | Nbentrees |
|------------|----------|------------|-----------|
| 1          | 1        | 12         | 200       |
| 2          | 2        | 1          | 150       |
| 3          | 3        | 2          | 140       |
| 4          | 4        | 8          | 160       |
| 5          | 5        | 3          | 200       |
| 6          | 6        | 3          | 140       |
| 7          | 7        | 4          | 160       |
| 8          | 8        | 4          | 160       |
| 9          | 9        | 5          | 180       |
| 10         | 10       | 5          | 180       |
| 11         | 11       | 6          | 190       |
| 12         | 12       | 6          | 180       |
| 13         | 13       | 7          | 150       |
| 14         | 14       | 7          | 150       |
| 15         | 15       | 8          | 210       |
| 16         | 16       | 8          | 130       |
| 17         | 17       | 9          | 140       |
| 18         | 18       | 9          | 160       |
| 19         | 19       | 10         | 175       |

19 rows in set (0.001 sec)

MariaDB [cinema2]> delete from PROJECTION where NumSalle = 2;  
Query OK, 1 row affected (0.004 sec)

MariaDB [cinema2]> select \* from PROJECTION;

| NumExploit | NumSalle | NumSemaine | Nbentrees |
|------------|----------|------------|-----------|
| 1          | 1        | 12         | 200       |
| 3          | 3        | 2          | 140       |
| 4          | 4        | 8          | 160       |
| 5          | 5        | 3          | 200       |
| 6          | 6        | 3          | 140       |
| 7          | 7        | 4          | 160       |
| 8          | 8        | 4          | 160       |
| 9          | 9        | 5          | 180       |
| 10         | 10       | 5          | 180       |
| 11         | 11       | 6          | 190       |
| 12         | 12       | 6          | 180       |
| 13         | 13       | 7          | 150       |
| 14         | 14       | 7          | 150       |
| 15         | 15       | 8          | 210       |
| 16         | 16       | 8          | 130       |
| 17         | 17       | 9          | 140       |
| 18         | 18       | 9          | 160       |
| 19         | 19       | 10         | 175       |

18 rows in set (0.001 sec)

MariaDB [cinema2]> |

17 rows in set (0.002 sec)

```
MariaDB [cinema2]> delete from PROJECTION where NumExploit = 1;  
Query OK, 1 row affected (0.006 sec)
```

```
MariaDB [cinema2]> select * from PROJECTION;
```

| NumExploit | NumSalle | NumSemaine | Nbentrees |
|------------|----------|------------|-----------|
| 3          | 3        | 2          | 140       |
| 4          | 4        | 8          | 160       |
| 5          | 5        | 3          | 200       |
| 6          | 6        | 3          | 140       |
| 7          | 7        | 4          | 160       |
| 8          | 8        | 4          | 160       |
| 9          | 9        | 5          | 180       |
| 10         | 10       | 5          | 180       |
| 11         | 11       | 6          | 190       |
| 12         | 12       | 6          | 180       |
| 13         | 13       | 7          | 150       |
| 14         | 14       | 7          | 150       |
| 15         | 15       | 8          | 210       |
| 16         | 16       | 8          | 130       |
| 17         | 17       | 9          | 140       |
| 18         | 18       | 9          | 160       |
| 19         | 19       | 10         | 175       |

17 rows in set (0.001 sec)

```
MariaDB [cinema2]> |
```

