// TEAM G1 · TRUNK-BASED COLLABORATION

# CALI CONTAINER CITY

Deliverables — Docker · Networks · Volumes · GitHub

repo: github.com/Nomka0/dockerintro-G1 | 6 services | image: cali-service:v1

```
root@cali-city:~/deliverables$ ./submit --all
```

---

## — FOLDER · DOCKERFILE · CODE · DEPENDENCIES OK

The folders with the Dockerfile and code already exist.

---

## — GITHUB ISSUE — SERVICE REQUIREMENTS OK

- Jose Antonio — github.com/Nomka0/dockerintro-G1/issues/2
- Juan Sebastian Ospina Maya — github.com/Nomka0/dockerintro-G1/issues/3
- Juan Solarte — github.com/Nomka0/dockerintro-G1/issues/4
- Juan José Bolaños — github.com/Nomka0/dockerintro-G1/issues/6
- John Candelo — github.com/Nomka0/dockerintro-G1/issues/8
- Gabriel Arango — github.com/Nomka0/dockerintro-G1/issues/19

---

## — COPILOT PARTICIPATION OK

The participation of the Copilot coding agent in the project can be checked through the filtering of its git commits on the group project repository.

```
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 %  git log --all --author='copilot' --regexp-ignore-case --format='%h|%an|%ae|%ad|%s' --date=short 2>&1 | head -40
36fd35a|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-15|Add Gabriel Flask student service with Docker setup
aa3a768|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-15|Initial plan
9611894|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-14|Add Gabriel de Jesus Flask service scaffold
de4d536|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-14|Initial plan
a3b17c8|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-14|Initial plan
3443ccb|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Add Juan Sebastian Flask student service
7b3a382|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Remove accidental pycache artifact from johnex service
5570f79|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Add Johnex Flask service under students/johnex
4f0fc61|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Add Jose Antonio Flask service in students folder
56ee576|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Add Juan David Solarte Flask Docker service
7dd043d|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Initial plan
98be0e4|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Initial plan
2d1de4e|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Initial plan
9b8a058|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Initial plan
008f052|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Fix student service env vars, logging, and Docker runtime requirements
4d28c5b|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Initial plan
18db6ca|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Implement Juanjo Flask service and request logging
a1f747a|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-06|Initial plan
3188557|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-04|Update README_Lab with mandatory fork and Copilot workflow requirements
ffcb100|copilot-swe-agent[bot]|198982749+Copilot@users.noreply.github.com|2026-10-04|Initial plan
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 %
```

» copilot-swe-agent[bot] commits

---


## — PULL REQUEST LINKED TO ISSUE OK

- Jose Antonio — Issue #2 → PR #12 — github.com/Nomka0/dockerintro-G1/pull/12
- Juan Sebastian Ospina Maya — Issue #3 → PR #11 — github.com/Nomka0/dockerintro-G1/pull/11
- Juan David Solarte — Issue #4 → PR #10 — github.com/Nomka0/dockerintro-G1/pull/10
- Juan José Bolaños — Issue #6 → PR #7 — github.com/Nomka0/dockerintro-G1/pull/7
- John Candelo — Issue #8 → PR #9 — github.com/Nomka0/dockerintro-G1/pull/9
- Gabriel Arango — Issue #19 → PR #20 — github.com/Nomka0/dockerintro-G1/pull/20


---

## — PUBLISHED DOCKER IMAGE OK


- Jose Antonio — hub.docker.com/r/tonysny/cali-service
- Juan Sebastian Ospina Maya — hub.docker.com/r/fulkns645/cali-service
- Juan David Solarte — hub.docker.com/r/juanso1999/cali-service
- Juan José Bolaños — hub.docker.com/r/nomka/cali-service
- John Candelo — hub.docker.com/r/jhonex7/cali-service
- Gabriel Arango — hub.docker.com/r/garanguv/cali-service





» tonysny/cali-service





» fulkns645/cali-service





» juanso1999/cali-service




» nomka/cali-service




» jhonex7/cali-service




» garanguv/cali-service

---

## – WORKING CONTAINER IN NEIGHBORHOOD OK

```
● nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 % docker ps --format 'table {{.Names}}\t{{.Networks}}\t{{.Status}}'
NAMES           NETWORKS              STATUS
svc-juanso      san-antonio           Up 5 hours (healthy)
svc-fulkns645   lares-de-comfenalco   Up 5 hours (healthy)
svc-gabe        pance                 Up 5 hours (healthy)
svc-jhonex      yumbo                 Up 5 hours (healthy)
svc-tonysny     la-base               Up 5 hours (healthy)
svc-nomka       melendez              Up 5 hours (healthy)
```

» docker ps — containers mapped to neighborhoods

---

## – BUILD + PUBLISHED IMAGE OK

Each image was built from its own Dockerfile and pushed to Docker Hub, where it is now ready to run. The published images are listed in published Docker image (with a screenshot of each Docker Hub page), confirming the build

completed successfully and the image is available in the registry.

---

### – NETWORK CONNECTIVITY TEST OK

```
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 % curl localhost:8080
Hola, I am Jose Antonio Rodriguez Castelblanco and I live in La Base%
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 % curl localhost:8081
Hola, I am Juan Sebastian Ospina Maya and I live in Lares de Comfenalco%
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 % curl localhost:8082
Hola, I am Juan David Solarte and I live in San Antonio%
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 % curl localhost:8083
Hola, I am John Candelo and I live in Yumbo%
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 % curl localhost:8084
Hola, I am Juan Jose Bolaños and I live in Melendez%
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 % curl localhost:8085
Hola, I am Gabriel de Jesús Arango and I live in Pance%
```

» curl across neighborhoods

---

### – WROTE TO LA BIBLIOTECA DEL PUEBLO OK

```
nmg@Gabriels-MacBook-Pro-2 dockerintro-G1 % docker exec -it 29fc15fe79ff bash
app@29fc15fe79ff:/app$ cd /var/log/app
app@29fc15fe79ff:/var/log/app$ tail visitas.log
Hola, I am Juan David Solarte and I live in San Antonio
Hola, I am John Candelo and I live in Yumbo
Hola, I am Gabriel de Jesús Arango and I live in Pance
Hola, I am Juan Sebastian Ospina Maya and I live in Lares de Comfenalco
Hola, I am Jose Antonio Rodriguez Castelblanco and I live in La Base
Hola, I am Juan Sebastian Ospina Maya and I live in Lares de Comfenalco
Hola, I am Juan Jose Bolaños and I live in Melendez
Hola, I am Gabriel de Jesús Arango and I live in Pance
Hola, I am Juan David Solarte and I live in San Antonio
Hola, I am John Candelo and I live in Yumbo
app@29fc15fe79ff:/var/log/app$
```

» shared volume — visitas.log

---

### – DESIGN CHOICE OK

We decided to use the same programming stack (Python/Flask) to enhance collaboration between our team members. We used Copilot to develop the core functionalities of the application and switched to pair programming when we faced problems for file access due to a race condition regarding access. We solved this issue by enforcing the same UID ( `1000` ) throughout all of the Docker images by editing their respective Dockerfiles.

---

### – CUSTOM NAMES (OPTIONAL) OK

Custom names were used throughout — networks named after Cali neighborhoods, `svc-*` container names, and personalized Docker Hub image tags.

---