

Modelling Particle Production in Analog (3+1) Inflationary Cosmologies Using High-Performance Computing

Nathaniel Chapman

Department of Computer Science

Department of Physics

Central Washington University

APS NW 2024



Introduction - Analog Universes

① Inflation created particles




Figure: History of the universe highlighting period of rapid expansion (Source)

Introduction - Analog Universes

- 1 Inflation created particles
- 2 Cannot directly observe these particles




Figure: History of the universe highlighting period of rapid expansion (Source)

Introduction - Analog Universes

- 1 Inflation created particles
- 2 Cannot directly observe these particles
- 3 Theory suggests ultra-cold quantum gases behave similarly




Figure: History of the universe highlighting period of rapid expansion (Source)

Introduction - Analog Universes

- 1 Inflation created particles
- 2 Cannot directly observe these particles
- 3 Theory suggests ultra-cold quantum gases behave similarly
- 4 Can make gas in the lab $\Rightarrow$ can *effectively* observe inflation particles




Figure: History of the universe highlighting period of rapid expansion (Source)

Introduction - Analog Universes

- 1 Inflation created particles
- 2 Cannot directly observe these particles
- 3 Theory suggests ultra-cold quantum gases behave similarly
- 4 Can make gas in the lab $\Rightarrow$ can *effectively* observe inflation particles
- 5 Lab based system = “analog universe”




Figure: History of the universe highlighting period of rapid expansion (Source)

Introduction - The Story So Far

- Many investigations into analog universes



Figure: Subsets of increasingly specific literature

Introduction - The Story So Far

- Many investigations into analog universes
- Few into exact analogs



Figure: Subsets of increasingly specific literature

Introduction - The Story So Far

- Many investigations into analog universes
- Few into exact analogs
- Fewer into computational simulation



Figure: Subsets of increasingly specific literature

Introduction - The Story So Far

- Many investigations into analog universes
- Few into exact analogs
- Fewer into computational simulation
- Even fewer using high-performance computing



Figure: Subsets of increasingly specific literature

Methods - Speed & Expansion

- Speed of sound in quantum gas =
Speed of light in analog universe




Figure: Travel time can be doubled by either doubling distance or halving speed

Methods - Speed & Expansion

- Speed of sound in quantum gas =
Speed of light in analog universe
- Speed decrease & static volume $\iff$
constant speed & expanding volume




Figure: Travel time can be doubled by either doubling distance or halving speed

Methods - Speed & Expansion

- Speed of sound in quantum gas =
Speed of light in analog universe
- Speed decrease & static volume $\iff$
constant speed & expanding volume
- Example: $t = d/v$
 - Distance to grocery store doubles $\implies$
travel time doubles
 - Speed to the grocery store halves $\implies$
travel time doubles




Figure: Travel time can be doubled by either doubling distance or halving speed

Methods - The Field Equation

- For wave-like perturbations One equation describes both ultra-cold quantum gases and inflation particles
- One equation for each phononic k
- Universe expansion starts and stops at finite times

The Field Equation

$$\partial_t^2 \tilde{\theta}_{\mathbf{k}} - \frac{\dot{a}}{a} \partial_t \tilde{\theta}_{\mathbf{k}} - a c_0^2 k^2 \tilde{\theta}_{\mathbf{k}} = 0$$

$$\tilde{\theta}_{\mathbf{k}}(0) = \tilde{\theta}_{\mathbf{k}0} \quad \partial_\eta \tilde{\theta}_{\mathbf{k}}(0) = -U_0 n_{\mathbf{k}0} / \hbar$$

Methods - Solving The Field Equation

- Need to try to conserve energy




Figure: Symplectic integrator example: Velocity Verlet (Source)

Methods - Solving The Field Equation

- Need to try to conserve energy
- Use *symplectic integrator*




Figure: Symplectic integrator example: Velocity Verlet (Source)

Methods - Solving The Field Equation

- Need to try to conserve energy
- Use *symplectic integrator*
- Use new momentum to calculate position




Figure: Symplectic integrator example: Velocity Verlet (Source)

Methods - Solving The Field Equation

- Need to try to conserve energy
- Use *symplectic integrator*
- Use new momentum to calculate position
- More complex but more stable




Figure: Symplectic integrator example: Velocity Verlet (Source)

Methods - High-Performance Computing

- Equation for each $k < k_c$




Figure: CPU to GPU and GPU to GPU interconnect using NVLink

Methods - High-Performance Computing

- Equation for each $k < k_c$
- Many equations to solve




Figure: CPU to GPU and GPU to GPU interconnect using NVLink

Methods - High-Performance Computing

- Equation for each $k < k_c$
- Many equations to solve
- Solve at the same time with multiple GPUs




Figure: CPU to GPU and GPU to GPU interconnect using NVLink

Methods - High-Performance Computing

- Equation for each $k < k_c$
- Many equations to solve
- Solve at the same time with multiple GPUs
- Use CWU's "Turing" supercomputer
- 4x4 NVIDIA P100 GPUs
 - Each 83% performance of modern RTX 3060




Figure: CPU to GPU and GPU to GPU interconnect using NVLink

Analytic Results - Simple Expansion

- Simple expansion: $a(t) = e^{-t/t_s}$




Figure: The momentum distribution when the universe stops expanding for multiple effective rates of expansion

Analytic Results - Simple Expansion

- Simple expansion: $a(t) = e^{-t/t_s}$
- Use Mathematica for analytic results




Figure: The momentum distribution when the universe stops expanding for multiple effective rates of expansion

Analytic Results - Simple Expansion

- Simple expansion: $a(t) = e^{-t/t_s}$
- Use Mathematica for analytic results
- Population distribution highly depends on length of expansion




Figure: The momentum distribution when the universe stops expanding for multiple effective rates of expansion

Analytic Results - Simple Expansion

- Simple expansion: $a(t) = e^{-t/t_s}$
- Use Mathematica for analytic results
- Population distribution highly depends on length of expansion
- Population is relatively high for low k




Figure: The momentum distribution when the universe stops expanding for multiple effective rates of expansion

Analytic Results - Simple Expansion

- Simple expansion: $a(t) = e^{-t/t_s}$
- Use Mathematica for analytic results
- Population distribution highly depends on length of expansion
- Population is relatively high for low k
- Population drops off quickly with k




Figure: The momentum distribution when the universe stops expanding for multiple effective rates of expansion

Analytic Results - Simple Expansion




Figure: Momentum distribution throughout the expansion

Conclusion

- An inflating universe looks the same as an ultra-cold quantum gas with a decreasing speed of sound

Conclusion

- An inflating universe looks the same as an ultra-cold quantum gas with a decreasing speed of sound
- Theory suggests inflation particles behave the same as ultra-cold quantum gases in the lab

Conclusion

- An inflating universe looks the same as an ultra-cold quantum gas with a decreasing speed of sound
- Theory suggests inflation particles behave the same as ultra-cold quantum gases in the lab
- There are many equations that need to be solved with special methods to conserve energy

Conclusion

- An inflating universe looks the same as an ultra-cold quantum gas with a decreasing speed of sound
- Theory suggests inflation particles behave the same as ultra-cold quantum gases in the lab
- There are many equations that need to be solved with special methods to conserve energy
- Use high-performance techniques and hardware for reasonable execution time

Conclusion

- An inflating universe looks the same as an ultra-cold quantum gas with a decreasing speed of sound
- Theory suggests inflation particles behave the same as ultra-cold quantum gases in the lab
- There are many equations that need to be solved with special methods to conserve energy
- Use high-performance techniques and hardware for reasonable execution time
- Expect the distribution of momenta to depend on the length of the expansion

Conclusion

- An inflating universe looks the same as an ultra-cold quantum gas with a decreasing speed of sound
- Theory suggests inflation particles behave the same as ultra-cold quantum gases in the lab
- There are many equations that need to be solved with special methods to conserve energy
- Use high-performance techniques and hardware for reasonable execution time
- Expect the distribution of momenta to depend on the length of the expansion
- Expect the population to be high for low k and drop off quickly

Acknowledgements

- Dr. Andy Piacsek (CWU, Physics)
- Dr. Szilard VAJDA (CWU, Computer Science)
- Dr. Micheal Braunstein (CWU, Physics)
- Dr. Brandon Peden (WWU, Physics & Astronomy)

Thank you & Code source

Thank you for your attention.

The code for this project is available at:

- GitHub (QR code): github.com/nondairyneutrino/thesis
- My website: nathanwchapman.com

