

Task 1)

The screenshot shows the VS Code editor with the 'utsav.html' file open. The Explorer sidebar on the left shows a project structure with files like 'app.js', 'application.js', 'controller.js', 'data.js', 'script.js', 'shoppingListModel.js', 'shoppingListView.js', 'style.css', 'u.html', 'us.html', 'utsav.html', and 'view.js'. The 'utsav.html' file is selected and its content is displayed in the editor. The code is an HTML document with a head section containing meta tags for charset, compatibility, and viewport, and a link to 'style.css'. The body contains a container with an input field, an 'Add to cart' button, and a shopping list. A script tag at the bottom loads 'app.js' as a module. The terminal at the bottom shows the command 'node script.js' being executed, with output indicating the file was established in 1971 at Delhi.



```
1 <!DOCTYPE html>
2 <html lang="en">
3 <head>
4   <meta charset="UTF-8">
5   <meta http-equiv="X-UA-Compatible" content="IE=edge">
6   <meta name="viewport" content="width=device-width, initial-scale=1.0">
7   <link rel="stylesheet" href="style.css">
8   <title>Shopping List</title>
9 </head>
10 <body>
11   <div class="container">
12     <input type="text" id="input-field" placeholder="Item">
13     <button id="add-button">Add to cart</button>
14     <ul id="shopping-list"></ul>
15   </div>
16   <script src="app.js" type="module"></script>
17 </body>
18 </html>
```


at node:internal/main/run_main_module:28:49
Node.js v20.11.0
C:\Users\259473\Desktop\html>node script.js
Vivekananda School was established;
in 1971 at Delhi
C:\Users\259473\Desktop\html>

The screenshot shows the VS Code editor with the 'style.css' file open. The Explorer sidebar on the left shows the same project structure as the previous screenshot, with 'style.css' now selected. The CSS code defines styles for the body, a container, an input field, and a button. The body has a sans-serif font and a light gray background. The container has a max-width of 400px, auto margin, and a white background with a box shadow. The input field is 100% width with 10px padding and a light gray border. The button has a blue background, white text, and a pointer cursor. The terminal at the bottom shows the same command and output as the previous screenshot.

```
1 body {
2   font-family: Arial, sans-serif;
3   background-color: #f9f9f9;
4 }
5 .container {
6   max-width: 400px;
7   margin: 0 auto;
8   padding: 20px;
9   background-color: #ffffff;
10  border-radius: 5px;
11  box-shadow: 0 2px 4px rgba(0, 0, 0, 0.1);
12 }
13 input {
14   width: 100%;
15   padding: 10px;
16   margin-bottom: 10px;
17   border: 1px solid #ccc;
18   border-radius: 3px;
19 }
20 button {
21   background-color: #007bff;
22   color: #ffffff;
23   border: none;
24   padding: 10px 15px;
25   border-radius: 3px;
26   cursor: pointer;
27 }
```

at node:internal/main/run_main_module:28:49
Node.js v20.11.0
C:\Users\259473\Desktop\html>node script.js
Vivekananda School was established;
in 1971 at Delhi
C:\Users\259473\Desktop\html>





Task 2)

