

		Variable, Temperature setting	Operating point value	Req(sim)	Req(cal)	%error	RTH	Req(sim)=-23.64T+9180.2	%error1						
20	293.15	V(ve1)-V(ve2), Temperature=20	2.21865	2218.65	2220.015444	0.061506046	12487.988665	2250.134	1.3567%	MAX ERROR	A	B	C	D	
20.1	293.25	V(ve1)-V(ve2), Temperature=20.1	2.21711	2217.11	2218.233943	0.050668379	12431.825700	2247.77	1.3315%	2.9959%	-14.6337	4791.842	-115334	-3730535	
20.2	293.35	V(ve1)-V(ve2), Temperature=20.2	2.21556	2215.56	2216.448326	0.040078797	12375.948217	2245.406	1.3065%	MIN ERROR					
20.3	293.45	V(ve1)-V(ve2), Temperature=20.3	2.214	2214	2214.658596	0.029738019	12320.354608	2243.042	1.2816%	0.0027%					
20.4	293.55	V(ve1)-V(ve2), Temperature=20.4	2.21191	2211.91	2212.864757	0.043145724	12265.043276	2240.678	1.2569%						
20.5	293.65	V(ve1)-V(ve2), Temperature=20.5	2.21034	2210.34	2211.066813	0.032871584	12210.012634	2238.314	1.2323%						
20.6	293.75	V(ve1)-V(ve2), Temperature=20.6	2.2085	2208.5	2209.264768	0.034616415	12155.261103	2235.95	1.2079%	Req(sim)=-23.64T+9180.2	t	T	Req(sim)	Ve	
20.7	293.85	V(ve1)-V(ve2), Temperature=20.7	2.20665	2206.65	2207.458627	0.036631603	12100.787115	2233.586	1.1836%	Ve(T) = -0.02364T+9.1802	20	293.15	2250.134	2.250134	
20.8	293.95	V(ve1)-V(ve2), Temperature=20.8	2.20453	2204.53	2205.648395	0.050705938	12046.589112	2231.222	1.1595%		80	353.15	831.73	0.83173	
20.9	294.05	V(ve1)-V(ve2), Temperature=20.9	2.20293	2202.93	2203.834074	0.041022797	11992.665545	2228.858	1.1355%	Veconvert(T) = T/12 -24.429					
21	294.15	V(ve1)-V(ve2), Temperature=21	2.20106	2201.06	2202.015671	0.043399825	11939.014874	2226.494	1.1116%		t	T		Ve	
21.1	294.25	V(ve1)-V(ve2), Temperature=21.1	2.19944	2199.44	2200.193189	0.034232858	11885.635569	2224.13	1.0879%	Veconvert(T) = Ve(T) * -3.525 + 7.931	20	293.15		0	
21.2	294.35	V(ve1)-V(ve2), Temperature=21.2	2.19756	2197.56	2198.366633	0.036692388	11832.526109	2221.766	1.0644%		80	353.15		5	
21.3	294.45	V(ve1)-V(ve2), Temperature=21.3	2.19593	2195.93	2196.536008	0.027589271	11779.684982	2219.402	1.0410%						
21.4	294.55	V(ve1)-V(ve2), Temperature=21.4	2.19376	2193.76	2194.701319	0.042890533	11727.110688	2217.038	1.0178%						
21.5	294.65	V(ve1)-V(ve2), Temperature=21.5	2.19186	2191.86	2192.86257	0.045719714	11674.801732	2214.674	0.9947%						
21.6	294.75	V(ve1)-V(ve2), Temperature=21.6	2.18994	2189.94	2191.019768	0.049281505	11622.756631	2212.31	0.9717%						
21.7	294.85	V(ve1)-V(ve2), Temperature=21.7	2.18828	2188.28	2189.172915	0.040787787	11570.973910	2209.946	0.9489%						
21.8	294.95	V(ve1)-V(ve2), Temperature=21.8	2.18635	2186.35	2187.322019	0.044438754	11519.452103	2207.582	0.9262%						
21.9	295.05	V(ve1)-V(ve2), Temperature=21.9	2.18467	2184.67	2185.467083	0.036471983	11468.189754	2205.218	0.9037%						
22	295.15	V(ve1)-V(ve2), Temperature=22	2.18273	2182.73	2183.608114	0.040213904	11417.185414	2202.854	0.8814%						
22.1	295.25	V(ve1)-V(ve2), Temperature=22.1	2.18104	2181.04	2181.745117	0.03231893	11366.437644	2200.49	0.8592%						
22.2	295.35	V(ve1)-V(ve2), Temperature=22.2	2.17856	2178.56	2179.878097	0.060466525	11315.945015	2198.126	0.8371%						
22.3	295.45	V(ve1)-V(ve2), Temperature=22.3	2.17737	2177.37	2178.007059	0.029249636	11265.706103	2195.762	0.8152%						
22.4	295.55	V(ve1)-V(ve2), Temperature=22.4	2.17488	2174.88	2176.13201	0.057533741	11215.719497	2193.398	0.7934%						
22.5	295.65	V(ve1)-V(ve2), Temperature=22.5	2.17316	2173.16	2174.252955	0.050268086	11165.983792	2191.034	0.7718%						
22.6	295.75	V(ve1)-V(ve2), Temperature=22.6	2.17117	2171.17	2172.3699	0.05523463	11116.497593	2188.67	0.7503%						
22.7	295.85	V(ve1)-V(ve2), Temperature=22.7	2.16943	2169.43	2170.482851	0.048507705	11067.259511	2186.306	0.7290%						
22.8	295.95	V(ve1)-V(ve2), Temperature=22.8	2.16743	2167.43	2168.591814	0.053574588	11018.268167	2183.942	0.7078%						
22.9	296.05	V(ve1)-V(ve2), Temperature=22.9	2.16568	2165.68	2166.696795	0.046928335	10969.522193	2181.578	0.6868%						
23	296.15	V(ve1)-V(ve2), Temperature=23	2.16366	2163.66	2164.797799	0.052559148	10921.020224	2179.214	0.6659%						
23.1	296.25	V(ve1)-V(ve2), Temperature=23.1	2.16189	2161.89	2162.894834	0.046457832	10872.760908	2176.85	0.6452%						
23.2	296.35	V(ve1)-V(ve2), Temperature=23.2	2.15986	2159.86	2160.987905	0.052193964	10824.742897	2174.486	0.6246%						
23.3	296.45	V(ve1)-V(ve2), Temperature=23.3	2.15782	2157.82	2159.077019	0.058220218	10776.964856	2172.122	0.6042%						
23.4	296.55	V(ve1)-V(ve2), Temperature=23.4	2.15603	2156.03	2157.162183	0.052484824	10729.425454	2169.758	0.5839%						
23.5	296.65	V(ve1)-V(ve2), Temperature=23.5	2.15424	2154.24	2155.243402	0.046556323	10682.123370	2167.394	0.5638%						
23.6	296.75	V(ve1)-V(ve2), Temperature=23.6	2.15217	2152.17	2153.320684	0.053437647	10635.057291	2165.03	0.5438%						
23.7	296.85	V(ve1)-V(ve2), Temperature=23.7	2.15011	2150.11	2151.394035	0.059683855	10588.225910	2162.666	0.5239%						
23.8	296.95	V(ve1)-V(ve2), Temperature=23.8	2.14829	2148.29	2149.463462	0.054593247	10541.627931	2160.302	0.5042%						
23.9	297.05	V(ve1)-V(ve2), Temperature=23.9	2.14646	2146.46	2147.528972	0.049776825	10495.262063	2157.938	0.4847%						
24	297.15	V(ve1)-V(ve2), Temperature=24	2.14437	2144.37	2145.590571	0.056887437	10449.127026	2155.574	0.4653%						
24.1	297.25	V(ve1)-V(ve2), Temperature=24.1	2.14278	2142.78	2143.648268	0.04050422	10403.221543	2153.21	0.4460%						
24.2	297.35	V(ve1)-V(ve2), Temperature=24.2	2.14093	2140.93	2141.702609	0.036049297	10357.544349	2150.846	0.4269%						
24.3	297.45	V(ve1)-V(ve2), Temperature=24.3	2.13882	2138.82	2139.75198	0.043555529	10312.094186	2148.482	0.4080%						
24.4	297.55	V(ve1)-V(ve2), Temperature=24.4	2.1367	2136.7	2137.79801	0.05136175	10266.869801	2146.118	0.3892%						
24.5	297.65	V(ve1)-V(ve2), Temperature=24.5	2.13483	2134.83	2135.840167	0.047295978	10221.869951	2143.754	0.3705%						
24.6	297.75	V(ve1)-V(ve2), Temperature=24.6	2.13295	2132.95	2133.878456	0.043510249	10177.093400	2141.39	0.3520%						
24.7	297.85	V(ve1)-V(ve2), Temperature=24.7	2.13055	2130.55	2131.912886	0.063927844	10132.538918	2139.026	0.3336%						
24.8	297.95	V(ve1)-V(ve2), Temperature=24.8	2.12866	2128.66	2129.943465	0.060258149	10088.205285	2136.662	0.3154%						
24.9	298.05	V(ve1)-V(ve2), Temperature=24.9	2.12726	2127.26	2127.970199	0.033374489	10044.091286	2134.298	0.2974%						
25	298.15	V(ve1)-V(ve2), Temperature=25	2.12485	2124.85	2125.993098	0.053767709	10000.195715	2131.934	0.2794%						
25.1	298.25	V(ve1)-V(ve2), Temperature=25.1	2.12293	2122.93	2124.012168	0.050949244	9956.517372	2129.57	0.2617%						
25.2	298.35	V(ve1)-V(ve2), Temperature=25.2	2.121	2121	2122.027418	0.048416819	9913.055064	2127.206	0.2440%						
25.3	298.45	V(ve1)-V(ve2), Temperature=25.3	2.11907	2119.07	2120.038856	0.045699916	9869.807607	2124.842	0.2266%						
25.4	298.55	V(ve1)-V(ve2), Temperature=25.4	2.11688	2116.88	2118.04649	0.055073842	9826.773822	2122.478	0.2092%						
25.5	298.65	V(ve1)-V(ve2), Temperature=25.5	2.11468	2114.68	2116.050327	0.064758724	9783.952538	2120.114	0.1920%						
25.6	298.75	V(ve1)-V(ve2), Temperature=25.6	2.11323	2113.23	2114.050377	0.03880594	9741.342592	2117.75	0.1750%						
25.7	298.85	V(ve1)-V(ve2), Temperature=25.7	2.11076	2110.76	2112.046648	0.06091947	9698.942825	2115.386	0.1581%						
25.8	298.95	V(ve1)-V(ve2), Temperature=25.8	2.1088	2108.8	2110.039147	0.058726269	9656.752090	2113.022	0.1414%						
25.9	299.05	V(ve1)-V(ve2), Temperature=25.9	2.10682	2106.82	2108.027884	0.057299264	9614.769241	2110.658	0.1248%						
26	299.15	V(ve1)-V(ve2), Temperature=26	2.10483	2104.83	2106.012868	0.056166219	9572.993142	2108.294	0.1083%						
26.1	299.25	V(ve1)-V(ve2), Temperature=26.1	2.10284	2102.84	2103.994106	0.054853102	9531.422665	2105.93	0.0920%						
26.2	299.35	V(ve1)-V(ve2), Temperature=26.2	2.10034	2100.34	2101.971608	0.077622736	9490.056686	2103.566	0.0759%						
26.3	299.45	V(ve1)-V(ve2), Temperature=26.3	2.09884	2098.84	2099.945382	0.052638614	9448.894089	2101.202	0.0598%						
26.4	299.55	V(ve1)-V(ve2), Temperature=26.4	2.09657	2096.57	2097.915438	0.064132125	9407.933764	2098.838	0.0440%						
26.5	299.65	V(ve1)-V(ve2), Temperature=26.5	2.0943	2094.3	2095.881784	0.075471041	9367.174610	2096.474	0.0283%						

26.6	299.75	V(ve1)-V(ve2), Temperature=26.6	2.09277	2092.77	2093.844429	0.05131371	9326.615529	2094.11	0.0127%
26.7	299.85	V(ve1)-V(ve2), Temperature=26.7	2.09049	2090.49	2091.803383	0.06278713	9286.255431	2091.746	0.0027%
26.8	299.95	V(ve1)-V(ve2), Temperature=26.8	2.08844	2088.44	2089.758655	0.063100838	9246.093234	2089.382	0.0180%
26.9	300.05	V(ve1)-V(ve2), Temperature=26.9	2.08614	2086.14	2087.710254	0.075214188	9206.127861	2087.018	0.0332%
27	300.15	V(ve1)-V(ve2), Temperature=27	2.08433	2084.33	2085.65819	0.063682055	9166.358241	2084.654	0.0481%
27.1	300.25	V(ve1)-V(ve2), Temperature=27.1	2.08227	2082.27	2083.602472	0.06395038	9126.783310	2082.29	0.0630%
27.2	300.35	V(ve1)-V(ve2), Temperature=27.2	2.07995	2079.95	2081.543109	0.076535002	9087.402011	2079.926	0.0777%
27.3	300.45	V(ve1)-V(ve2), Temperature=27.3	2.07811	2078.11	2079.480112	0.065887222	9048.213292	2077.562	0.0922%
27.4	300.55	V(ve1)-V(ve2), Temperature=27.4	2.07652	2076.52	2077.413489	0.043009698	9009.216108	2075.198	0.1066%
27.5	300.65	V(ve1)-V(ve2), Temperature=27.5	2.07417	2074.17	2075.343252	0.056532897	8970.409420	2072.834	0.1209%
27.6	300.75	V(ve1)-V(ve2), Temperature=27.6	2.07207	2072.07	2073.269409	0.057851079	8931.792195	2070.47	0.1350%
27.7	300.85	V(ve1)-V(ve2), Temperature=27.7	2.07021	2070.21	2071.19197	0.047410887	8893.363408	2068.106	0.1490%
27.8	300.95	V(ve1)-V(ve2), Temperature=27.8	2.06784	2067.84	2069.110947	0.061424781	8855.122036	2065.742	0.1628%
27.9	301.05	V(ve1)-V(ve2), Temperature=27.9	2.06572	2065.72	2067.026348	0.06319939	8817.067065	2063.378	0.1765%
28	301.15	V(ve1)-V(ve2), Temperature=28	2.06334	2063.34	2064.938184	0.077396228	8779.197488	2061.014	0.1900%
28.1	301.25	V(ve1)-V(ve2), Temperature=28.1	2.06169	2061.69	2062.846466	0.056061648	8741.512301	2058.65	0.2034%
28.2	301.35	V(ve1)-V(ve2), Temperature=28.2	2.05955	2059.55	2060.751203	0.058289562	8704.010508	2056.286	0.2167%
28.3	301.45	V(ve1)-V(ve2), Temperature=28.3	2.05739	2057.39	2058.652406	0.061321961	8666.691118	2053.922	0.2298%
28.4	301.55	V(ve1)-V(ve2), Temperature=28.4	2.05523	2055.23	2056.550086	0.064189333	8629.553146	2051.558	0.2427%
28.5	301.65	V(ve1)-V(ve2), Temperature=28.5	2.05306	2053.06	2054.444253	0.06737845	8592.595613	2049.194	0.2556%
28.6	301.75	V(ve1)-V(ve2), Temperature=28.6	2.05088	2050.88	2052.334917	0.07089084	8555.817546	2046.83	0.2682%
28.7	301.85	V(ve1)-V(ve2), Temperature=28.7	2.04919	2049.19	2050.222091	0.050340442	8519.217978	2044.466	0.2808%
28.8	301.95	V(ve1)-V(ve2), Temperature=28.8	2.04675	2046.75	2048.105784	0.066196954	8482.759946	2042.102	0.2931%
28.9	302.05	V(ve1)-V(ve2), Temperature=28.9	2.04431	2044.31	2045.986007	0.081916822	8446.550494	2039.738	0.3054%
29	302.15	V(ve1)-V(ve2), Temperature=29	2.04259	2042.59	2043.862771	0.062272825	8410.480672	2037.374	0.3175%
29.1	302.25	V(ve1)-V(ve2), Temperature=29.1	2.04038	2040.38	2041.736088	0.066418373	8374.585536	2035.01	0.3294%
29.2	302.35	V(ve1)-V(ve2), Temperature=29.2	2.03816	2038.16	2039.605968	0.070894484	8338.864145	2032.646	0.3412%
29.3	302.45	V(ve1)-V(ve2), Temperature=29.3	2.03594	2035.94	2037.472423	0.075211964	8303.315565	2030.282	0.3529%
29.4	302.55	V(ve1)-V(ve2), Temperature=29.4	2.03394	2033.94	2035.335464	0.068561864	8267.938869	2027.918	0.3644%
29.5	302.65	V(ve1)-V(ve2), Temperature=29.5	2.03146	2031.46	2033.195102	0.085338697	8232.733134	2025.554	0.3758%
29.6	302.75	V(ve1)-V(ve2), Temperature=29.6	2.02969	2029.69	2031.051349	0.067026826	8197.697442	2023.19	0.3871%
29.7	302.85	V(ve1)-V(ve2), Temperature=29.7	2.02744	2027.44	2028.904217	0.072167853	8162.830881	2020.826	0.3982%
29.8	302.95	V(ve1)-V(ve2), Temperature=29.8	2.02518	2025.18	2026.753716	0.077647116	8128.132544	2018.462	0.4091%
29.9	303.05	V(ve1)-V(ve2), Temperature=29.9	2.02339	2023.39	2024.599859	0.05975791	8093.601530	2016.098	0.4199%
30	303.15	V(ve1)-V(ve2), Temperature=30	2.02087	2020.87	2022.442657	0.077760257	8059.236943	2013.734	0.4306%
30.1	303.25	V(ve1)-V(ve2), Temperature=30.1	2.01882	2018.82	2020.282122	0.072372158	8025.037892	2011.37	0.4411%
30.2	303.35	V(ve1)-V(ve2), Temperature=30.2	2.01701	2017.01	2018.118266	0.054915807	7991.003492	2009.006	0.4515%
30.3	303.45	V(ve1)-V(ve2), Temperature=30.3	2.01471	2014.71	2015.951101	0.061564043	7957.132861	2006.642	0.4618%
30.4	303.55	V(ve1)-V(ve2), Temperature=30.4	2.01241	2012.41	2013.780639	0.068062979	7923.425125	2004.278	0.4719%
30.5	303.65	V(ve1)-V(ve2), Temperature=30.5	2.01033	2010.33	2011.606892	0.063476234	7889.879414	2001.914	0.4818%
30.6	303.75	V(ve1)-V(ve2), Temperature=30.6	2.00801	2008.01	2009.429873	0.070660479	7856.494862	1999.55	0.4917%
30.7	303.85	V(ve1)-V(ve2), Temperature=30.7	2.00592	2005.92	2007.249593	0.066239533	7823.270609	1997.186	0.5014%
30.8	303.95	V(ve1)-V(ve2), Temperature=30.8	2.00359	2003.59	2005.066065	0.073616758	7790.205801	1994.822	0.5109%
30.9	304.05	V(ve1)-V(ve2), Temperature=30.9	2.00149	2001.49	2002.879301	0.069365178	7757.299587	1992.458	0.5203%
31	304.15	V(ve1)-V(ve2), Temperature=31	1.99937	1999.37	2000.689314	0.065942955	7724.551122	1990.094	0.5296%
31.1	304.25	V(ve1)-V(ve2), Temperature=31.1	1.99678	1996.78	1998.496116	0.085870363	7691.959567	1987.73	0.5387%
31.2	304.35	V(ve1)-V(ve2), Temperature=31.2	1.99466	1994.66	1996.29972	0.082137963	7659.524085	1985.366	0.5477%
31.3	304.45	V(ve1)-V(ve2), Temperature=31.3	1.99276	1992.76	1994.100139	0.067205182	7627.243847	1983.002	0.5565%
31.4	304.55	V(ve1)-V(ve2), Temperature=31.4	1.99015	1990.15	1991.897385	0.087724637	7595.118028	1980.638	0.5653%
31.5	304.65	V(ve1)-V(ve2), Temperature=31.5	1.988	1988	1989.691471	0.085011721	7563.145805	1978.274	0.5738%
31.6	304.75	V(ve1)-V(ve2), Temperature=31.6	1.98608	1986.08	1987.48241	0.070562154	7531.326365	1975.91	0.5823%
31.7	304.85	V(ve1)-V(ve2), Temperature=31.7	1.98392	1983.92	1985.270216	0.06801169	7499.658894	1973.546	0.5906%
31.8	304.95	V(ve1)-V(ve2), Temperature=31.8	1.98128	1981.28	1983.0549	0.08950334	7468.142587	1971.182	0.5987%
31.9	305.05	V(ve1)-V(ve2), Temperature=31.9	1.9791	1979.1	1980.836477	0.087663836	7436.776643	1968.818	0.6067%
32	305.15	V(ve1)-V(ve2), Temperature=32	1.97715	1977.15	1978.614959	0.074039643	7405.560263	1966.454	0.6146%
32.1	305.25	V(ve1)-V(ve2), Temperature=32.1	1.97496	1974.96	1976.39036	0.072372363	7374.492656	1964.09	0.6224%
32.2	305.35	V(ve1)-V(ve2), Temperature=32.2	1.97229	1972.29	1974.162693	0.09486013	7343.573033	1961.726	0.6300%
32.3	305.45	V(ve1)-V(ve2), Temperature=32.3	1.97032	1970.32	1971.931972	0.0817458	7312.800611	1959.362	0.6374%
32.4	305.55	V(ve1)-V(ve2), Temperature=32.4	1.96788	1967.88	1969.698209	0.092309	7282.174612	1956.998	0.6448%
32.5	305.65	V(ve1)-V(ve2), Temperature=32.5	1.96542	1965.42	1967.461418	0.103758994	7251.694260	1954.634	0.6520%
32.6	305.75	V(ve1)-V(ve2), Temperature=32.6	1.96343	1963.43	1965.221614	0.091165985	7221.358787	1952.27	0.6590%
32.7	305.85	V(ve1)-V(ve2), Temperature=32.7	1.96143	1961.43	1962.978809	0.07890094	7191.167427	1949.906	0.6660%
32.8	305.95	V(ve1)-V(ve2), Temperature=32.8	1.95942	1959.42	1960.733017	0.066965629	7161.119419	1947.542	0.6728%
32.9	306.05	V(ve1)-V(ve2), Temperature=32.9	1.95694	1956.94	1958.484253	0.078849383	7131.214006	1945.178	0.6794%
33	306.15	V(ve1)-V(ve2), Temperature=33	1.95445	1954.45	1956.232529	0.091120526	7101.450437	1942.814	0.6859%
33.1	306.25	V(ve1)-V(ve2), Temperature=33.1	1.95242	1952.42	1953.977861	0.079727663	7071.827963	1940.45	0.6923%
33.2	306.35	V(ve1)-V(ve2), Temperature=33.2	1.94992	1949.92	1951.720261	0.092239725	7042.345842	1938.086	0.6986%

33.3	306.45	V(ve1)-V(ve2), Temperature=33.3	1.94787	1947.87	1949.459745	0.081547969	7013.003333	1935.722	0.7047%
33.4	306.55	V(ve1)-V(ve2), Temperature=33.4	1.94582	1945.82	1947.196325	0.070682414	6983.799702	1933.358	0.7107%
33.5	306.65	V(ve1)-V(ve2), Temperature=33.5	1.9433	1943.3	1944.930017	0.083808531	6954.734219	1930.994	0.7165%
33.6	306.75	V(ve1)-V(ve2), Temperature=33.6	1.94123	1941.23	1942.660835	0.073653343	6925.806156	1928.63	0.7222%
33.7	306.85	V(ve1)-V(ve2), Temperature=33.7	1.93869	1938.69	1940.388792	0.087549049	6897.014792	1926.266	0.7278%
33.8	306.95	V(ve1)-V(ve2), Temperature=33.8	1.93661	1936.61	1938.113903	0.077596235	6868.359408	1923.902	0.7333%
33.9	307.05	V(ve1)-V(ve2), Temperature=33.9	1.93406	1934.06	1935.836184	0.091752787	6839.839291	1921.538	0.7386%
34	307.15	V(ve1)-V(ve2), Temperature=34	1.93196	1931.96	1933.555647	0.082523977	6811.453730	1919.174	0.7438%
34.1	307.25	V(ve1)-V(ve2), Temperature=34.1	1.92986	1929.86	1931.272308	0.073128377	6783.202019	1916.81	0.7488%
34.2	307.35	V(ve1)-V(ve2), Temperature=34.2	1.92729	1927.29	1928.986182	0.087931248	6755.083458	1914.446	0.7538%
34.3	307.45	V(ve1)-V(ve2), Temperature=34.3	1.92471	1924.71	1926.697282	0.103144497	6727.097348	1912.082	0.7586%
34.4	307.55	V(ve1)-V(ve2), Temperature=34.4	1.92259	1922.59	1924.405625	0.094347292	6699.242995	1909.718	0.7632%
34.5	307.65	V(ve1)-V(ve2), Temperature=34.5	1.92046	1920.46	1922.111224	0.085906768	6671.519710	1907.354	0.7678%
34.6	307.75	V(ve1)-V(ve2), Temperature=34.6	1.91831	1918.31	1919.814094	0.078345824	6643.926807	1904.99	0.7722%
34.7	307.85	V(ve1)-V(ve2), Temperature=34.7	1.91594	1915.94	1917.514251	0.082098532	6616.463603	1902.626	0.7764%
34.8	307.95	V(ve1)-V(ve2), Temperature=34.8	1.9131	1913.1	1915.211709	0.110259843	6589.129422	1900.262	0.7806%
34.9	308.05	V(ve1)-V(ve2), Temperature=34.9	1.91117	1911.17	1912.906484	0.090777274	6561.923590	1897.898	0.7846%
35	308.15	V(ve1)-V(ve2), Temperature=35	1.90877	1908.77	1910.598591	0.09570774	6534.845434	1895.534	0.7885%
35.1	308.25	V(ve1)-V(ve2), Temperature=35.1	1.90637	1906.37	1908.288044	0.10051124	6507.894291	1893.17	0.7922%
35.2	308.35	V(ve1)-V(ve2), Temperature=35.2	1.90464	1904.64	1905.974859	0.070035505	6481.069496	1890.806	0.7959%
35.3	308.45	V(ve1)-V(ve2), Temperature=35.3	1.90222	1902.22	1903.659052	0.075593978	6454.370392	1888.442	0.7994%
35.4	308.55	V(ve1)-V(ve2), Temperature=35.4	1.89935	1899.35	1901.340637	0.104696472	6427.796322	1886.078	0.8027%
35.5	308.65	V(ve1)-V(ve2), Temperature=35.5	1.89737	1897.37	1899.01963	0.086867435	6401.346637	1883.714	0.8060%
35.6	308.75	V(ve1)-V(ve2), Temperature=35.6	1.89493	1894.93	1896.696046	0.093117706	6375.020687	1881.35	0.8091%
35.7	308.85	V(ve1)-V(ve2), Temperature=35.7	1.89271	1892.71	1894.369901	0.08762288	6348.817830	1878.986	0.8121%
35.8	308.95	V(ve1)-V(ve2), Temperature=35.8	1.89004	1890.04	1892.041211	0.105769972	6322.737426	1876.622	0.8150%
35.9	309.05	V(ve1)-V(ve2), Temperature=35.9	1.88825	1888.25	1889.709992	0.077260084	6296.778837	1874.258	0.8177%
36	309.15	V(ve1)-V(ve2), Temperature=36	1.88579	1885.79	1887.376257	0.084045639	6270.941431	1871.894	0.8203%
36.1	309.25	V(ve1)-V(ve2), Temperature=36.1	1.88332	1883.32	1885.040025	0.091246064	6245.224578	1869.53	0.8228%
36.2	309.35	V(ve1)-V(ve2), Temperature=36.2	1.88106	1881.06	1882.70131	0.087178436	6219.627653	1867.166	0.8252%
36.3	309.45	V(ve1)-V(ve2), Temperature=36.3	1.87835	1878.35	1880.360127	0.106901197	6194.150034	1864.802	0.8274%
36.4	309.55	V(ve1)-V(ve2), Temperature=36.4	1.87609	1876.09	1878.016494	0.102581338	6168.791102	1862.438	0.8295%
36.5	309.65	V(ve1)-V(ve2), Temperature=36.5	1.87381	1873.81	1875.670426	0.099187271	6143.550241	1860.074	0.8315%
36.6	309.75	V(ve1)-V(ve2), Temperature=36.6	1.87153	1871.53	1873.321939	0.095655701	6118.426841	1857.71	0.8334%
36.7	309.85	V(ve1)-V(ve2), Temperature=36.7	1.86902	1869.02	1870.971049	0.104280028	6093.420293	1855.346	0.8351%
36.8	309.95	V(ve1)-V(ve2), Temperature=36.8	1.8665	1866.5	1868.617772	0.113333617	6068.529992	1852.982	0.8368%
36.9	310.05	V(ve1)-V(ve2), Temperature=36.9	1.86464	1864.64	1866.262124	0.086918355	6043.755337	1850.618	0.8383%
37	310.15	V(ve1)-V(ve2), Temperature=37	1.86189	1861.89	1863.904122	0.108059317	6019.095731	1848.254	0.8396%
37.1	310.25	V(ve1)-V(ve2), Temperature=37.1	1.86001	1860.01	1861.543781	0.082392981	5994.550578	1845.89	0.8409%
37.2	310.35	V(ve1)-V(ve2), Temperature=37.2	1.85725	1857.25	1859.18119	0.103869318	5970.119288	1843.526	0.8420%
37.3	310.45	V(ve1)-V(ve2), Temperature=37.3	1.85536	1855.36	1856.81615	0.078421896	5945.801273	1841.162	0.8431%
37.4	310.55	V(ve1)-V(ve2), Temperature=37.4	1.85258	1852.58	1854.448893	0.100778877	5921.595948	1838.798	0.8440%
37.5	310.65	V(ve1)-V(ve2), Temperature=37.5	1.85024	1850.24	1852.079362	0.099313363	5897.502733	1836.434	0.8447%
37.6	310.75	V(ve1)-V(ve2), Temperature=37.6	1.84811	1848.11	1849.707575	0.08636908	5873.521049	1834.07	0.8454%
37.7	310.85	V(ve1)-V(ve2), Temperature=37.7	1.84553	1845.53	1847.333549	0.097629835	5849.650322	1831.706	0.8460%
37.8	310.95	V(ve1)-V(ve2), Temperature=37.8	1.84295	1842.95	1844.957299	0.108799198	5825.889981	1829.342	0.8464%
37.9	311.05	V(ve1)-V(ve2), Temperature=37.9	1.8408	1840.8	1842.578842	0.096540894	5802.239457	1826.978	0.8467%
38	311.15	V(ve1)-V(ve2), Temperature=38	1.8382	1838.2	1840.198196	0.108585886	5778.698186	1824.614	0.8469%
38.1	311.25	V(ve1)-V(ve2), Temperature=38.1	1.83603	1836.03	1837.815376	0.097146623	5755.265605	1822.25	0.8469%
38.2	311.35	V(ve1)-V(ve2), Temperature=38.2	1.83342	1833.42	1835.430399	0.109532849	5731.941157	1819.886	0.8469%
38.3	311.45	V(ve1)-V(ve2), Temperature=38.3	1.83103	1831.03	1833.043283	0.10983282	5708.724286	1817.522	0.8467%
38.4	311.55	V(ve1)-V(ve2), Temperature=38.4	1.82884	1828.84	1830.654044	0.099092685	5685.614440	1815.158	0.8465%
38.5	311.65	V(ve1)-V(ve2), Temperature=38.5	1.82621	1826.21	1828.262699	0.112275944	5662.611068	1812.794	0.8461%
38.6	311.75	V(ve1)-V(ve2), Temperature=38.6	1.82401	1824.01	1825.869265	0.101829048	5639.713627	1810.43	0.8456%
38.7	311.85	V(ve1)-V(ve2), Temperature=38.7	1.8218	1821.8	1823.473759	0.091789594	5616.921571	1808.066	0.8450%
38.8	311.95	V(ve1)-V(ve2), Temperature=38.8	1.81916	1819.16	1821.076198	0.105223385	5594.234362	1805.702	0.8442%
38.9	312.05	V(ve1)-V(ve2), Temperature=38.9	1.81693	1816.93	1818.676599	0.096036806	5571.651463	1803.338	0.8434%
39	312.15	V(ve1)-V(ve2), Temperature=39	1.81427	1814.27	1816.274979	0.110389607	5549.172339	1800.974	0.8424%
39.1	312.25	V(ve1)-V(ve2), Temperature=39.1	1.81204	1812.04	1813.871355	0.100963884	5526.796460	1798.61	0.8414%
39.2	312.35	V(ve1)-V(ve2), Temperature=39.2	1.80937	1809.37	1811.465745	0.115693302	5504.523298	1796.246	0.8402%
39.3	312.45	V(ve1)-V(ve2), Temperature=39.3	1.80712	1807.12	1809.058165	0.107136667	5482.352327	1793.882	0.8389%
39.4	312.55	V(ve1)-V(ve2), Temperature=39.4	1.80486	1804.86	1806.648633	0.09900279	5460.283026	1791.518	0.8375%
39.5	312.65	V(ve1)-V(ve2), Temperature=39.5	1.80217	1802.17	1804.237166	0.114572835	5438.314876	1789.154	0.8360%
39.6	312.75	V(ve1)-V(ve2), Temperature=39.6	1.80011	1800.11	1801.823781	0.095113696	5416.447360	1786.79	0.8344%
39.7	312.85	V(ve1)-V(ve2), Temperature=39.7	1.7972	1797.2	1799.408497	0.122734589	5394.679966	1784.426	0.8326%
39.8	312.95	V(ve1)-V(ve2), Temperature=39.8	1.79513	1795.13	1796.991329	0.103580309	5373.012182	1782.062	0.8308%
39.9	313.05	V(ve1)-V(ve2), Temperature=39.9	1.79263	1792.63	1794.572296	0.108231715	5351.443501	1779.698	0.8288%

40	313.15	V(ve1)-V(ve2), Temperature=40	1.79012	1790.12	1792.151416	0.113350676	5329.973419	1777.334	0.8268%
40.1	313.25	V(ve1)-V(ve2), Temperature=40.1	1.7876	1787.6	1789.728705	0.118940077	5308.601433	1774.97	0.8246%
40.2	313.35	V(ve1)-V(ve2), Temperature=40.2	1.7855	1785.5	1787.304181	0.100944247	5287.327044	1772.606	0.8224%
40.3	313.45	V(ve1)-V(ve2), Temperature=40.3	1.78255	1782.55	1784.877862	0.130421342	5266.149757	1770.242	0.8200%
40.4	313.55	V(ve1)-V(ve2), Temperature=40.4	1.78044	1780.44	1782.449765	0.112752958	5245.069077	1767.878	0.8175%
40.5	313.65	V(ve1)-V(ve2), Temperature=40.5	1.7779	1777.9	1780.019908	0.119094618	5224.084513	1765.514	0.8149%
40.6	313.75	V(ve1)-V(ve2), Temperature=40.6	1.77578	1775.78	1777.588309	0.101728205	5203.195578	1763.15	0.8122%
40.7	313.85	V(ve1)-V(ve2), Temperature=40.7	1.7728	1772.8	1775.154985	0.132663613	5182.401786	1760.786	0.8094%
40.8	313.95	V(ve1)-V(ve2), Temperature=40.8	1.77066	1770.66	1772.719954	0.11620301	5161.702655	1758.422	0.8066%
40.9	314.05	V(ve1)-V(ve2), Temperature=40.9	1.7681	1768.1	1770.283234	0.123326814	5141.097704	1756.058	0.8036%
41	314.15	V(ve1)-V(ve2), Temperature=41	1.76574	1765.74	1767.844842	0.119062624	5120.586456	1753.694	0.8005%
41.1	314.25	V(ve1)-V(ve2), Temperature=41.1	1.76337	1763.37	1765.404797	0.115259542	5100.168437	1751.33	0.7973%
41.2	314.35	V(ve1)-V(ve2), Temperature=41.2	1.76099	1760.99	1762.963117	0.111920478	5079.843174	1748.966	0.7940%
41.3	314.45	V(ve1)-V(ve2), Temperature=41.3	1.75861	1758.61	1760.519818	0.108480361	5059.610199	1746.602	0.7906%
41.4	314.55	V(ve1)-V(ve2), Temperature=41.4	1.75581	1755.81	1758.07492	0.128829538	5039.469044	1744.238	0.7870%
41.5	314.65	V(ve1)-V(ve2), Temperature=41.5	1.75341	1753.41	1755.628439	0.12636155	5019.419245	1741.874	0.7834%
41.6	314.75	V(ve1)-V(ve2), Temperature=41.6	1.75101	1751.01	1753.180395	0.123797577	4999.460341	1739.51	0.7797%
41.7	314.85	V(ve1)-V(ve2), Temperature=41.7	1.7486	1748.6	1750.730804	0.121709417	4979.591872	1737.146	0.7760%
41.8	314.95	V(ve1)-V(ve2), Temperature=41.8	1.74619	1746.19	1748.279686	0.119528107	4959.813382	1734.782	0.7721%
41.9	315.05	V(ve1)-V(ve2), Temperature=41.9	1.74377	1743.77	1745.827057	0.117827076	4940.124417	1732.418	0.7681%
42	315.15	V(ve1)-V(ve2), Temperature=42	1.74134	1741.34	1743.372936	0.116609377	4920.524525	1730.054	0.7640%
42.1	315.25	V(ve1)-V(ve2), Temperature=42.1	1.73891	1738.91	1740.917342	0.115303686	4901.013258	1727.69	0.7598%
42.2	315.35	V(ve1)-V(ve2), Temperature=42.2	1.73606	1736.06	1738.460292	0.138069972	4881.590169	1725.326	0.7555%
42.3	315.45	V(ve1)-V(ve2), Temperature=42.3	1.73382	1733.82	1736.001804	0.125679811	4862.254814	1722.962	0.7511%
42.4	315.55	V(ve1)-V(ve2), Temperature=42.4	1.73158	1731.58	1733.541896	0.113172713	4843.006751	1720.598	0.7467%
42.5	315.65	V(ve1)-V(ve2), Temperature=42.5	1.72891	1728.91	1731.080588	0.125389183	4823.845542	1718.234	0.7421%
42.6	315.75	V(ve1)-V(ve2), Temperature=42.6	1.72665	1726.65	1728.617896	0.113842164	4804.770749	1715.87	0.7375%
42.7	315.85	V(ve1)-V(ve2), Temperature=42.7	1.72398	1723.98	1726.153839	0.125935434	4785.781938	1713.506	0.7327%
42.8	315.95	V(ve1)-V(ve2), Temperature=42.8	1.72171	1721.71	1723.688436	0.114779214	4766.878678	1711.142	0.7279%
42.9	316.05	V(ve1)-V(ve2), Temperature=42.9	1.71902	1719.02	1721.221704	0.127915212	4748.060539	1708.778	0.7230%
43	316.15	V(ve1)-V(ve2), Temperature=43	1.71674	1716.74	1718.753663	0.117158297	4729.327093	1706.414	0.7179%
43.1	316.25	V(ve1)-V(ve2), Temperature=43.1	1.71404	1714.04	1716.284329	0.130766726	4710.677916	1704.05	0.7128%
43.2	316.35	V(ve1)-V(ve2), Temperature=43.2	1.71174	1711.74	1713.813722	0.121000406	4692.112585	1701.686	0.7076%
43.3	316.45	V(ve1)-V(ve2), Temperature=43.3	1.70903	1709.03	1711.341859	0.135090437	4673.630681	1699.322	0.7024%
43.4	316.55	V(ve1)-V(ve2), Temperature=43.4	1.70652	1706.52	1708.86876	0.137445305	4655.231785	1696.958	0.6970%
43.5	316.65	V(ve1)-V(ve2), Temperature=43.5	1.7044	1704.4	1706.394442	0.116880491	4636.915482	1694.594	0.6915%
43.6	316.75	V(ve1)-V(ve2), Temperature=43.6	1.70188	1701.88	1703.918924	0.119660874	4618.681358	1692.23	0.6860%
43.7	316.85	V(ve1)-V(ve2), Temperature=43.7	1.69935	1699.35	1701.442225	0.122967717	4600.529003	1689.866	0.6804%
43.8	316.95	V(ve1)-V(ve2), Temperature=43.8	1.69681	1696.81	1698.964362	0.126804411	4582.458008	1687.502	0.6747%
43.9	317.05	V(ve1)-V(ve2), Temperature=43.9	1.69427	1694.27	1696.485354	0.130584912	4564.467966	1685.138	0.6689%
44	317.15	V(ve1)-V(ve2), Temperature=44	1.69192	1691.92	1694.00522	0.123094054	4546.558474	1682.774	0.6630%
44.1	317.25	V(ve1)-V(ve2), Temperature=44.1	1.68937	1689.37	1691.523977	0.12733945	4528.729128	1680.41	0.6570%
44.2	317.35	V(ve1)-V(ve2), Temperature=44.2	1.68681	1686.81	1689.041645	0.132124954	4510.979530	1678.046	0.6510%
44.3	317.45	V(ve1)-V(ve2), Temperature=44.3	1.68464	1684.64	1686.558243	0.113737112	4493.309282	1675.682	0.6449%
44.4	317.55	V(ve1)-V(ve2), Temperature=44.4	1.68207	1682.07	1684.073787	0.118984514	4475.717987	1673.318	0.6387%
44.5	317.65	V(ve1)-V(ve2), Temperature=44.5	1.67949	1679.49	1681.588297	0.124780688	4458.205254	1670.954	0.6324%
44.6	317.75	V(ve1)-V(ve2), Temperature=44.6	1.6771	1677.1	1679.101792	0.119218035	4440.770690	1668.59	0.6260%
44.7	317.85	V(ve1)-V(ve2), Temperature=44.7	1.67471	1674.71	1676.61429	0.113579474	4423.413906	1666.226	0.6196%
44.8	317.95	V(ve1)-V(ve2), Temperature=44.8	1.67192	1671.92	1674.125809	0.131758845	4406.134517	1663.862	0.6131%
44.9	318.05	V(ve1)-V(ve2), Temperature=44.9	1.66951	1669.51	1671.636368	0.12720277	4388.932136	1661.498	0.6065%
45	318.15	V(ve1)-V(ve2), Temperature=45	1.6671	1667.1	1669.145985	0.122576774	4371.806382	1659.134	0.5998%
45.1	318.25	V(ve1)-V(ve2), Temperature=45.1	1.66429	1664.29	1666.65468	0.141881807	4354.756873	1656.77	0.5931%
45.2	318.35	V(ve1)-V(ve2), Temperature=45.2	1.66227	1662.27	1664.16247	0.113719062	4337.783232	1654.406	0.5863%
45.3	318.45	V(ve1)-V(ve2), Temperature=45.3	1.65944	1659.44	1661.669374	0.134164727	4320.885081	1652.042	0.5794%
45.4	318.55	V(ve1)-V(ve2), Temperature=45.4	1.65701	1657.01	1659.175411	0.130511288	4304.062047	1649.678	0.5724%
45.5	318.65	V(ve1)-V(ve2), Temperature=45.5	1.65457	1654.57	1656.680599	0.127399292	4287.313756	1647.314	0.5654%
45.6	318.75	V(ve1)-V(ve2), Temperature=45.6	1.65193	1651.93	1654.184957	0.136318337	4270.639839	1644.95	0.5583%
45.7	318.85	V(ve1)-V(ve2), Temperature=45.7	1.64967	1649.67	1651.688504	0.122208517	4254.039928	1642.586	0.5511%
45.8	318.95	V(ve1)-V(ve2), Temperature=45.8	1.64683	1646.83	1649.191257	0.143176692	4237.513655	1640.222	0.5439%
45.9	319.05	V(ve1)-V(ve2), Temperature=45.9	1.64436	1644.36	1646.693237	0.141692243	4221.060657	1637.858	0.5365%
46	319.15	V(ve1)-V(ve2), Temperature=46	1.6419	1641.9	1644.19446	0.139549176	4204.680571	1635.494	0.5292%
46.1	319.25	V(ve1)-V(ve2), Temperature=46.1	1.63923	1639.23	1641.694946	0.150146399	4188.373037	1633.13	0.5217%
46.2	319.35	V(ve1)-V(ve2), Temperature=46.2	1.63694	1636.94	1639.194713	0.137550058	4172.137697	1630.766	0.5142%
46.3	319.45	V(ve1)-V(ve2), Temperature=46.3	1.63465	1634.65	1636.693781	0.124872514	4155.974194	1628.402	0.5066%
46.4	319.55	V(ve1)-V(ve2), Temperature=46.4	1.63216	1632.16	1634.192167	0.124352972	4139.882173	1626.038	0.4990%
46.5	319.65	V(ve1)-V(ve2), Temperature=46.5	1.62947	1629.47	1631.689889	0.136048485	4123.861281	1623.674	0.4913%
46.6	319.75	V(ve1)-V(ve2), Temperature=46.6	1.62715	1627.15	1629.186968	0.12502973	4107.911169	1621.31	0.4835%

46.7	319.85	V(ve1)-V(ve2), Temperature=46.7	1.62445	1624.45	1626.683421	0.137299068	4092.031488	1618.946	0.4757%
46.8	319.95	V(ve1)-V(ve2), Temperature=46.8	1.62213	1622.13	1624.179267	0.12617246	4076.221889	1616.582	0.4678%
46.9	320.05	V(ve1)-V(ve2), Temperature=46.9	1.61923	1619.23	1621.674524	0.150740746	4060.482029	1614.218	0.4598%
47	320.15	V(ve1)-V(ve2), Temperature=47	1.61689	1616.89	1619.169212	0.140764266	4044.811564	1611.854	0.4518%
47.1	320.25	V(ve1)-V(ve2), Temperature=47.1	1.61455	1614.55	1616.663348	0.130722794	4029.210152	1609.49	0.4437%
47.2	320.35	V(ve1)-V(ve2), Temperature=47.2	1.61201	1612.01	1614.156951	0.133007553	4013.677455	1607.126	0.4356%
47.3	320.45	V(ve1)-V(ve2), Temperature=47.3	1.60947	1609.47	1611.65004	0.135267557	3998.213135	1604.762	0.4274%
47.4	320.55	V(ve1)-V(ve2), Temperature=47.4	1.60692	1606.92	1609.142633	0.138125281	3982.816855	1602.398	0.4191%
47.5	320.65	V(ve1)-V(ve2), Temperature=47.5	1.60437	1604.37	1606.634749	0.140962272	3967.488282	1600.034	0.4108%
47.6	320.75	V(ve1)-V(ve2), Temperature=47.6	1.60181	1601.81	1604.126406	0.144402984	3952.227084	1597.67	0.4025%
47.7	320.85	V(ve1)-V(ve2), Temperature=47.7	1.59925	1599.25	1601.617624	0.147827027	3937.032929	1595.306	0.3941%
47.8	320.95	V(ve1)-V(ve2), Temperature=47.8	1.59687	1596.87	1599.10842	0.139979228	3921.905490	1592.942	0.3856%
47.9	321.05	V(ve1)-V(ve2), Temperature=47.9	1.59448	1594.48	1596.598813	0.132707891	3906.844440	1590.578	0.3771%
48	321.15	V(ve1)-V(ve2), Temperature=48	1.5919	1591.9	1594.088821	0.137308601	3891.849453	1588.214	0.3685%
48.1	321.25	V(ve1)-V(ve2), Temperature=48.1	1.5895	1589.5	1591.578464	0.130591333	3876.920206	1585.85	0.3599%
48.2	321.35	V(ve1)-V(ve2), Temperature=48.2	1.58709	1587.09	1589.067759	0.124460308	3862.056378	1583.486	0.3513%
48.3	321.45	V(ve1)-V(ve2), Temperature=48.3	1.58431	1584.31	1586.556725	0.141610107	3847.257648	1581.122	0.3425%
48.4	321.55	V(ve1)-V(ve2), Temperature=48.4	1.58171	1581.71	1584.04538	0.147431403	3832.523699	1578.758	0.3338%
48.5	321.65	V(ve1)-V(ve2), Temperature=48.5	1.57929	1579.29	1581.533744	0.141871384	3817.854213	1576.394	0.3250%
48.6	321.75	V(ve1)-V(ve2), Temperature=48.6	1.57686	1576.86	1579.021834	0.136909688	3803.248877	1574.03	0.3161%
48.7	321.85	V(ve1)-V(ve2), Temperature=48.7	1.57424	1574.24	1576.509669	0.143967949	3788.707376	1571.666	0.3072%
48.8	321.95	V(ve1)-V(ve2), Temperature=48.8	1.5718	1571.8	1573.997267	0.139597877	3774.229400	1569.302	0.2983%
48.9	322.05	V(ve1)-V(ve2), Temperature=48.9	1.56936	1569.36	1571.484647	0.135199961	3759.814639	1566.938	0.2893%
49	322.15	V(ve1)-V(ve2), Temperature=49	1.56673	1566.73	1568.971827	0.142885081	3745.462785	1564.574	0.2803%
49.1	322.25	V(ve1)-V(ve2), Temperature=49.1	1.5639	1563.9	1566.458825	0.163350936	3731.173531	1562.21	0.2712%
49.2	322.35	V(ve1)-V(ve2), Temperature=49.2	1.56181	1561.81	1563.945661	0.136555933	3716.946573	1559.846	0.2621%
49.3	322.45	V(ve1)-V(ve2), Temperature=49.3	1.55916	1559.16	1561.432351	0.145529917	3702.781607	1557.482	0.2530%
49.4	322.55	V(ve1)-V(ve2), Temperature=49.4	1.55651	1556.51	1558.918915	0.154524731	3688.678331	1555.118	0.2438%
49.5	322.65	V(ve1)-V(ve2), Temperature=49.5	1.55422	1554.22	1556.405371	0.140411454	3674.636447	1552.754	0.2346%
49.6	322.75	V(ve1)-V(ve2), Temperature=49.6	1.55155	1551.55	1553.891738	0.150701469	3660.655655	1550.39	0.2254%
49.7	322.85	V(ve1)-V(ve2), Temperature=49.7	1.54925	1549.25	1551.378032	0.137170466	3646.735659	1548.026	0.2161%
49.8	322.95	V(ve1)-V(ve2), Temperature=49.8	1.54658	1546.58	1548.864274	0.147480586	3632.876164	1545.662	0.2067%
49.9	323.05	V(ve1)-V(ve2), Temperature=49.9	1.5439	1543.9	1546.350481	0.158468652	3619.076876	1543.298	0.1974%
50	323.15	V(ve1)-V(ve2), Temperature=50	1.54176	1541.76	1543.836671	0.134513625	3605.337503	1540.934	0.1880%
50.1	323.25	V(ve1)-V(ve2), Temperature=50.1	1.53925	1539.25	1541.322862	0.134485914	3591.657755	1538.57	0.1786%
50.2	323.35	V(ve1)-V(ve2), Temperature=50.2	1.53656	1536.56	1538.809073	0.146156738	3578.037342	1536.206	0.1692%
50.3	323.45	V(ve1)-V(ve2), Temperature=50.3	1.53404	1534.04	1536.295322	0.146802643	3564.475978	1533.842	0.1597%
50.4	323.55	V(ve1)-V(ve2), Temperature=50.4	1.53151	1531.51	1533.781627	0.1481063	3550.973377	1531.478	0.1502%
50.5	323.65	V(ve1)-V(ve2), Temperature=50.5	1.52917	1529.17	1531.268006	0.137011041	3537.529253	1529.114	0.1407%
50.6	323.75	V(ve1)-V(ve2), Temperature=50.6	1.52663	1526.63	1528.754478	0.138967876	3524.143325	1526.75	0.1311%
50.7	323.85	V(ve1)-V(ve2), Temperature=50.7	1.52391	1523.91	1526.241059	0.152732056	3510.815311	1524.386	0.1215%
50.8	323.95	V(ve1)-V(ve2), Temperature=50.8	1.52137	1521.37	1523.727277	0.154736934	3497.544932	1522.022	0.1119%
50.9	324.05	V(ve1)-V(ve2), Temperature=50.9	1.51882	1518.82	1521.214626	0.157415406	3484.331908	1519.658	0.1023%
51	324.15	V(ve1)-V(ve2), Temperature=51	1.51609	1516.09	1518.701647	0.171965796	3471.175964	1517.294	0.0927%
51.1	324.25	V(ve1)-V(ve2), Temperature=51.1	1.51407	1514.07	1516.188851	0.139748483	3458.076823	1514.93	0.0830%
51.2	324.35	V(ve1)-V(ve2), Temperature=51.2	1.5115	1511.5	1513.676255	0.143772813	3445.034212	1512.566	0.0733%
51.3	324.45	V(ve1)-V(ve2), Temperature=51.3	1.50893	1508.93	1511.163877	0.147824963	3432.047859	1510.202	0.0637%
51.4	324.55	V(ve1)-V(ve2), Temperature=51.4	1.50618	1506.18	1508.651736	0.163837429	3419.117492	1507.838	0.0539%
51.5	324.65	V(ve1)-V(ve2), Temperature=51.5	1.50378	1503.78	1506.139849	0.156681933	3406.242841	1505.474	0.0442%
51.6	324.75	V(ve1)-V(ve2), Temperature=51.6	1.50138	1501.38	1503.628234	0.149520616	3393.423640	1503.11	0.0345%
51.7	324.85	V(ve1)-V(ve2), Temperature=51.7	1.49861	1498.61	1501.116909	0.167002921	3380.659620	1500.746	0.0247%
51.8	324.95	V(ve1)-V(ve2), Temperature=51.8	1.49619	1496.19	1498.605892	0.161209282	3367.950517	1498.382	0.0149%
51.9	325.05	V(ve1)-V(ve2), Temperature=51.9	1.49377	1493.77	1496.0952	0.155417909	3355.296066	1496.018	0.0052%
52	325.15	V(ve1)-V(ve2), Temperature=52	1.49135	1491.35	1493.584851	0.149630013	3342.696005	1493.654	0.0046%
52.1	325.25	V(ve1)-V(ve2), Temperature=52.1	1.48856	1488.56	1491.074864	0.16866113	3330.150074	1491.29	0.0144%
52.2	325.35	V(ve1)-V(ve2), Temperature=52.2	1.4863	1486.3	1488.565255	0.152177049	3317.658011	1488.926	0.0242%
52.3	325.45	V(ve1)-V(ve2), Temperature=52.3	1.48368	1483.68	1486.056042	0.159889126	3305.219559	1486.562	0.0340%
52.4	325.55	V(ve1)-V(ve2), Temperature=52.4	1.48124	1481.24	1483.547244	0.155522084	3292.834462	1484.198	0.0439%
52.5	325.65	V(ve1)-V(ve2), Temperature=52.5	1.47844	1478.44	1481.038877	0.175476591	3280.502462	1481.834	0.0537%
52.6	325.75	V(ve1)-V(ve2), Temperature=52.6	1.4765	1476.5	1478.530959	0.137363284	3268.223306	1479.47	0.0635%
52.7	325.85	V(ve1)-V(ve2), Temperature=52.7	1.47369	1473.69	1476.023507	0.158094187	3255.996740	1477.106	0.0733%
52.8	325.95	V(ve1)-V(ve2), Temperature=52.8	1.4714	1471.4	1473.51654	0.143638729	3243.822514	1474.742	0.0832%
52.9	326.05	V(ve1)-V(ve2), Temperature=52.9	1.46875	1468.75	1471.010075	0.15364103	3231.700376	1472.378	0.0930%
53	326.15	V(ve1)-V(ve2), Temperature=53	1.46627	1466.27	1468.504129	0.152136366	3219.630078	1470.014	0.1028%
53.1	326.25	V(ve1)-V(ve2), Temperature=53.1	1.46379	1463.79	1465.998719	0.150663114	3207.611373	1467.65	0.1126%
53.2	326.35	V(ve1)-V(ve2), Temperature=53.2	1.46096	1460.96	1463.493863	0.173137959	3195.644012	1465.286	0.1225%
53.3	326.45	V(ve1)-V(ve2), Temperature=53.3	1.45881	1458.81	1460.989579	0.14918512	3183.727753	1462.922	0.1323%

53.4	326.55	V(ve1)-V(ve2), Temperature=53.4	1.45632	1456.32	1458.485883	0.148502164	3171.862350	1460.558	0.1421%
53.5	326.65	V(ve1)-V(ve2), Temperature=53.5	1.45347	1453.47	1455.982793	0.172583973	3160.047561	1458.194	0.1519%
53.6	326.75	V(ve1)-V(ve2), Temperature=53.6	1.45097	1450.97	1453.480326	0.172711377	3148.283145	1455.83	0.1617%
53.7	326.85	V(ve1)-V(ve2), Temperature=53.7	1.4448	1448.8	1450.978499	0.150139985	3136.568861	1453.466	0.1714%
53.8	326.95	V(ve1)-V(ve2), Temperature=53.8	1.44628	1446.28	1448.47733	0.15169927	3124.904472	1451.102	0.1812%
53.9	327.05	V(ve1)-V(ve2), Temperature=53.9	1.44342	1443.42	1445.976835	0.176824035	3113.289739	1448.738	0.1910%
54	327.15	V(ve1)-V(ve2), Temperature=54	1.44107	1441.07	1443.477031	0.166752317	3101.724427	1446.374	0.2007%
54.1	327.25	V(ve1)-V(ve2), Temperature=54.1	1.43888	1438.88	1440.977937	0.145591184	3090.208300	1444.01	0.2104%
54.2	327.35	V(ve1)-V(ve2), Temperature=54.2	1.43617	1436.17	1438.479568	0.160556196	3078.741125	1441.646	0.2201%
54.3	327.45	V(ve1)-V(ve2), Temperature=54.3	1.43397	1433.97	1435.981942	0.140109127	3067.322668	1439.282	0.2298%
54.4	327.55	V(ve1)-V(ve2), Temperature=54.4	1.43109	1431.09	1433.485075	0.167080578	3055.952699	1436.918	0.2395%
54.5	327.65	V(ve1)-V(ve2), Temperature=54.5	1.42871	1428.71	1430.988985	0.159259432	3044.630987	1434.554	0.2491%
54.6	327.75	V(ve1)-V(ve2), Temperature=54.6	1.42616	1426.16	1428.493688	0.163367062	3033.357304	1432.19	0.2588%
54.7	327.85	V(ve1)-V(ve2), Temperature=54.7	1.4236	1423.6	1425.999201	0.168247037	3022.131421	1429.826	0.2684%
54.8	327.95	V(ve1)-V(ve2), Temperature=54.8	1.42121	1421.21	1423.505542	0.16125977	3010.953113	1427.462	0.2779%
54.9	328.05	V(ve1)-V(ve2), Temperature=54.9	1.41881	1418.81	1421.012726	0.15501097	2999.822153	1425.098	0.2875%
55	328.15	V(ve1)-V(ve2), Temperature=55	1.41624	1416.24	1418.52077	0.16078509	2988.738318	1422.734	0.2970%
55.1	328.25	V(ve1)-V(ve2), Temperature=55.1	1.41367	1413.67	1416.029691	0.166641372	2977.701385	1420.37	0.3065%
55.2	328.35	V(ve1)-V(ve2), Temperature=55.2	1.41109	1411.09	1413.539506	0.173288837	2966.711131	1418.006	0.3160%
55.3	328.45	V(ve1)-V(ve2), Temperature=55.3	1.40867	1408.67	1411.050231	0.168685081	2955.767336	1415.642	0.3254%
55.4	328.55	V(ve1)-V(ve2), Temperature=55.4	1.40625	1406.25	1408.561883	0.164130729	2944.869780	1413.278	0.3348%
55.5	328.65	V(ve1)-V(ve2), Temperature=55.5	1.40366	1403.66	1406.074478	0.171717645	2934.018246	1410.914	0.3442%
55.6	328.75	V(ve1)-V(ve2), Temperature=55.6	1.40139	1401.39	1403.588032	0.156600959	2923.212514	1408.55	0.3535%
55.7	328.85	V(ve1)-V(ve2), Temperature=55.7	1.39879	1398.79	1401.102563	0.165053084	2912.452371	1406.186	0.3628%
55.8	328.95	V(ve1)-V(ve2), Temperature=55.8	1.39635	1396.35	1398.618086	0.162166193	2901.737599	1403.822	0.3721%
55.9	329.05	V(ve1)-V(ve2), Temperature=55.9	1.39374	1393.74	1396.134617	0.171517642	2891.067986	1401.458	0.3813%
56	329.15	V(ve1)-V(ve2), Temperature=56	1.39145	1391.45	1393.652174	0.15801458	2880.443319	1399.094	0.3905%
56.1	329.25	V(ve1)-V(ve2), Temperature=56.1	1.389	1389	1391.170771	0.156039161	2869.863386	1396.73	0.3996%
56.2	329.35	V(ve1)-V(ve2), Temperature=56.2	1.38638	1386.38	1388.690426	0.166374445	2859.327976	1394.366	0.4087%
56.3	329.45	V(ve1)-V(ve2), Temperature=56.3	1.38391	1383.91	1386.211154	0.166003136	2848.836879	1392.002	0.4177%
56.4	329.55	V(ve1)-V(ve2), Temperature=56.4	1.38161	1381.61	1383.732972	0.153423503	2838.389888	1389.638	0.4267%
56.5	329.65	V(ve1)-V(ve2), Temperature=56.5	1.37897	1378.97	1381.255895	0.165493934	2827.986795	1387.274	0.4357%
56.6	329.75	V(ve1)-V(ve2), Temperature=56.6	1.37633	1376.33	1378.779939	0.177688934	2817.627394	1384.91	0.4446%
56.7	329.85	V(ve1)-V(ve2), Temperature=56.7	1.37402	1374.02	1376.305121	0.166033047	2807.311479	1382.546	0.4535%
56.8	329.95	V(ve1)-V(ve2), Temperature=56.8	1.37153	1371.53	1373.831456	0.167521022	2797.038846	1380.182	0.4623%
56.9	330.05	V(ve1)-V(ve2), Temperature=56.9	1.36904	1369.04	1371.358961	0.169099947	2786.809292	1377.818	0.4710%
57	330.15	V(ve1)-V(ve2), Temperature=57	1.36671	1366.71	1368.88765	0.159081725	2776.622616	1375.454	0.4797%
57.1	330.25	V(ve1)-V(ve2), Temperature=57.1	1.36437	1364.37	1366.41754	0.149847301	2766.478615	1373.09	0.4883%
57.2	330.35	V(ve1)-V(ve2), Temperature=57.2	1.36171	1361.71	1363.948646	0.164129791	2756.377091	1370.726	0.4969%
57.3	330.45	V(ve1)-V(ve2), Temperature=57.3	1.35904	1359.04	1361.480984	0.17928888	2746.317843	1368.362	0.5054%
57.4	330.55	V(ve1)-V(ve2), Temperature=57.4	1.35685	1356.85	1359.01457	0.159274943	2736.300675	1365.998	0.5139%
57.5	330.65	V(ve1)-V(ve2), Temperature=57.5	1.35449	1354.49	1356.549418	0.151813	2726.325389	1363.634	0.5223%
57.6	330.75	V(ve1)-V(ve2), Temperature=57.6	1.35182	1351.82	1354.085546	0.167311863	2716.391790	1361.27	0.5306%
57.7	330.85	V(ve1)-V(ve2), Temperature=57.7	1.34929	1349.29	1351.622967	0.172604867	2706.499682	1358.906	0.5388%
57.8	330.95	V(ve1)-V(ve2), Temperature=57.8	1.34692	1346.92	1349.161698	0.166154844	2696.648871	1356.542	0.5470%
57.9	331.05	V(ve1)-V(ve2), Temperature=57.9	1.34423	1344.23	1346.701753	0.183541236	2686.839166	1354.178	0.5552%
58	331.15	V(ve1)-V(ve2), Temperature=58	1.34186	1341.86	1344.243148	0.177285512	2677.070373	1351.814	0.5632%
58.1	331.25	V(ve1)-V(ve2), Temperature=58.1	1.33963	1339.63	1341.785899	0.160673838	2667.342302	1349.45	0.5712%
58.2	331.35	V(ve1)-V(ve2), Temperature=58.2	1.33693	1336.93	1339.33002	0.179195573	2657.654764	1347.086	0.5791%
58.3	331.45	V(ve1)-V(ve2), Temperature=58.3	1.33454	1334.54	1336.875527	0.174700376	2648.007568	1344.722	0.5869%
58.4	331.55	V(ve1)-V(ve2), Temperature=58.4	1.33215	1332.15	1334.422434	0.170293422	2638.400527	1342.358	0.5947%
58.5	331.65	V(ve1)-V(ve2), Temperature=58.5	1.32943	1329.43	1331.970757	0.190751675	2628.833455	1339.994	0.6024%
58.6	331.75	V(ve1)-V(ve2), Temperature=58.6	1.32734	1327.34	1329.52051	0.16400725	2619.306165	1337.63	0.6100%
58.7	331.85	V(ve1)-V(ve2), Temperature=58.7	1.32494	1324.94	1327.071709	0.160632525	2609.818471	1335.266	0.6175%
58.8	331.95	V(ve1)-V(ve2), Temperature=58.8	1.32237	1322.37	1324.624368	0.170189228	2600.370190	1332.902	0.6249%
58.9	332.05	V(ve1)-V(ve2), Temperature=58.9	1.31995	1319.95	1322.178502	0.168547775	2590.961139	1330.538	0.6323%
59	332.15	V(ve1)-V(ve2), Temperature=59	1.31769	1317.69	1319.734127	0.154889286	2581.591135	1328.174	0.6395%
59.1	332.25	V(ve1)-V(ve2), Temperature=59.1	1.31526	1315.26	1317.291256	0.154199438	2572.259997	1325.81	0.6467%
59.2	332.35	V(ve1)-V(ve2), Temperature=59.2	1.31252	1312.52	1314.849904	0.17719922	2562.967544	1323.446	0.6538%
59.3	332.45	V(ve1)-V(ve2), Temperature=59.3	1.31009	1310.09	1312.410086	0.176780562	2553.713598	1321.082	0.6608%
59.4	332.55	V(ve1)-V(ve2), Temperature=59.4	1.30766	1307.66	1309.971816	0.176478306	2544.497978	1318.718	0.6677%
59.5	332.65	V(ve1)-V(ve2), Temperature=59.5	1.30521	1305.21	1307.535109	0.177823857	2535.320509	1316.354	0.6745%
59.6	332.75	V(ve1)-V(ve2), Temperature=59.6	1.30292	1302.92	1305.09998	0.167035472	2526.181013	1313.99	0.6812%
59.7	332.85	V(ve1)-V(ve2), Temperature=59.7	1.30047	1300.47	1302.666442	0.168611219	2517.079313	1311.626	0.6878%
59.8	332.95	V(ve1)-V(ve2), Temperature=59.8	1.29802	1298.02	1300.23451	0.170316181	2508.015236	1309.262	0.6943%
59.9	333.05	V(ve1)-V(ve2), Temperature=59.9	1.29557	1295.57	1297.804198	0.172152175	2498.988608	1306.898	0.7007%
60	333.15	V(ve1)-V(ve2), Temperature=60	1.29341	1293.41	1295.375521	0.151733657	2489.999254	1304.534	0.7070%

60.1	333.25	V(ve1)-V(ve2), Temperature=60.1	1.29064	1290.64	1292.948491	0.178544735	2481.047002	1302.17	0.7132%
60.2	333.35	V(ve1)-V(ve2), Temperature=60.2	1.28817	1288.17	1290.523125	0.182338852	2472.131682	1299.806	0.7193%
60.3	333.45	V(ve1)-V(ve2), Temperature=60.3	1.2857	1285.7	1288.099435	0.186277181	2463.253123	1297.442	0.7253%
60.4	333.55	V(ve1)-V(ve2), Temperature=60.4	1.28353	1283.53	1285.677436	0.167027576	2454.411154	1295.078	0.7312%
60.5	333.65	V(ve1)-V(ve2), Temperature=60.5	1.28105	1281.05	1283.257141	0.171995523	2445.605608	1292.714	0.7369%
60.6	333.75	V(ve1)-V(ve2), Temperature=60.6	1.27856	1278.56	1280.838565	0.177896309	2436.836316	1290.35	0.7426%
60.7	333.85	V(ve1)-V(ve2), Temperature=60.7	1.27622	1276.22	1278.42172	0.172221711	2428.103110	1287.986	0.7481%
60.8	333.95	V(ve1)-V(ve2), Temperature=60.8	1.27373	1273.73	1276.006621	0.178417658	2419.405826	1285.622	0.7536%
60.9	334.05	V(ve1)-V(ve2), Temperature=60.9	1.27154	1271.54	1273.593282	0.161219588	2410.744297	1283.258	0.7589%
61	334.15	V(ve1)-V(ve2), Temperature=61	1.26874	1268.74	1271.181716	0.192082345	2402.118359	1280.894	0.7640%
61.1	334.25	V(ve1)-V(ve2), Temperature=61.1	1.26654	1266.54	1268.771936	0.175913109	2393.527848	1278.53	0.7691%
61.2	334.35	V(ve1)-V(ve2), Temperature=61.2	1.26403	1264.03	1266.363957	0.184303784	2384.972601	1276.166	0.7740%
61.3	334.45	V(ve1)-V(ve2), Temperature=61.3	1.26152	1261.52	1263.957791	0.192869656	2376.452457	1273.802	0.7788%
61.4	334.55	V(ve1)-V(ve2), Temperature=61.4	1.2593	1259.3	1261.553452	0.178625177	2367.967253	1271.438	0.7835%
61.5	334.65	V(ve1)-V(ve2), Temperature=61.5	1.25679	1256.79	1259.150953	0.187503592	2359.516829	1269.074	0.7881%
61.6	334.75	V(ve1)-V(ve2), Temperature=61.6	1.25456	1254.56	1256.750308	0.174283467	2351.101026	1266.71	0.7925%
61.7	334.85	V(ve1)-V(ve2), Temperature=61.7	1.25204	1252.04	1254.351529	0.184280834	2342.719685	1264.346	0.7968%
61.8	334.95	V(ve1)-V(ve2), Temperature=61.8	1.2498	1249.8	1251.954631	0.172101345	2334.372648	1261.982	0.8009%
61.9	335.05	V(ve1)-V(ve2), Temperature=61.9	1.24727	1247.27	1249.559625	0.183234533	2326.059757	1259.618	0.8050%
62	335.15	V(ve1)-V(ve2), Temperature=62	1.24503	1245.03	1247.166525	0.171310288	2317.780856	1257.254	0.8088%
62.1	335.25	V(ve1)-V(ve2), Temperature=62.1	1.24249	1242.49	1244.775343	0.183594844	2309.535790	1254.89	0.8126%
62.2	335.35	V(ve1)-V(ve2), Temperature=62.2	1.24024	1240.24	1242.386094	0.172739694	2301.324404	1252.526	0.8162%
62.3	335.45	V(ve1)-V(ve2), Temperature=62.3	1.2377	1237.7	1239.998789	0.185386382	2293.146543	1250.162	0.8196%
62.4	335.55	V(ve1)-V(ve2), Temperature=62.4	1.23544	1235.44	1237.613441	0.175615527	2285.002055	1247.798	0.8229%
62.5	335.65	V(ve1)-V(ve2), Temperature=62.5	1.23303	1233.03	1235.230064	0.178109624	2276.890786	1245.434	0.8261%
62.6	335.75	V(ve1)-V(ve2), Temperature=62.6	1.23076	1230.76	1232.848669	0.169418077	2268.812585	1243.07	0.8291%
62.7	335.85	V(ve1)-V(ve2), Temperature=62.7	1.2282	1228.2	1230.469269	0.184423024	2260.767301	1240.706	0.8319%
62.8	335.95	V(ve1)-V(ve2), Temperature=62.8	1.22593	1225.93	1228.091876	0.176035385	2252.754783	1238.342	0.8346%
62.9	336.05	V(ve1)-V(ve2), Temperature=62.9	1.22365	1223.65	1225.716504	0.168595616	2244.774883	1235.978	0.8372%
63	336.15	V(ve1)-V(ve2), Temperature=63	1.22137	1221.37	1223.343165	0.161292824	2236.827451	1233.614	0.8396%
63.1	336.25	V(ve1)-V(ve2), Temperature=63.1	1.2188	1218.8	1220.97187	0.177880448	2228.912340	1231.25	0.8418%
63.2	336.35	V(ve1)-V(ve2), Temperature=63.2	1.21637	1216.37	1218.602633	0.183212538	2221.029402	1228.886	0.8439%
63.3	336.45	V(ve1)-V(ve2), Temperature=63.3	1.21407	1214.07	1216.235465	0.178046511	2213.178491	1226.522	0.8458%
63.4	336.55	V(ve1)-V(ve2), Temperature=63.4	1.21178	1211.78	1213.870378	0.17220768	2205.359460	1224.158	0.8475%
63.5	336.65	V(ve1)-V(ve2), Temperature=63.5	1.20948	1209.48	1211.507385	0.167344015	2197.572166	1221.794	0.8491%
63.6	336.75	V(ve1)-V(ve2), Temperature=63.6	1.20717	1207.17	1209.146498	0.16346221	2189.816463	1219.43	0.8505%
63.7	336.85	V(ve1)-V(ve2), Temperature=63.7	1.20458	1204.58	1206.787728	0.182942496	2182.092208	1217.066	0.8517%
63.8	336.95	V(ve1)-V(ve2), Temperature=63.8	1.20227	1202.27	1204.431087	0.179428029	2174.399258	1214.702	0.8528%
63.9	337.05	V(ve1)-V(ve2), Temperature=63.9	1.19995	1199.95	1202.076588	0.17690949	2166.737471	1212.338	0.8536%
64	337.15	V(ve1)-V(ve2), Temperature=64	1.19763	1197.63	1199.724241	0.174560196	2159.106705	1209.974	0.8543%
64.1	337.25	V(ve1)-V(ve2), Temperature=64.1	1.19531	1195.31	1197.374059	0.172382175	2151.506821	1207.61	0.8549%
64.2	337.35	V(ve1)-V(ve2), Temperature=64.2	1.19298	1192.98	1195.026054	0.171214174	2143.937677	1205.246	0.8552%
64.3	337.45	V(ve1)-V(ve2), Temperature=64.3	1.19065	1190.65	1192.680236	0.170224692	2136.399134	1202.882	0.8554%
64.4	337.55	V(ve1)-V(ve2), Temperature=64.4	1.18832	1188.32	1190.336618	0.169415773	2128.891054	1200.518	0.8553%
64.5	337.65	V(ve1)-V(ve2), Temperature=64.5	1.18584	1185.84	1187.995211	0.181415761	2121.413299	1198.154	0.8551%
64.6	337.75	V(ve1)-V(ve2), Temperature=64.6	1.18336	1183.36	1185.656025	0.193650215	2113.965732	1195.79	0.8547%
64.7	337.85	V(ve1)-V(ve2), Temperature=64.7	1.18102	1181.02	1183.319074	0.194290269	2106.548216	1193.426	0.8541%
64.8	337.95	V(ve1)-V(ve2), Temperature=64.8	1.17895	1178.95	1180.984367	0.172260246	2099.160614	1191.062	0.8533%
64.9	338.05	V(ve1)-V(ve2), Temperature=64.9	1.1766	1176.6	1178.651916	0.17409004	2091.802793	1188.698	0.8523%
65	338.15	V(ve1)-V(ve2), Temperature=65	1.17424	1174.24	1176.321731	0.176969544	2084.474616	1186.334	0.8512%
65.1	338.25	V(ve1)-V(ve2), Temperature=65.1	1.17188	1171.88	1173.993825	0.180054189	2077.175951	1183.97	0.8498%
65.2	338.35	V(ve1)-V(ve2), Temperature=65.2	1.16938	1169.38	1171.668208	0.195294896	2069.906665	1181.606	0.8482%
65.3	338.45	V(ve1)-V(ve2), Temperature=65.3	1.16702	1167.02	1169.344891	0.198819965	2062.666624	1179.242	0.8464%
65.4	338.55	V(ve1)-V(ve2), Temperature=65.4	1.16492	1164.92	1167.023885	0.180277791	2055.455697	1176.878	0.8444%
65.5	338.65	V(ve1)-V(ve2), Temperature=65.5	1.16255	1162.55	1164.7052	0.18504254	2048.273752	1174.514	0.8422%
65.6	338.75	V(ve1)-V(ve2), Temperature=65.6	1.16018	1160.18	1162.388848	0.190026596	2041.120660	1172.15	0.8397%
65.7	338.85	V(ve1)-V(ve2), Temperature=65.7	1.15807	1158.07	1160.074839	0.172819781	2033.996290	1169.786	0.8371%
65.8	338.95	V(ve1)-V(ve2), Temperature=65.8	1.15569	1155.69	1157.763183	0.179067966	2026.900512	1167.422	0.8343%
65.9	339.05	V(ve1)-V(ve2), Temperature=65.9	1.15344	1153.44	1155.453891	0.174294383	2019.833198	1165.058	0.8312%
66	339.15	V(ve1)-V(ve2), Temperature=66	1.15105	1151.05	1153.146974	0.181847969	2012.794221	1162.694	0.8279%
66.1	339.25	V(ve1)-V(ve2), Temperature=66.1	1.14879	1148.79	1150.842442	0.178342589	2005.783452	1160.33	0.8244%
66.2	339.35	V(ve1)-V(ve2), Temperature=66.2	1.1464	1146.4	1148.540306	0.186350073	1998.800766	1157.966	0.8207%
66.3	339.45	V(ve1)-V(ve2), Temperature=66.3	1.144	1144	1146.240574	0.195471572	1991.846035	1155.602	0.8167%
66.4	339.55	V(ve1)-V(ve2), Temperature=66.4	1.14187	1141.87	1143.943259	0.181237942	1984.919135	1153.238	0.8125%
66.5	339.65	V(ve1)-V(ve2), Temperature=66.5	1.1396	1139.6	1141.64837	0.179422121	1978.019940	1150.874	0.8081%
66.6	339.75	V(ve1)-V(ve2), Temperature=66.6	1.13719	1137.19	1139.355916	0.190100073	1971.148327	1148.51	0.8034%
66.7	339.85	V(ve1)-V(ve2), Temperature=66.7	1.13505	1135.05	1137.065909	0.17729042	1964.304171	1146.146	0.7986%

66.8	339.95	V(ve1)-V(ve2), Temperature=66.8	1.13263	1132.63	1134.778357	0.189319567	1957.487350	1143.782	0.7934%
66.9	340.05	V(ve1)-V(ve2), Temperature=66.9	1.13048	1130.48	1132.493272	0.177773427	1950.697742	1141.418	0.7881%
67	340.15	V(ve1)-V(ve2), Temperature=67	1.12806	1128.06	1130.210662	0.190288585	1943.935223	1139.054	0.7825%
67.1	340.25	V(ve1)-V(ve2), Temperature=67.1	1.12577	1125.77	1127.930537	0.191548789	1937.199674	1136.69	0.7766%
67.2	340.35	V(ve1)-V(ve2), Temperature=67.2	1.12348	1123.48	1125.652908	0.193035337	1930.490974	1134.326	0.7705%
67.3	340.45	V(ve1)-V(ve2), Temperature=67.3	1.12131	1121.31	1123.377783	0.184068349	1923.809002	1131.962	0.7641%
67.4	340.55	V(ve1)-V(ve2), Temperature=67.4	1.11915	1119.15	1121.105172	0.174396854	1917.153639	1129.598	0.7575%
67.5	340.65	V(ve1)-V(ve2), Temperature=67.5	1.11684	1116.84	1118.835085	0.178318084	1910.524767	1127.234	0.7507%
67.6	340.75	V(ve1)-V(ve2), Temperature=67.6	1.1144	1114.4	1116.567532	0.194124533	1903.922267	1124.87	0.7436%
67.7	340.85	V(ve1)-V(ve2), Temperature=67.7	1.11249	1112.49	1114.30252	0.162659602	1897.346021	1122.506	0.7362%
67.8	340.95	V(ve1)-V(ve2), Temperature=67.8	1.11004	1110.04	1112.040061	0.179855082	1890.795913	1120.142	0.7286%
67.9	341.05	V(ve1)-V(ve2), Temperature=67.9	1.10773	1107.73	1109.780162	0.184735845	1884.271825	1117.778	0.7207%
68	341.15	V(ve1)-V(ve2), Temperature=68	1.10541	1105.41	1107.522833	0.190771067	1877.773642	1115.414	0.7125%
68.1	341.25	V(ve1)-V(ve2), Temperature=68.1	1.10321	1103.21	1105.268084	0.186206759	1871.301249	1113.05	0.7041%
68.2	341.35	V(ve1)-V(ve2), Temperature=68.2	1.10102	1101.02	1103.015923	0.180951387	1864.854530	1110.686	0.6954%
68.3	341.45	V(ve1)-V(ve2), Temperature=68.3	1.09882	1098.82	1100.766359	0.176818515	1858.433372	1108.322	0.6864%
68.4	341.55	V(ve1)-V(ve2), Temperature=68.4	1.09649	1096.49	1098.519401	0.184739628	1852.037660	1105.958	0.6771%
68.5	341.65	V(ve1)-V(ve2), Temperature=68.5	1.09428	1094.28	1096.275058	0.181985163	1845.667283	1103.594	0.6676%
68.6	341.75	V(ve1)-V(ve2), Temperature=68.6	1.09194	1091.94	1094.033339	0.191341384	1839.322126	1101.23	0.6578%
68.7	341.85	V(ve1)-V(ve2), Temperature=68.7	1.08973	1089.73	1091.794251	0.18906964	1833.002078	1098.866	0.6477%
68.8	341.95	V(ve1)-V(ve2), Temperature=68.8	1.08751	1087.51	1089.557806	0.187948312	1826.707028	1096.502	0.6373%
68.9	342.05	V(ve1)-V(ve2), Temperature=68.9	1.08542	1085.42	1087.324009	0.175109646	1820.436865	1094.138	0.6267%
69	342.15	V(ve1)-V(ve2), Temperature=69	1.0832	1083.2	1085.092871	0.174443215	1814.191478	1091.774	0.6157%
69.1	342.25	V(ve1)-V(ve2), Temperature=69.1	1.08097	1080.97	1082.864399	0.174943314	1807.970757	1089.41	0.6045%
69.2	342.35	V(ve1)-V(ve2), Temperature=69.2	1.07874	1078.74	1080.638602	0.175692595	1801.774594	1087.046	0.5929%
69.3	342.45	V(ve1)-V(ve2), Temperature=69.3	1.07651	1076.51	1078.415488	0.176693289	1795.602878	1084.682	0.5811%
69.4	342.55	V(ve1)-V(ve2), Temperature=69.4	1.07428	1074.28	1076.195065	0.177947784	1789.455503	1082.318	0.5689%
69.5	342.65	V(ve1)-V(ve2), Temperature=69.5	1.07204	1072.04	1073.977343	0.180389515	1783.332361	1079.954	0.5565%
69.6	342.75	V(ve1)-V(ve2), Temperature=69.6	1.06992	1069.92	1071.762327	0.171896971	1777.233343	1077.59	0.5437%
69.7	342.85	V(ve1)-V(ve2), Temperature=69.7	1.06755	1067.55	1069.550028	0.18699711	1771.158345	1075.226	0.5307%
69.8	342.95	V(ve1)-V(ve2), Temperature=69.8	1.0653	1065.3	1067.340451	0.191171567	1765.107258	1072.862	0.5173%
69.9	343.05	V(ve1)-V(ve2), Temperature=69.9	1.06318	1063.18	1065.133607	0.183414296	1759.079979	1070.498	0.5036%
70	343.15	V(ve1)-V(ve2), Temperature=70	1.06092	1060.92	1062.929502	0.189053208	1753.076401	1068.134	0.4896%
70.1	343.25	V(ve1)-V(ve2), Temperature=70.1	1.05892	1058.92	1060.728145	0.170462574	1747.096420	1065.77	0.4753%
70.2	343.35	V(ve1)-V(ve2), Temperature=70.2	1.05653	1056.53	1058.529542	0.188898079	1741.139933	1063.406	0.4607%
70.3	343.45	V(ve1)-V(ve2), Temperature=70.3	1.05439	1054.39	1056.333701	0.184004494	1735.206834	1061.042	0.4457%
70.4	343.55	V(ve1)-V(ve2), Temperature=70.4	1.05237	1052.37	1054.140632	0.167969217	1729.297023	1058.678	0.4304%
70.5	343.65	V(ve1)-V(ve2), Temperature=70.5	1.05011	1050.11	1051.950339	0.174945468	1723.410395	1056.314	0.4148%
70.6	343.75	V(ve1)-V(ve2), Temperature=70.6	1.04783	1047.83	1049.762832	0.184120825	1717.546848	1053.95	0.3989%
70.7	343.85	V(ve1)-V(ve2), Temperature=70.7	1.04556	1045.56	1047.578117	0.192646005	1711.706282	1051.586	0.3826%
70.8	343.95	V(ve1)-V(ve2), Temperature=70.8	1.04353	1043.53	1045.396203	0.178516302	1705.888595	1049.222	0.3660%
70.9	344.05	V(ve1)-V(ve2), Temperature=70.9	1.04137	1041.37	1043.217095	0.177057572	1700.093686	1046.858	0.3490%
71	344.15	V(ve1)-V(ve2), Temperature=71	1.03909	1039.09	1041.040802	0.187389546	1694.321456	1044.494	0.3317%
71.1	344.25	V(ve1)-V(ve2), Temperature=71.1	1.03692	1036.92	1038.86733	0.187447381	1688.571804	1042.13	0.3141%
71.2	344.35	V(ve1)-V(ve2), Temperature=71.2	1.03476	1034.76	1036.696686	0.186813201	1682.844632	1039.766	0.2961%
71.3	344.45	V(ve1)-V(ve2), Temperature=71.3	1.03271	1032.71	1034.528878	0.175817082	1677.139841	1037.402	0.2777%
71.4	344.55	V(ve1)-V(ve2), Temperature=71.4	1.03041	1030.41	1032.363913	0.189265943	1671.457333	1035.038	0.2590%
71.5	344.65	V(ve1)-V(ve2), Temperature=71.5	1.02812	1028.12	1030.201797	0.202076629	1665.797009	1032.674	0.2400%
71.6	344.75	V(ve1)-V(ve2), Temperature=71.6	1.02606	1026.06	1028.042537	0.19284586	1660.158774	1030.31	0.2206%
71.7	344.85	V(ve1)-V(ve2), Temperature=71.7	1.02388	1023.88	1025.88614	0.195551955	1654.542529	1027.946	0.2008%
71.8	344.95	V(ve1)-V(ve2), Temperature=71.8	1.02169	1021.69	1023.732613	0.199526068	1648.948180	1025.582	0.1807%
71.9	345.05	V(ve1)-V(ve2), Temperature=71.9	1.01962	1019.62	1021.581962	0.192051389	1643.375629	1023.218	0.1601%
72	345.15	V(ve1)-V(ve2), Temperature=72	1.01767	1017.67	1019.434194	0.173056178	1637.824781	1020.854	0.1393%
72.1	345.25	V(ve1)-V(ve2), Temperature=72.1	1.01548	1015.48	1017.289315	0.177856501	1632.295543	1018.49	0.1180%
72.2	345.35	V(ve1)-V(ve2), Temperature=72.2	1.01328	1013.28	1015.147332	0.183946873	1626.787818	1016.126	0.0964%
72.3	345.45	V(ve1)-V(ve2), Temperature=72.3	1.0112	1011.2	1013.008251	0.178503066	1621.301514	1013.762	0.0744%
72.4	345.55	V(ve1)-V(ve2), Temperature=72.4	1.00911	1009.11	1010.872078	0.174312653	1615.836536	1011.398	0.0520%
72.5	345.65	V(ve1)-V(ve2), Temperature=72.5	1.00679	1006.79	1008.73882	0.193193707	1610.392792	1009.034	0.0293%
72.6	345.75	V(ve1)-V(ve2), Temperature=72.6	1.00494	1004.94	1006.608483	0.165752901	1604.970189	1006.67	0.0061%
72.7	345.85	V(ve1)-V(ve2), Temperature=72.7	1.00261	1002.61	1004.481072	0.186272527	1599.568634	1004.306	0.0174%
72.8	345.95	V(ve1)-V(ve2), Temperature=72.8	1.00051	1000.51	1002.356595	0.184225375	1594.188037	1001.942	0.0141%
72.9	346.05	V(ve1)-V(ve2), Temperature=72.9	0.99841249	998.41249	1000.235057	0.182213855	1588.828305	999.5749	0.0657%
73	346.15	V(ve1)-V(ve2), Temperature=73	0.99619325	996.19325	998.1164635	0.192684281	1583.489348	997.214	0.0904%
73.1	346.25	V(ve1)-V(ve2), Temperature=73.1	0.99408822	994.08822	996.0008209	0.192028041	1578.171075	994.85	0.1155%
73.2	346.35	V(ve1)-V(ve2), Temperature=73.2	0.99198022	991.98022	993.8881351	0.191964769	1572.873397	992.486	0.1411%
73.3	346.45	V(ve1)-V(ve2), Temperature=73.3	0.98986925	989.86925	991.7784113	0.192498775	1567.596223	990.122	0.1670%
73.4	346.55	V(ve1)-V(ve2), Temperature=73.4	0.98775538	987.75538	989.6716557	0.193627421	1562.339465	987.758	0.1934%

73.5	346.65	V(ve1)-V(ve2), Temperature=73.5	0.98587001	985.87001	987.5678738	0.171923757	1557.103034	985.394	0.2201%
73.6	346.75	V(ve1)-V(ve2), Temperature=73.6	0.98374994	983.74994	985.4670712	0.17424542	1551.886842	983.03	0.2473%
73.7	346.85	V(ve1)-V(ve2), Temperature=73.7	0.98162701	981.62701	983.3692531	0.177170789	1546.690800	980.666	0.2749%
73.8	346.95	V(ve1)-V(ve2), Temperature=73.8	0.97950129	979.50129	981.2744253	0.18069719	1541.514822	978.302	0.3029%
73.9	347.05	V(ve1)-V(ve2), Temperature=73.9	0.97725811	977.25811	979.1825929	0.196539742	1536.358820	975.938	0.3314%
74	347.15	V(ve1)-V(ve2), Temperature=74	0.97524159	975.24159	977.0937615	0.189559241	1531.222708	973.574	0.3602%
74.1	347.25	V(ve1)-V(ve2), Temperature=74.1	0.97322189	973.22189	975.007936	0.183182712	1526.106399	971.21	0.3895%
74.2	347.35	V(ve1)-V(ve2), Temperature=74.2	0.97131296	971.31296	972.9251218	0.165702557	1521.009808	968.846	0.4193%
74.3	347.45	V(ve1)-V(ve2), Temperature=74.3	0.96905928	969.05928	970.8453243	0.183967956	1515.932850	966.482	0.4494%
74.4	347.55	V(ve1)-V(ve2), Temperature=74.4	0.96703039	967.03039	968.7685481	0.179419337	1510.875439	964.118	0.4800%
74.5	347.65	V(ve1)-V(ve2), Temperature=74.5	0.96488524	964.88524	966.6947985	0.187190255	1505.837491	961.754	0.5111%
74.6	347.75	V(ve1)-V(ve2), Temperature=74.6	0.9627375	962.7375	964.6240799	0.195576701	1500.818921	959.39	0.5426%
74.7	347.85	V(ve1)-V(ve2), Temperature=74.7	0.96081274	960.81274	962.5563982	0.181148679	1495.819647	957.026	0.5746%
74.8	347.95	V(ve1)-V(ve2), Temperature=74.8	0.95865949	958.65949	960.4917573	0.190763464	1490.839584	954.662	0.6070%
74.9	348.05	V(ve1)-V(ve2), Temperature=74.9	0.95672829	956.72829	958.4301626	0.177568761	1485.878650	952.298	0.6398%
75	348.15	V(ve1)-V(ve2), Temperature=75	0.95468166	954.68166	956.3716184	0.176705199	1480.936762	949.934	0.6731%
75.1	348.25	V(ve1)-V(ve2), Temperature=75.1	0.95263211	952.63211	954.3161295	0.176463485	1476.013838	947.57	0.7069%
75.2	348.35	V(ve1)-V(ve2), Temperature=75.2	0.95057972	950.57972	952.2637004	0.176839716	1471.109796	945.206	0.7411%
75.3	348.45	V(ve1)-V(ve2), Temperature=75.3	0.94852451	948.52451	950.2143358	0.177836282	1466.224555	942.842	0.7759%
75.4	348.55	V(ve1)-V(ve2), Temperature=75.4	0.94646647	946.46647	948.1680402	0.17945872	1461.358034	940.478	0.8110%
75.5	348.65	V(ve1)-V(ve2), Temperature=75.5	0.9445165	944.5165	946.1248178	0.169990027	1456.510152	938.114	0.8467%
75.6	348.75	V(ve1)-V(ve2), Temperature=75.6	0.94234213	942.34213	944.0846731	0.184574875	1451.680829	935.75	0.8828%
75.7	348.85	V(ve1)-V(ve2), Temperature=75.7	0.94027588	940.27588	942.0476103	0.188072265	1446.869985	933.386	0.9194%
75.8	348.95	V(ve1)-V(ve2), Temperature=75.8	0.9382069	938.2069	940.0136334	0.192202888	1442.077540	931.022	0.9565%
75.9	349.05	V(ve1)-V(ve2), Temperature=75.9	0.93613529	936.13529	937.9827474	0.196960701	1437.303417	928.658	0.9941%
76	349.15	V(ve1)-V(ve2), Temperature=76	0.93428022	934.28022	935.9549556	0.178933351	1432.547535	926.294	1.0322%
76.1	349.25	V(ve1)-V(ve2), Temperature=76.1	0.93220288	932.20288	933.9302625	0.184958402	1427.809817	923.93	1.0708%
76.2	349.35	V(ve1)-V(ve2), Temperature=76.2	0.93023212	930.23212	931.9086717	0.179905154	1423.090184	921.566	1.1098%
76.3	349.45	V(ve1)-V(ve2), Temperature=76.3	0.92804055	928.04055	929.8901879	0.198909285	1418.388560	919.202	1.1494%
76.4	349.55	V(ve1)-V(ve2), Temperature=76.4	0.9262815	926.2815	927.8748142	0.171716504	1413.704866	916.838	1.1895%
76.5	349.65	V(ve1)-V(ve2), Temperature=76.5	0.92408496	924.08496	925.8625548	0.191993374	1409.039026	914.474	1.2300%
76.6	349.75	V(ve1)-V(ve2), Temperature=76.6	0.92210276	922.10276	923.8534132	0.18949469	1404.390963	912.11	1.2711%
76.7	349.85	V(ve1)-V(ve2), Temperature=76.7	0.92011762	920.11762	921.8473936	0.187642079	1399.760602	909.746	1.3127%
76.8	349.95	V(ve1)-V(ve2), Temperature=76.8	0.91823736	918.23736	919.8444993	0.174718581	1395.147866	907.382	1.3548%
76.9	350.05	V(ve1)-V(ve2), Temperature=76.9	0.91613886	916.13886	917.8447339	0.185856476	1390.552680	905.018	1.3975%
77	350.15	V(ve1)-V(ve2), Temperature=77	0.91425242	914.25242	915.8481015	0.174229928	1385.974970	902.654	1.4406%
77.1	350.25	V(ve1)-V(ve2), Temperature=77.1	0.91236277	912.36277	913.8546046	0.163246381	1381.414659	900.29	1.4843%
77.2	350.35	V(ve1)-V(ve2), Temperature=77.2	0.91025637	910.25637	911.8642476	0.176328616	1376.871675	897.926	1.5285%
77.3	350.45	V(ve1)-V(ve2), Temperature=77.3	0.90825426	908.25426	909.8770331	0.178350813	1372.345942	895.562	1.5733%
77.4	350.55	V(ve1)-V(ve2), Temperature=77.4	0.90624941	906.24941	907.8929646	0.181029559	1367.837387	893.198	1.6186%
77.5	350.65	V(ve1)-V(ve2), Temperature=77.5	0.90424194	904.24194	905.9120461	0.184356316	1363.345938	890.834	1.6644%
77.6	350.75	V(ve1)-V(ve2), Temperature=77.6	0.90244344	902.44344	903.9342802	0.16492794	1358.871521	888.47	1.7108%
77.7	350.85	V(ve1)-V(ve2), Temperature=77.7	0.90021909	900.21909	901.9596699	0.192977581	1354.414063	886.106	1.7577%
77.8	350.95	V(ve1)-V(ve2), Temperature=77.8	0.89830911	898.30911	899.9882186	0.186570063	1349.973492	883.742	1.8052%
77.9	351.05	V(ve1)-V(ve2), Temperature=77.9	0.89639613	896.39613	898.0199291	0.180819943	1345.549736	881.378	1.8532%
78	351.15	V(ve1)-V(ve2), Temperature=78	0.89427039	894.27039	896.0548048	0.199141259	1341.142724	879.014	1.9018%
78.1	351.25	V(ve1)-V(ve2), Temperature=78.1	0.89245658	892.45658	894.0928483	0.183008765	1336.752384	876.65	1.9509%
78.2	351.35	V(ve1)-V(ve2), Temperature=78.2	0.89063934	890.63934	892.1340624	0.167544589	1332.378645	874.286	2.0006%
78.3	351.45	V(ve1)-V(ve2), Temperature=78.3	0.88840206	888.40206	890.1784506	0.199554436	1328.021438	871.922	2.0509%
78.4	351.55	V(ve1)-V(ve2), Temperature=78.4	0.8865791	886.5791	888.2260145	0.185416155	1323.680690	869.558	2.1017%
78.5	351.65	V(ve1)-V(ve2), Temperature=78.5	0.88475281	884.75281	886.2767582	0.171949473	1319.356334	867.194	2.1531%
78.6	351.75	V(ve1)-V(ve2), Temperature=78.6	0.88281978	882.81978	884.3306832	0.170852744	1315.048298	864.83	2.2051%
78.7	351.85	V(ve1)-V(ve2), Temperature=78.7	0.88088396	880.88396	882.3877932	0.170427702	1310.756515	862.466	2.2577%
78.8	351.95	V(ve1)-V(ve2), Temperature=78.8	0.87894538	878.94538	880.4480899	0.170675578	1306.480914	860.102	2.3109%
78.9	352.05	V(ve1)-V(ve2), Temperature=78.9	0.87690126	876.90126	878.5115759	0.183300475	1302.221427	857.738	2.3646%
79	352.15	V(ve1)-V(ve2), Temperature=79	0.87506009	875.06009	876.5782539	0.173192059	1297.977986	855.374	2.4190%
79.1	352.25	V(ve1)-V(ve2), Temperature=79.1	0.87321577	873.21577	874.6481259	0.163763674	1293.750522	853.01	2.4739%
79.2	352.35	V(ve1)-V(ve2), Temperature=79.2	0.87116413	871.16413	872.7211949	0.178414934	1289.538969	850.646	2.5295%
79.3	352.45	V(ve1)-V(ve2), Temperature=79.3	0.86931414	869.31414	870.797463	0.170340763	1285.343259	848.282	2.5856%
79.4	352.55	V(ve1)-V(ve2), Temperature=79.4	0.86746108	867.46108	868.8769325	0.162952015	1281.163325	845.918	2.6424%
79.5	352.65	V(ve1)-V(ve2), Temperature=79.5	0.86550359	865.50359	866.9596053	0.167944999	1276.999100	843.554	2.6997%
79.6	352.75	V(ve1)-V(ve2), Temperature=79.6	0.86344238	863.44238	865.0454834	0.185320127	1272.850517	841.19	2.7577%
79.7	352.85	V(ve1)-V(ve2), Temperature=79.7	0.86148009	861.48009	863.1345693	0.191682665	1268.717511	838.826	2.8163%
79.8	352.95	V(ve1)-V(ve2), Temperature=79.8	0.85971689	859.71689	861.2268551	0.17532838	1264.600016	836.462	2.8755%
79.9	353.05	V(ve1)-V(ve2), Temperature=79.9	0.8576487	857.6487	859.3223724	0.194766539	1260.497966	834.098	2.9354%
80	353.15	V(ve1)-V(ve2), Temperature=80	0.85597986	855.97986	857.4210934	0.168089329	1256.411296	831.734	2.9959%