



Goolee.my

Attendance System

A complete guide to clocking in, clocking out, and managing attendance — for employees and HR.

EMPLOYEE & HR MANUAL

VERSION	SYSTEM	FOR	DATE
v1.0	Goolee.my	All Staff	2026

Table of Contents

Part 1 — For Employees

1. What is the system?

2. Before you start

3. How to clock in (6 steps)

4. How to clock out
5. GPS rules

6. PIN rules

7. Troubleshooting

8. Privacy & PDPA

Part 2 — For HR

1. System overview

2. The Google Sheet tabs

3. Daily routine

4. Add / remove employees

5. Mark leave (MC / EL / AL)
6. Mark holidays

7. Change settings

8. Reading the Dashboard

9. Auto-refresh

10. Troubleshooting

Part 3 — Appendix

1. Menu reference

2. Column reference
3. Quick cheat sheet

4. Time constants

How to use this manual

Employees should read

Part 1

before their first punch. HR should read

Part 2

fully. Part 3 is a quick reference you can print separately.

PART 1

For Employees

Everything you need to clock in and out — daily use, GPS rules, and troubleshooting.

1. What is the system?

Goolee.my Attendance Clock is a web page that records when you start and finish work. Instead of a paper sign-in sheet, you use your phone (or any device with a browser) to tap **Clock In** when you arrive and **Clock Out** when you leave.

Every punch is automatically stamped with your:

- **Name** — chosen from the dropdown list
- **4-digit PIN** — proves it's really you
- **GPS location** — where you punched from
- **Timestamp** — exact date and time (Malaysia time)

The URL

Your employer will give you the exact web address. It looks like `attendance.goolee.my` or `YOUR-USERNAME.github.io/goolee-attendance`. Bookmark it on your phone.

2. Before you start

Your PIN

HR gives you a personal **4-digit PIN**. This is how the system knows it's really you. Do not share it with anyone.

Enable location on your phone

The app requires GPS. The first time you visit, your browser will ask permission — tap **Allow**. If you accidentally blocked it, see the Troubleshooting section below.

Use HTTPS

The site must start with **https://** (the lock icon  in your browser bar). GPS doesn't work on plain HTTP — every modern browser blocks it.

3. How to clock in — 6 steps

- 1

Open the attendance page
Tap the bookmark or type the URL in your phone's browser.
- 2

Wait for the green location bar
A small strip says "Locating you..." and turns green when ready. This usually takes 2–5 seconds. If you're indoors, step near a window.
- 3

Select your name
A dropdown shows everyone's names. Tap yours.
- 4

Type your 4-digit PIN
Use the number pad that appears. You'll see dots as you type.
- 5

Tap the green "Clock In" button
A full-screen success card appears with your name, date, time, and location accuracy.
- 6

Tap "Done"
You're clocked in. Close the page — HR sees your punch in real time.

✓

What success looks like
A green checkmark with the message "Clocked In!" followed by your name, the date, time, and location accuracy. If you see this, your punch was saved.

4. How to clock out

Follow the exact same steps as clocking in, but at step 5 tap the **red "Clock Out"** button instead.

IF YOU CLOCK OUT...	POPUP SHOWS
On time (after 7:00 PM)	✓ Clocked Out!
Early (before 6:45 PM)	⚠ Left early by Xh Ym
Overtime (after 7:00 PM)	✓ Overtime +Xm

⚠

One clock-in, one clock-out per day
If you forget to clock out, talk to HR — they can correct the record manually in the spreadsheet.

5. GPS rules

GPS is **required** to clock in. There is no way to punch without it. This is what makes attendance trustworthy.

Accuracy requirement

The app needs your location to be accurate to within **100 metres**. Most phones outdoors achieve 5–30 m. If the reading is worse, the app asks you to move and try again — automatically, up to three times.

Getting a good GPS reading

- **Step outside** or stand near a window
- **Wait 5–10 seconds** for the GPS to settle
- **Keep the phone still** — don't walk while waiting
- **Turn off airplane mode** if it's on

 Location is not optional

If your browser blocks location, or the reading is too poor, the app will not let you punch.

6. PIN rules

RULE	DETAILS
Length	Exactly 4 digits (e.g., 4821)
Privacy	Never share your PIN with anyone — even colleagues
Forgot PIN	Ask HR — they can reset it in under 1 minute
Wrong PIN	3 attempts allowed, then a 5-minute lockout
Change PIN	Request via HR

 Buddy punching is not allowed

Clocking in for a colleague is attendance fraud. The system records the device, GPS, and timestamp of every punch.

7. Troubleshooting

WHAT YOU SEE	WHAT TO DO
"Location permission needed"	Tap the  lock icon in your browser bar → Permissions → Location → Allow → Reload.
"Location not accurate enough"	Step outside or near a window. Wait 10 seconds. Tap Retry .
"Still locating you"	Keep the page open. Give it up to 15 seconds. Move to open sky if it still fails.
"Incorrect PIN"	Type carefully — digits only. Try again.
"Temporarily Locked"	Locked for 5 minutes. Wait, then try again. If you forgot the PIN, ask HR to reset.
"Already Clocked In"	One punch IN per day. Contact HR if this is a mistake.
"Could not reach the server"	Check your internet. Refresh the page. If it keeps failing, tell HR.
Buttons are grey / can't tap	Wait for the green location bar. Buttons unlock once your location is ready.

8. Privacy & your data

Goolee.my complies with Malaysia's **Personal Data Protection Act 2010 (PDPA)**:

 Your data, your rights

- **Location is only captured**
at the moment you tap Clock In or Clock Out — never in the background.
- **Data is used only for attendance**
— not shared with third parties.
- **Only HR can see it.**
The spreadsheet is access-controlled.
- **You can request your records**
from HR at any time.
- **You can ask for corrections**
if something is wrong.
- **Records are kept for 7 years**
, then deleted.

9. Frequently asked questions

Can I clock in from home?

The system records wherever you punch. If you're expected on-site, HR will see the location — this is by design.

What if I forget to clock out?

Tell HR. They can add a manual entry in the spreadsheet.

Can I use a tablet or laptop instead of my phone?

Yes, as long as it has GPS and a modern browser. Phones work best.

Do I need to install an app?

No. It's a web page — no installation needed.

What if I clock in late?

The Dashboard marks any clock-in after **10:15 AM** as **Late**. If there's a valid reason, tell HR.

What are my working hours?

- **Start:** 10:00 AM
- **End:** 7:00 PM
- **Late after:** 10:15 AM
- **Early leave before:** 6:45 PM

✓ End of Part 1

That's everything you need as an employee. If anything is unclear, ask HR before your first punch.

PART 2

For HR

Set up, run, and maintain the attendance system — daily, weekly, and monthly.

1. System overview

The system has three parts:

 **The web page**

Employees use this to clock in and out. Hosted on GitHub Pages at `attendance.goolee.my`.

 **The Apps Script**

The backend. Runs on Google's servers. Reads employees, verifies PINs, writes punches. Free, no server to maintain.

 **The Google Sheet**

The database. Contains all data — employees, punches, leave, holidays, and the dashboard.

2. The Google Sheet tabs

The spreadsheet has **6 tabs** plus one per employee:

TAB	PURPOSE	WHO WRITES TO IT
Dashboard	Company overview — KPIs, employee performance, holidays, daily log	Auto-generated — do not edit
Employees	Staff list with names, PINs, and active status	HR only
Attendance	Every punch — the raw log	Auto-written — do not edit
Leave	MC, Emergency Leave, Annual Leave, Unpaid Leave	HR only
Holidays	Public and company holidays	HR only
Settings	Working days, work start/end time, late threshold	HR only (rarely changes)
<Name>	One personal tab per employee (auto-created)	Auto-generated — do not edit

 **Where to click**

Look for the word **Goolee** in the top menu bar of your Google Sheet (next to Help). Everything you need is in that menu.

3. Daily routine

Every morning

1

Open the Dashboard tab

Look at the top box — how many are present, late, on leave.

2

Check for absences

Anyone not present today? Cross-check WhatsApp, calls, or sick notes.

3

Mark any leave

If someone called in sick, add a row to the Leave tab.

Every evening

1

Run Refresh Dashboard

Menu:

Goolee →  **Refresh Dashboard**

(or wait for hourly auto-refresh)

2

Scan the daily log

Look at the bottom of the Dashboard for red Late entries or missing clock-outs.

3

Follow up as needed

Message anyone with an obvious issue (missed punch, extreme location).

4. Add / remove employees

+ Add a new employee

1. Open the **Employees** tab
2. Add a new row: **Name**, **PIN**, **TRUE** (Active)
3. If the PIN starts with 0, format column B as **Plain text** first
4. Menu: **Goolee** →  **Refresh Employee Cache**
5. Menu: **Goolee** →  **Refresh Dashboard**
6. Send the new employee the URL and their PIN

✓ Sample row

NAME	PIN	ACTIVE	ROLE	JOINED DATE
Nurul binti Hassan	0716	TRUE	Sales	2026-09-15

— Remove an employee

When someone leaves, **do not delete their row** — you'd lose their attendance history. Instead:

1. Find their row in the Employees tab
2. Change **Active** from TRUE to **FALSE**
3. Menu: **Goolee** → 🗑️ **Refresh Employee Cache**
4. Menu: **Goolee** → 🔄 **Refresh Dashboard**

Their personal tab is marked "⚠️ *INACTIVE*", preserving their history.

🔑 Reset a forgotten PIN

1. Open the **Employees** tab
2. Change their PIN to a new 4-digit number
3. Tell the employee the new PIN (no cache refresh needed)

5. Mark leave (MC / EL / AL)

When an employee takes leave, tell the system so the Dashboard doesn't count them as absent.

- 1. Menu: **Goolee** → 📄 **Open Leave Sheet**
- 2. Add one row per leave day
- 3. Columns: **Date** · **Name** · **Type** · **Notes**
- 4. Use the dropdowns — Name picks from Employees, Type picks from the list
- 5. Menu: **Goolee** → 🔄 **Refresh Dashboard**

📄 **Multi-day leave**

Add one row per day. Example — Ravi on MC from 15 to 17 Sep:

DATE	NAME	TYPE	NOTES
2026-09-15	Ravi K.	MC	Fever
2026-09-16	Ravi K.	MC	Rest
2026-09-17	Ravi K.	MC	Recovering

6. Mark holidays

- 1. Menu: **Goolee** → 🎉 **Open Holidays Sheet**
- 2. Add one row per holiday: **Date** · **Holiday Name** · **Type**
- 3. Type options: Public Holiday · Company Holiday · Replacement Holiday
- 4. Menu: **Goolee** → 🗑️ **Refresh Holidays Cache**
- 5. Menu: **Goolee** → 🔄 **Refresh Dashboard**

Holidays are automatically excluded from working-day counts. Nobody is marked absent or late on a holiday.

7. Change settings

The **Settings** tab controls how the system calculates late arrivals, early leaves, working days, and the dashboard title.

SETTING	DEFAULT	WHAT IT DOES
Working Days	Mon,Tue,Wed,Thu,Fri	Which weekdays count. Use Mon-Fri or list them.
Work Start Time	10:00	When the workday starts (24-hour format).
Work End Time	19:00	When the workday ends (24-hour format).
Late After (min)	15	With 10:00 + 15 → after 10:15 = Late.
Early Leave Grace (min)	15	With 19:00 – 15 → before 6:45 PM = flagged.
Company Name	Goolee	Shown in the dashboard title.

⚠ After changing settings

Clear the cache:

Goolee →  **Refresh Settings Cache**

, then

 **Refresh Dashboard**

8. Reading the Dashboard

Section A — Today's Snapshot

 DATE
15 Sep

 PRESENT
4 / 5

 LATE
1

 LEFT EARLY
0

 ON LEAVE
1

 WORKDAYS
11 / 22

KPI	MEANING
DATE	Today's date
PRESENT	How many clocked in / total active employees
LATE	Clocked in after the late threshold (10:15 AM)
LEFT EARLY	Clocked out before the early threshold (6:45 PM)
ON LEAVE	Employees with a Leave entry today
WORKDAYS	Working days elapsed / total this month

Section B — Today's Performance

One row per active employee, showing live status for the current day:

EMPLOYEE	CLOCK IN	CLOCK OUT	HOURS	STATUS
Aisyah Bt.	9:52 AM	6:30 PM	8h 38m	 Completed · On Time
Ravi K.	10:22 AM	—	—	 Late · Working
Wei Ling	—	—	—	 Annual Leave
Alif	10:05 AM	—	—	 On Time · Working

Status labels used

STATUS	MEANING
 Not yet in	No clock-in today yet
 On Time · Working	In before 10:15, not out yet
 Late · Working	In after 10:15, not out yet
 Completed · On Time	In and out, no issues

STATUS	MEANING
 Late	In late, then clocked out
 Left Early · 2h 30m	Clocked out before 6:45 PM
 Overtime · +1h	Clocked out after 7:00 PM
  Late + Left Early	Both late arrival and early exit
  Late + Overtime	Late arrival but stayed late
 MC /  EL /  AL /  UL	On leave
 Holiday	Company holiday

Section C — On Leave Today

A list showing everyone on approved leave today with their type and notes:

EMPLOYEE	LEAVE TYPE	NOTES
Ravi K.	 MC	Fever, 2-day rest
Wei Ling	 Annual Leave	Family trip

Section D — Employee Performance (this month)

EMPLOYEE	PRESENT	LEAVE	LATE	EARLY	ABSENT	ON TIME	HOURS	OT
Aisyah Bt.	11	0	0	0	0	100%	88.4 h	0.0 h
Ravi K.	9	2	1	0	0	89%	70.2 h	0.5 h
Wei Ling	10	1	0	1	0	100%	78.0 h	0.0 h

Visualised — Total Hours (sample)

Total Hours per Employee — This Month

Aisyah Bt.		88.4h
Ravi K.		70.2h
Wei Ling		78.0h

What each column means

COLUMN	MEANING
PRESENT	Days the employee clocked in this month
LEAVE	Days on approved leave
LATE	Days they clocked in after the late threshold
EARLY	Days they left before the early threshold
ABSENT	Working days – present – leave
ON TIME %	Green if ≥ 90%, red if < 70%
TOTAL HOURS	Sum of all hours worked this month
OVERTIME	Hours worked after 7:00 PM

Section E — Holidays This Month

Every holiday this month, in purple. These days are excluded from working-day counts, so nobody is marked absent or late.

Section F — Daily Log (bottom)

Every punch and leave entry for the last 14 days. The Status column uses the same colours as Today's Performance.

9. Auto-refresh

The Dashboard updates automatically in several ways:

TRIGGER	WHEN IT RUNS
After a punch	Within 60 seconds of any employee clocking in or out
Hourly	Once per hour, if enabled
Manual	Whenever you click Goolee →  Refresh Dashboard

 **Enable auto-refresh once**
Menu:
Goolee →  **Enable auto-refresh after punch**
. Use
 **Diagnose auto-refresh**
anytime to check status.

10. Monthly routine

- 1. **End of month** — open the Dashboard and review the employee performance table.
- 2. **Follow up on outliers** — high ABSENT counts, repeated LATE entries, or missing clock-outs.
- 3. **Export raw data for payroll** — open **Attendance** tab → **File** → **Download** → **CSV**.
- 4. **Archive the month** — make a copy of the sheet (**File** → **Make a copy**), store as *Attendance 2026-09*.
- 5. **Verify settings** — confirm working days, work start time, late threshold.

11. Troubleshooting (HR)

PROBLEM	FIX
Employee can't clock in — "server unreachable"	Apps Script deployment may have reverted to "Only myself". Extensions → Apps Script → Deploy → Manage deployments → set Who has access: Anyone .
PIN doesn't work but is correct	The sheet stored it as a number (e.g. 93 instead of 0093). Format column B as Plain text and re-type the PIN.
New employee not in dropdown	Goolee → 🗑 Refresh Employee Cache, then tell them to refresh the page.
Dashboard not updating	Goolee → 🔄 Rebuild Dashboard (safe — just rebuilds display).
Holiday not showing	Goolee → 🗑 Refresh Holidays Cache, then 🔄 Refresh Dashboard.
Employee tab missing	Goolee → 📄 Force rebuild employee tabs.
Leave Name dropdown missing names	Goolee → 🔄 Refresh Leave Dropdown.
Charts or sparklines missing	Rebuild the dashboard.
"Identifier already declared" in Apps Script	Duplicate code — check for two Dashboard files or duplicate constants.

12. Escalation & support

If a problem isn't fixed by the table above:

- 1. Capture the exact error message (screenshot or text)
- 2. Note the time and the employee involved
- 3. Open **Apps Script** → **View** → **Executions** and find the failed run
- 4. Contact your IT lead with the details

 Key contacts**IT / System owner:**

HR Manager:

Emergency contact:

✓ HR workflow summary**Daily:**

check the Dashboard, mark leave.

Weekly:

review performance, follow up on flags.

Monthly:

export, archive, verify settings.

PART 3

Appendix

Quick reference — menu items, columns, and cheat sheet.

1. Menu reference

Goolee

-  Refresh Dashboard
-  Rebuild Dashboard
-
-  Refresh Employee Tabs
-  Force rebuild employee tabs
-
-  Open Leave Sheet
-  Refresh Leave Dropdown
-  Open Holidays Sheet
-  Open Settings Sheet
-
-  Clear all caches
-  Reapply red highlight
-
-  Enable auto-refresh after punch
-  Diagnose auto-refresh
-  Enable hourly auto-refresh
-  Disable auto-refresh

2. Column reference

Employees tab

COLUMN	TYPE	EXAMPLE
Name	String	Ahmad bin Abdullah
PIN	Text (4 digits)	4821
Active	Boolean	TRUE
Role	String	Driver

COLUMN	TYPE	EXAMPLE
Joined Date	Date	2024-03-01

Attendance tab

COLUMN	EXAMPLE
Timestamp	2026-09-15 09:52:11
Name	Ahmad bin Abdullah
Action	Clock In / Clock Out
Location (Google Maps)	Clickable map link
Accuracy (m)	12.5
Date	2026-09-15
Time	09:52:11

Leave tab

COLUMN	EXAMPLE
Date	2026-09-15
Name (dropdown)	Ravi K.
Type (dropdown)	MC / Emergency Leave / Annual Leave / Unpaid Leave
Notes	Fever, 2-day rest

Holidays tab

COLUMN	EXAMPLE
Date	2026-09-16
Holiday Name	Malaysia Day
Type (dropdown)	Public Holiday / Company Holiday / Replacement Holiday

3. Quick cheat sheet

Every morning (HR)

- Open the **Dashboard**
- Check Present / Late / On Leave
- Mark anyone who called in sick
- Follow up on absences

Every evening (HR)

- Run **Goolee** →  **Refresh Dashboard**
- Scan the Daily Log
- Follow up on Late / missing punches

Adding an employee

- Add row in **Employees**
- Name, PIN, Active = TRUE
- Format column B as **Plain text**
- Run **Goolee** →  **Refresh Employee Cache**
- Run  **Refresh Dashboard**
- Send URL + PIN to the new employee

Removing an employee

- Set **Active** = **FALSE** (don't delete)
- Run **Goolee** →  **Refresh Employee Cache**
- Run  **Refresh Dashboard**

Marking sick leave

- Menu: **Goolee** →  **Open Leave Sheet**
- One row per day
- Date, Name, Type = MC, Notes
- Run **Goolee** →  **Refresh Dashboard**

Adding a holiday

- Menu: **Goolee** →  **Open Holidays Sheet**
- Date, Name, Type
- Run **Goolee** →  **Refresh Holidays Cache**
- Run  **Refresh Dashboard**

4. Time constants

RULE	VALUE	WHERE TO CHANGE
Working days	Mon–Fri	Settings → Working Days
Work start	10:00 AM	Settings → Work Start Time
Work end	7:00 PM	Settings → Work End Time
Late threshold	10:15 AM	Settings → Late After (min)
Early leave threshold	6:45 PM	Settings → Early Leave Grace (min)
GPS accuracy requirement	≤ 100 m	App configuration
PIN attempts before lockout	5	App configuration
Lockout duration	5 minutes	App configuration

You're ready

That's the complete system. Daily use is simple: punch in, punch out, mark leave, check the dashboard. Everything else runs automatically.

Goolee.my Attendance System · Employee & HR Manual · v1.0 · 2026
Confidential — Internal Use Only