Exercise 2 (SQL Fundametals)

1. SELECT COUNT (id) AS no_of_employees
FROM employees;

no_of_employees
10

2. SELECT SUM (salary) AS total_salary
FROM employees
WHERE department = 'IT';

total_salary
220 000

3. SELECT AVG (salary) AS avg_HR_salary
FROM employees
WHERE department = 'HR';

avg_HR_salary
49 500

4. SELECT MIN (salary) AS lowest_salary
MAX (salary) AS highest_salary
FROM employees;

lowest_salary	highest_salary
48000	62000

5. SELECT department,
SUM(salary) AS total_salary
FROM employees
GROUP BY department;

department	total_salary
IT	220 000
HR	99 000
Finance	119 000
Marketing	105 000

6. SELECT city,
COUNT(*) AS employee_count
FROM employees
GROUP BY department;

city	employee_count
New York	2
Chicago	3
Los Angeles	2
~~New york~~ San Francisco	2
Houston	1

7. SELECT department,
AVG(salary) AS avg_salary
FROM employees
GROUP BY department
ORDER BY avg_salary DESC;

department	avg-salary
Finance	59500
IT	55000
Marketing	52000
HR	49500

8. SELECT department,
SUM(salary) AS total-salary
FROM employees
GROUP BY department
HAVING SUM(salary) >100000;

department	total-salary
IT	220000
Finance	119000
Marketing	105000

9. SELECT city,
COUNT(*) AS employee-count
FROM employees
GROUP BY city
HAVING COUNT(*) >1
ORDER BY employee_count DESC;

city	employee-count
~~New~~ Chicago	3
New York	2
Los Angeles	2
San Francisco	2

10. SELECT department,
AVG(salary) AS highest_avg_salary
FROM employees
GROUP BY department
ORDER BY highest_avg_salary DESC
LIMIT 1;

department	highest_avg_salary
Finance	59 500