



Activity 1: Create a proper environment for MOHID

Pedro Montero Vilar¹

¹ INTECMAR, Instituto Tecnolóxico para o Control do Medio Mariño de Galicia, Vilagarcía de Arousa, Spain.

Index

- Mohid-Lagrangian environment
- How to install in Windows
- How to compile and install in Linux
- How to compile in Windows

MOHID-Lagrangian environment

- MOHID-Lagrangian framework is composed of **two parts**:

- The **numerical core** , written in Fortran



- The **pre- and post-processor**, implemented as Python scripts



Pre- and Post-Processor:

What they are?

- **Python workflow tools**
 - Parse standard HDF5 & NetCDF-CF files

What are they built?

- Python 3.13 or higher
 - Use several libraries as pandas, matplotlib, shapefile, etc



What do we use?


- **Anaconda:**
 - **Miniconda**, a lightweight minimal alternative



Numerical Core:

What is it?

- It processes large Lagrangian tracer ensembles, executing critical algorithms rapidly.
- It is broken up in:
 - **MOHID Lagrangian sources**
 - **External Libraries Sources**, including HDF5 and NetCDF.




What are they built?

- **Fortran version:** Intel Fortran
- Nowadays, since HDF5 must be HDF5 1.8.17, it **must be compiled** with **Intel Fortran ifort 2013**. Incompatible with new version ifx 2026.
- **Future:** Update HDF5 libraries.



Windows Setup (I):

- Visit Github repository: <https://github.com/Mohid-Water-Modelling-System/MOHID-Lagrangian>
- Go to QuickStart-> Windows
- Download MOHID-Lagrangian_windows.zip and uncompress it
- Install Miniconda: <https://www.anaconda.com/download>



The screenshot shows the GitHub repository page for MOHID-Lagrangian, specifically the QuickStart/Windows section. It displays a table of files with columns for Name, Last commit message, and Last commit date. The files listed are MOHID-Lagrangian_Windows.zip and readme.md, both committed 4 days ago. Below the table, there is a section titled 'Quick Start Guide for MOHID-Lagrangian' which provides instructions on how to run the program, including downloading the zip file, installing Miniconda, and executing the program in a terminal.

Name	Last commit message	Last commit date
..		
MOHID-Lagrangian_Windows.zip	Subir estructura completa, librerías externas y proyectos VS	4 days ago
readme.md	Subir estructura completa, librerías externas y proyectos VS	4 days ago


Quick Start Guide for MOHID-Lagrangian

These instructions outline the minimum requirements to run the MOHID-Lagrangian program. This release includes the executable file, the pre-processing and post-processing scripts, as well as a sample RunCase.

Installation and Execution Steps:

1. Download the MOHID-Lagrangian_windows.zip file from github.com and extract it into a local directory.
2. Install Miniconda from the following link: <https://www.anaconda.com/download>
3. Open an Anaconda Prompt terminal.
4. Navigate to the MOHID-Lagrangian\buildscripts directory and execute the MakeEnvMOHIDLagrangian.bat file.
5. In the same Anaconda Prompt terminal, navigate to the MOHID-Lagrangian\RUN_Cases\Arousa_2D_test_case directory and execute the RunCase.bat file.

Upon completing these steps, MOHID-Lagrangian will run, and the results will be generated in the following path: MOHID-Lagrangian\RUN_Cases\Arousa_2D_test_case\Arousa2D_case_out



The image shows the Miniconda Installer page. It features the title 'Miniconda Installer' in a large, bold font. Below the title, there is a paragraph explaining that Miniconda is a free minimal installer for conda, which includes conda, Python, and other useful packages. A prominent button labeled 'Download Miniconda Installer' is centered on the page. In the bottom right corner, there is a small chat bubble icon with the text 'Hi, how can I help?' and a small red '1' and green '2' next to it.

Miniconda Installer


Miniconda is a free minimal installer for conda. It is a small bootstrap version of Anaconda that includes only conda, Python, the packages they both depend on, and a small number of other useful packages (like pip, zlib, and a few others).

[Download Miniconda Installer >](#)

Hi, how can I help?

Windows Setup (II):

- Open an **Anaconda Prompt** terminal.
- Navigate to the MOHID-Lagrangian\buildScripts directory and execute the **MakeEnvMOHIDLagrangian.bat** file.



```
Directorio de C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\
\buildScripts
04/06/2026 09:27 <DIR> .
04/06/2026 11:21 <DIR> ..
04/06/2026 09:27 1.081 1-install_ExternalLibs.sh
04/06/2026 09:27 2.704 2-compile_Lagrangian.sh
04/06/2026 09:27 525 3-MakeEnvMOHIDLagrangian_noconda.sh
04/06/2026 09:27 2.963 environmentLinux.yml
04/06/2026 09:27 2.542 environmentWindows.yml
04/06/2026 09:27 579 MakeEnvMOHIDLagrangian.bat
04/06/2026 09:27 579 MakeEnvMOHIDLagrangian.sh
04/06/2026 09:27 718 MakeEnvMOHIDLagrangian_anaconda.sh
04/06/2026 09:27 473 MakeEnvMOHIDLagrangian_noconda.bat
04/06/2026 09:27 525 MakeEnvMOHIDLagrangian_noconda.sh
04/06/2026 09:27 949 MakeMOHIDLagrangian.sh
04/06/2026 09:27 817 README.txt
04/06/2026 09:27 74 requirements.txt
04/06/2026 09:27 844 RunCmakeMOHIDLagrangian.bat
14 archivos 15.373 bytes
2 dirs 74.947.280.896 bytes libres
```

- In the same Anaconda Prompt terminal, navigate to the MOHID-Lagrangian\RUN_Cases\Arousa_2D_test_case directory and execute the **RunCase.bat** file.
- This quickstart has only a RUN_Cases, to download the other ones, revisit the github page.



Linux Setup(I):

Unlike Windows, the Linux approach involves downloading the full project, compiling libraries/models, and installing a Conda environment for pre/post-processing

OS Compatibility

- **Native Support:** Ubuntu/Debian (via apt) and Rocky Linux/RHEL (via dnf).
- **Universal Fallback:** Works on any other Linux distribution (Arch, openSUSE, etc.) if `git`, `python3`, `gcc`, and `vim` are pre-installed.
- **Isolated Stack:** Spack and Miniconda handle all model dependencies independently.

Setup

- Visit Github repository: <https://github.com/Mohid-Water-Modelling-System/MOHID-Lagrangian>
- Go to QuickStart-> Linux
- Download [MOHIDLagrangian_install.sh](#)



Linux Setup(II):

Edit this file and change the options:

```
#!/bin/bash
#=====
#   MULTI-OS INSTALLER FOR MOHID-LAGRANGIAN (UBUNTU & ROCKY LINUX)
#=====
# This script installs MOHID-Lagrangian and all its dependencies.
# Compatible with:
#   - Debian/Ubuntu based systems (apt)
#   - Rocky Linux/RHEL/CentOS based systems (dnf/yum)
#=====

# --- Error handling: the script will stop if a command fails ---
set -e

#=====
#   CONFIGURATION (MODIFY IF NECESSARY)
#=====

# 0. PERMISSIONS ROOT SETTINGS
#   Defines the folder name inside your home directory.
#   Set to true to use sudo for system dependencies.
#   If false, the script will report missing packages to be installed by an admin.
#   - Default: "false"
USE_SUDO=false

# 1. INSTALLATION DIRECTORY NAME
#   Defines the user has sudo privileges.
#   - Default: "False" -> installs to $HOME/lagrangian
INSTALL_FOLDER_NAME="lagrangian"

# 2. GITHUB BRANCH
#   Define the branch you want to clone.
#   - Default: "master"
TARGET_BRANCH="master"

# 3. COMPILE EXTERNAL LIBRARIES?
#   Set to true to compile Externallibs (required for first installation).
#   Set to false to skip this step (if they are already compiled).
COMPILE_LIBS=true

# 4. BUILD TYPE
#   Options: "RELEASE" or "DEBUG"
BUILD_TYPE="RELEASE"

# 5. TOOL VERSIONS (Spack)
INTEL_COMPILER_VERSION="intel-oneapi-compilers@2023.2.1"
MINICONDA_VERSION="miniconda3@24.3.0"

# 6. PROJECT FOLDER NAME (Internal repo folder name)
PROJECT_DIR_NAME="MOHID-Lagrangian"
```



Linux Setup(III):

Options:

Variable	Default	Description
USE_SUDO	false	Set to true to allow automatic installation of system packages. If false , it will display the required commands for manual installation by an admin, of git, gcc, vim,python3 and which
INSTALL_FOLDER_NAME	"lagrangian"	The directory name inside your \$HOME folder where everything will be installed.
TARGET_BRANCH	"master"	The specific GitHub branch of the repository you want to clone.
COMPILE_LIBS	true	Whether to compile the mandatory external libraries. Must be true for the first installation.
BUILD_TYPE	"RELEASE"	Compilation mode. Use "RELEASE" for maximum performance or "DEBUG" for development and troubleshooting.
INTEL_VERSION	intel-oneapi-compilers	The version of the Intel compiler to be managed and installed via Spack.
MINICONDA_VERSION	miniconda3	The Miniconda version to be installed via Spack for Python environment management.



Linux Setup(IV):

How to Execute:

Grant Execution Permissions: `chmod +x MOHIDLagrangian_install.sh`

Run the Script: `./MOHIDLagrangian_install.sh`

Finalize: Run `source ~/.bashrc` after completion to update your current terminal session paths.

How to run:

```
conda activate MOHID-Lagrangian
```

```
cd /RUN_Cases/Tagus3D_case
```

```
./RunCase.sh
```



How to compile it in Windows:

- **Compiler Requirement:** Must compile with Intel ifort.
- **Issue:** Intel ifx causes critical failures when handling OpenMPI.
- **Prerequisites:** Requires Visual Studio 2020 and Intel ifort 2023 sources (do not use Visual Studio 2026 or ifx).

Executables to setup:


Visual-Studio-2022-Windows-17-3-5-es.exe

Instalar w_BaseKit_p_2023.2.0.49396_offline.exe

Instalar w_HPCKit_p_2023.2.0.49441_offline.exe


How to compile it in Windows (prerequisites):

- Visual-Studio-2022-Windows-17-3-5-es.exe



How to compile it in Windows (prerequisites):

- w_BaseKit_p_2023.2.0.49396_offline.exe
- w_HPCKit_p_2023.2.0.49441_offline.exe



How to compile it in Windows:

- Visit Github repository: <https://github.com/Mohid-Water-Modelling-System/MOHID-Lagrangian>
- Download or git clone code in a folder:

 .git	04/06/2026 9:27	Carpeta de archivos	
 .github	04/06/2026 9:27	Carpeta de archivos	
 buildScripts	04/06/2026 9:27	Carpeta de archivos	
 docs	04/06/2026 9:27	Carpeta de archivos	
 ExternalLibs	04/06/2026 9:27	Carpeta de archivos	
 QuickStart	04/06/2026 9:27	Carpeta de archivos	
 RUN_Cases	04/06/2026 9:27	Carpeta de archivos	
 src	04/06/2026 9:27	Carpeta de archivos	
 UserGuides	04/06/2026 9:27	Carpeta de archivos	
 .gitattributes	04/06/2026 9:27	txtfile	1 KB
 .gitignore	04/06/2026 9:27	Archivo de origen ...	5 KB
 .travis.yml	04/06/2026 9:27	Archivo de origen ...	1 KB
 CMakeLists.txt	04/06/2026 9:27	Archivo TXT	6 KB
 LICENSE	04/06/2026 9:27	Archivo	35 KB
 MOHIDLagrangian_install.sh	04/06/2026 9:27	Archivo de origen ...	14 KB
 README.md	04/06/2026 9:27	Archivo de origen ...	4 KB

Compiling external libs:

- Open ExternalLibs folder

📁 .git	04/06/2026 9:27	Carpeta de archivos	
📁 .github	04/06/2026 9:27	Carpeta de archivos	
📁 buildScripts	04/06/2026 9:27	Carpeta de archivos	
📁 docs	04/06/2026 9:27	Carpeta de archivos	
📁 ExternalLibs	04/06/2026 9:27	Carpeta de archivos	
📁 QuickStart	04/06/2026 9:27	Carpeta de archivos	
📁 RUN_Cases	04/06/2026 9:27	Carpeta de archivos	
📁 src	04/06/2026 9:27	Carpeta de archivos	
📁 UserGuides	04/06/2026 9:27	Carpeta de archivos	
📄 .gitattributes	04/06/2026 9:27	txtfile	1 KB
📄 .gitignore	04/06/2026 9:27	Archivo de origen ...	5 KB
📄 .travis.yml	04/06/2026 9:27	Archivo de origen ...	1 KB
📄 CMakeLists.txt	04/06/2026 9:27	Archivo TXT	6 KB
📄 LICENSE	04/06/2026 9:27	Archivo	35 KB
📄 MOHIDLagrangian_install.sh	04/06/2026 9:27	Archivo de origen ...	14 KB
📄 README.md	04/06/2026 9:27	Archivo de origen ...	4 KB

📁 Base	04/06/2026 9:27	Carpeta de archivos	
📁 datetime-fortran	04/06/2026 9:27	Carpeta de archivos	
📁 dlls	04/06/2026 9:27	Carpeta de archivos	
📁 fortran-csv-module	04/06/2026 9:27	Carpeta de archivos	
📁 fox	04/06/2026 9:27	Carpeta de archivos	
📁 HDF5_1.8.17_x64	04/06/2026 9:30	Carpeta de archivos	
📁 MOHID	04/06/2026 9:27	Carpeta de archivos	
📁 Netcdf_4.4.1.1	04/06/2026 9:27	Carpeta de archivos	
📁 netcdf-fortran-4.4.4	04/06/2026 9:27	Carpeta de archivos	
📁 Proj4	04/06/2026 9:27	Carpeta de archivos	
📁 zlib-1.2.11	04/06/2026 9:27	Carpeta de archivos	
📄 MakeLibraries.sh	04/06/2026 9:27	Archivo de origen ...	4 KB
📄 README.txt	04/06/2026 9:27	Archivo TXT	1 KB
📄 RunCmakeLibraries.bat	04/06/2026 9:27	Archivo por lotes ...	1 KB

Compiling external libs:

- **Target Libraries:** Compile only Base, datetime-fortran, fortran-csv-module, fox, and MOHID (others are already compiled).


Base	04/06/2026 9:27	Carpeta de archivos	
datetime-fortran	04/06/2026 9:27	Carpeta de archivos	
dlls	04/06/2026 9:27	Carpeta de archivos	
fortran-csv-module	04/06/2026 9:27	Carpeta de archivos	
fox	04/06/2026 9:27	Carpeta de archivos	
HDF5_1.8.17_x64	04/06/2026 9:30	Carpeta de archivos	
MOHID	04/06/2026 9:27	Carpeta de archivos	
Netcdf_4.4.1.1	04/06/2026 9:27	Carpeta de archivos	
netcdf-fortran-4.4.4	04/06/2026 9:27	Carpeta de archivos	
Proj4	04/06/2026 9:27	Carpeta de archivos	
zlib-1.2.11	04/06/2026 9:27	Carpeta de archivos	
MakeLibraries.sh	04/06/2026 9:27	Archivo de origen ...	4 KB
README.txt	04/06/2026 9:27	Archivo TXT	1 KB
RunCmakeLibraries.bat	04/06/2026 9:27	Archivo por lotes ...	1 KB

- Step 1 - Project Generation: Run `RunCmakeLibraries.bat` from the root directory to automatically generate `.sln` projects across all 5 library folders.

Compiling external libs:


- Step 1 - Project Generation: Run `RunCmakeLibraries.bat` from the root directory to automatically generate `.sln` projects across all 5 library folders.

- Ex: Base folder




Compiling external libs:

- Step 2 - Compilation: For each library, navigate to its new build/ folder, open the .sln file in Visual Studio 2022, and build in both DEBUG and RELEASE modes.



Compiling external libs:

- Step 2 - Compilation: For each library, navigate to its new build/ folder, open the .sln file in Visual Studio 2022, and build in both DEBUG and RELEASE modes.



Compiling external libs:

- **After compiling libraries:** There are two new folders in a build folder for each library:

lib

BeFoR64.lib
FACE.lib
FLAP.lib
FoXy.lib
PENF.lib
StringiFor.lib
VecFor.lib
VTKFortran.lib

- **What they are:** Compiled static libraries containing the ready-to-use binary code.

- **What they are for:** They merge into the final executable to make it completely independent.

modules

befor64.mod
befor64_pack_data_...
face.mod
flap.mod
flap_command_line...
flap_command_line...
flap_command_line...
flap_object_t.mod
flap_utils_m.mod
foxy.mod
foxy_xml_file.mod

- **What they are:** Compiled Fortran modules that act like C/C++ header files.

- **What they are for:** They let the compiler verify function arguments and types during a USE statement.

Compiling MOHID Lagrangian:

- Open **buildScripts** folder and run **RunCmakeMOHIDLagrangian.bat**

.git	04/06/2026 9:27	Carpeta de archivos	
.github	04/06/2026 9:27	Carpeta de archivos	
buildScripts	04/06/2026 9:27	Carpeta de archivos	
docs	04/06/2026 9:27	Carpeta de archivos	
ExternalLibs	04/06/2026 9:27	Carpeta de archivos	
QuickStart	04/06/2026 9:27	Carpeta de archivos	
RUN_Cases	04/06/2026 9:27	Carpeta de archivos	
src	04/06/2026 9:27	Carpeta de archivos	
UserGuides	04/06/2026 9:27	Carpeta de archivos	
.gitattributes	04/06/2026 9:27	txtfile	1 KB
.gitignore	04/06/2026 9:27	Archivo de origen ...	5 KB
.travis.yml	04/06/2026 9:27	Archivo de origen ...	1 KB
CMakeLists.txt	04/06/2026 9:27	Archivo TXT	6 KB
LICENSE	04/06/2026 9:27	Archivo	35 KB
MOHIDLagrangian_install.sh	04/06/2026 9:27	Archivo de origen ...	14 KB
README.md	04/06/2026 9:27	Archivo de origen ...	4 KB

.git	08/06/2026 12:32	Carpeta de archivos	
.github	04/06/2026 9:27	Carpeta de archivos	
build	04/06/2026 11:43	Carpeta de archivos	
buildScripts	04/06/2026 9:27	Carpeta de archivos	
docs	04/06/2026 9:27	Carpeta de archivos	
ExternalLibs	04/06/2026 9:27	Carpeta de archivos	
QuickStart	04/06/2026 9:27	Carpeta de archivos	
RUN_Cases	04/06/2026 9:27	Carpeta de archivos	
src	04/06/2026 9:27	Carpeta de archivos	
UserGuides	04/06/2026 9:27	Carpeta de archivos	
.gitattributes	04/06/2026 9:27	txtfile	1 KB
.gitignore	04/06/2026 15:00	Archivo de origen ...	5 KB
.travis.yml	04/06/2026 9:27	Archivo de origen ...	1 KB
CMakeLists.txt	04/06/2026 9:27	Archivo TXT	6 KB
LICENSE	04/06/2026 9:27	Archivo	35 KB
MOHIDLagrangian_install.sh	04/06/2026 9:27	Archivo de origen ...	14 KB
README.md	04/06/2026 9:27	Archivo de origen ...	4 KB

- Go into **build** folder




Compiling MOHID Lagrangian:

- Open MOHIDLagrangian.sln with Visual Studio 2020

Folder	.vs	04/06/2026 11:42	Carpeta de archivos	
Folder	bin	04/06/2026 11:44	Carpeta de archivos	
Folder	CMakeFiles	04/06/2026 11:43	Carpeta de archivos	
Folder	lib	04/06/2026 11:43	Carpeta de archivos	
Folder	modules	04/06/2026 11:43	Carpeta de archivos	
Folder	src	04/06/2026 11:21	Carpeta de archivos	
Folder	x64	04/06/2026 11:43	Carpeta de archivos	
File	ALL_BUILD.vcxproj	04/06/2026 11:21	Archivo VCXPROJ	15 KB
File	ALL_BUILD.vcxproj.filters	04/06/2026 11:21	VC++ Project Filte...	1 KB
File	cmake_install.cmake	04/06/2026 11:21	Archivo de origen ...	3 KB
File	CMakeCache.txt	04/06/2026 11:21	Archivo TXT	13 KB
File	MOHIDLagrangian.sln	04/06/2026 11:21	Visual Studio Solu...	4 KB
File	ZERO_CHECK.vcxproj	04/06/2026 11:21	Archivo VCXPROJ	16 KB
File	ZERO_CHECK.vcxproj.filters	04/06/2026 11:21	VC++ Project Filte...	1 KB


Compiling MOHID Lagrangian:

- Compile it with Visual Studio 2020 in RELEASE or DEBUG



Compiling MOHID Lagrangian:

- Compile it with Visual Studio 2020 in RELEASE or DEBUG



```

Salida
Mostrar salida de: Compilación
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\MOHID\build\lib\RELEASE\MOHID
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\Netcdf_4.4.1.1\VS2015\x64\net
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\Netcdf_4.4.1.1\VS2015\x64\net
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\hdf5.lib
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\hdf5_f90c
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\hdf5_fort
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\hdf5_tool
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\libhdf5.1
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\libhdf5_f
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\libhdf5_f
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\libhdf5_t
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\libzlib.1
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\libzlib.1
C:\Users\UsrXModel1\Documents\02_TRABALLO\03_MODELOS\02_MOHID_LAGRANGIAN\MOHID-Lagrangian\ExternalLibs\HDF5_1.8.17_x64\lib\zlib.lib
/machine:x64
MOHIDLagrangian.dir\RELEASE\MOHIDLagrangian.obj
LINK : warning LNK4098: la biblioteca predeterminada'MSVCRT' entra en conflicto con otras bibliotecas; use la biblioteca /NODEFAULTLIB
LINK : warning LNK4098: la biblioteca predeterminada'MSVCRD' entra en conflicto con otras bibliotecas; use la biblioteca /NODEFAULTLIB
Microsoft (R) Manifest Tool
Copyright (c) Microsoft Corporation.
All rights reserved.
Performing Post-Build Event...

Build log written to "file:///C:/Users/UsrXModel1/Documents/02_TRABALLO/03_MODELOS/02_MOHID_LAGRANGIAN/MOHID-Lagrangian/build/src/MOHID
MOHIDLagrangian - 0 error(s), 2 warning(s)
4>----- Operación Compilar omitida: Proyecto: ALL_BUILD, configuración: RELEASE x64 -----
4>Proyecto no seleccionado para compilarse para esta configuración de solución
===== Compilación 3 correcto, 0 erróneo, 0 actualizado, 1 omitido =====
===== Compilar completado a las 20:01 y tardó 49,402 segundos =====

Lista de errores Salida Compiler Inline Report Compiler Optimization Report
Compilación correcta

```


Compiling MOHID Lagrangian:

- Finally, the exe files are in build/bin/RELEASE or build/bin/DEBUG folders

 hdf5_hl.dll	04/06/2026 11:44	Extensión de la apl...	99 KB
 hdf5_hl_cpp.dll	04/06/2026 11:44	Extensión de la apl...	12 KB
 hdf5_tools.dll	08/06/2026 20:01	Extensión de la apl...	245 KB
 jpeg.dll	04/06/2026 11:44	Extensión de la apl...	212 KB
 libcurl.dll	04/06/2026 11:44	Extensión de la apl...	275 KB
 libifcoremd.dll	04/06/2026 11:44	Extensión de la apl...	1.681 KB
 libiomp5md.dll	04/06/2026 11:44	Extensión de la apl...	2.015 KB
 libmmd.dll	04/06/2026 11:44	Extensión de la apl...	4.172 KB
 mfhdf.dll	04/06/2026 11:44	Extensión de la apl...	133 KB
 MOHIDLagrangian.exe	08/06/2026 20:01	Aplicación	11.941 KB
 msvcp120.dll	04/06/2026 11:44	Extensión de la apl...	645 KB
 msvcp140.dll	04/06/2026 11:44	Extensión de la apl...	625 KB
 msvcr120.dll	04/06/2026 11:44	Extensión de la apl...	941 KB
 netcdf.dll	04/06/2026 11:44	Extensión de la apl...	988 KB
 szip.dll	04/06/2026 11:44	Extensión de la apl...	86 KB
 vcruntime140.dll	04/06/2026 11:44	Extensión de la apl...	88 KB
 xdr.dll	04/06/2026 11:44	Extensión de la apl...	11 KB
 zlib.dll	04/06/2026 11:44	Extensión de la apl...	118 KB
 zlib1.dll	04/06/2026 11:44	Extensión de la apl...	76 KB

Compiling MOHID Lagrangian:

- The following runtime error may occasionally occur:



- To resolve this issue, copy `libiomp5md.dll` from `C:\Program Files (x86)\Intel\oneAPI\compiler\2024.2 (or similar) \bin` to the executable's directory, overwriting the existing file.

Thank you!

Pedro Montero (INTECMAR)
pmontero@intecmar.gal