NET FA3 POE

Damian Butler

Contents

Declaration of Authenticity 1

Info 2

- Week 1 2
  - Screenshots 2
  - Reflection 3
  - Conclusion 3
- Week 2 4
  - Screenshots 4
  - Reflection 5
  - Conclusion 5
- Week3 6
  - Screenshots 6
  - Reflection 7
  - Conclusion 7
- Week 4 8
  - Screenshots 8
  - Reflection 8
  - Conclusion 8
- Week 5 9
  - Screenshots 9
  - Reflection 9
  - Conclusion 9
- Week 6 10
  - Screenshot 10
  - Reflection 10
  - Conclusion 10
- Week 7 11
  - Screenshot 11
  - Conclusion 11

Week 9 12
Screenshot 12
Reflection 12
Conclusion 12
Week 10 13
Screenshot 13
Reflection 13
Conclusion 13
Week 11 15
Screenshot 15
Reflection 15
Conclusion 15

Declaration of Authenticity


I Damian Butler (FULL NAME) hereby declare that the contents of this assessment NET732 FA3 is entirely my own work, with the exception of the following items listed below.

All content sourced from the internet and used in the final render, must be declared in this Declaration of Authenticity document.

- List the elements of work in this project that were **not self-generated,** as well as the originator of the element.

Source	Document Title

I have read and understood the Project Requirements.

Signature : 

Date : 2026/10/30


Info


Git hub account https://github.com/NoodleBxt


Git Hub Repository https://github.com/NoodleBxt/NETFA3POE


Week 1

Screenshots










```
dbutler@Linux-VM:~$ ping -c 4  8.8.8.8
PING 8.8.8.8 (8.8.8.8) 56(84) bytes of data.
64 bytes from 8.8.8.8: icmp_seq=1 ttl=64 time=24.0 ms
S64 bytes from 8.8.8.8: icmp_seq=2 ttl=64 time=22.3 ms
64 bytes from 8.8.8.8: icmp_seq=3 ttl=64 time=22.3 ms
64 bytes from 8.8.8.8: icmp_seq=4 ttl=64 time=29.3 ms

--- 8.8.8.8 ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 5469ms
rtt min/avg/max/mdev = 22.322/24.485/29.262/2.844 ms
dbutler@Linux-VM:~$ S
```



No.	Time	Source	Destination	Protocol	Length	Info
1	0.000000000	fd17:625c:f037:2:a0…	ff02::fb	MDNS	101	Standard query 0x0000 PTR _nmea-0183._tcp.local, "QM" question
2	0.000029226	10.0.2.15	224.0.0.251	MDNS	81	Standard query 0x0000 PTR _nmea-0183._tcp.local, "QM" question
3	22.372911052	10.0.2.15	8.8.8.8	ICMP	98	Echo (ping) request id=0x3b5c, seq=1/256, ttl=64 (reply in 4)
4	22.398696258	8.8.8.8	10.0.2.15	ICMP	98	Echo (ping) reply id=0x3b5c, seq=1/256, ttl=64 (request in 3)
5	23.409194900	10.0.2.15	8.8.8.8	ICMP	98	Echo (ping) request id=0x3b5c, seq=2/512, ttl=64 (reply in 6)
6	23.433892653	8.8.8.8	10.0.2.15	ICMP	98	Echo (ping) reply id=0x3b5c, seq=2/512, ttl=64 (request in 5)
7	25.451276663	10.0.2.15	8.8.8.8	ICMP	98	Echo (ping) request id=0x3b5c, seq=3/768, ttl=64 (reply in 8)
8	25.475078882	8.8.8.8	10.0.2.15	ICMP	98	Echo (ping) reply id=0x3b5c, seq=3/768, ttl=64 (request in 7)
9	27.808260390	PCSSystemtec_a3:04:…	52:54:00:12:35:00	ARP	42	Who has 10.0.2.2? Tell 10.0.2.15
10	27.808393020	52:54:00:12:35:00	PCSSystemtec_a3:04:…	ARP	64	10.0.2.2 is at 52:54:00:12:35:00
11	27.877422531	10.0.2.15	8.8.8.8	ICMP	98	Echo (ping) request id=0x3b5c, seq=4/1024, ttl=64 (reply in 12)
12	27.901088660	8.8.8.8	10.0.2.15	ICMP	98	Echo (ping) reply id=0x3b5c, seq=4/1024, ttl=64 (request in 11)

Reflection


I was able to successfully able to capture packets and configure the VM to the specifications given except the version of the OS was upgraded to the 25.04 instead of 24.04. A struggle I faced was Wireshark but after spending some time and learning to understand how it works I was able to complete the task.

Conclusion

The VM was set up correctly and allowed me to be able to complete the task with efficiency. A basic understanding of Wireshark was gained by me as well as working more in linux environments. This allowed me to be able to finish the given task.


Week 2

Screenshots




icmp

No.	Time	Source	Destination	Protocol	Length	Info
38	12.129599516	10.0.2.15	8.8.8.8	ICMP	98	Echo (ping) request id=0x3b5d, seq=1/256, ttl=64 (reply in 39)
39	12.152729565	8.8.8.8	10.0.2.15	ICMP	98	Echo (ping) reply id=0x3b5d, seq=1/256, ttl=64 (request in 38)
40	13.259786832	10.0.2.15	8.8.8.8	ICMP	98	Echo (ping) request id=0x3b5d, seq=2/512, ttl=64 (reply in 41)
41	13.283253515	8.8.8.8	10.0.2.15	ICMP	98	Echo (ping) reply id=0x3b5d, seq=2/512, ttl=64 (request in 40)
42	14.261839870	10.0.2.15	8.8.8.8	ICMP	98	Echo (ping) request id=0x3b5d, seq=3/768, ttl=64 (reply in 43)
43	14.284868436	8.8.8.8	10.0.2.15	ICMP	98	Echo (ping) reply id=0x3b5d, seq=3/768, ttl=64 (request in 42)
44	15.262217829	10.0.2.15	8.8.8.8	ICMP	98	Echo (ping) request id=0x3b5d, seq=4/1024, ttl=64 (reply in 45)
45	15.284944391	8.8.8.8	10.0.2.15	ICMP	98	Echo (ping) reply id=0x3b5d, seq=4/1024, ttl=64 (request in 44)



dns

No.	Time	Source	Destination	Protocol	Length	Info
88	130.038214220	10.0.2.15	192.168.1.254	DNS	100	Standard query 0xa0c2 AAAA connectivity-check.ubuntu.com OPT
89	130.062660832	192.168.1.254	10.0.2.15	DNS	436	Standard query response 0xa0c2 AAAA connectivity-check.ubuntu.com AAAA 2620:2d:4002:1::197 AAAA 2620:2d:40
186	218.014796863	10.0.2.15	192.168.1.254	DNS	100	Standard query 0x0f6e A connectivity-check.ubuntu.com OPT
187	218.037787787	192.168.1.254	10.0.2.15	DNS	292	Standard query response 0x0f6e A connectivity-check.ubuntu.com A 91.189.91.61 A 91.189.91.98 A 185.125.190



188	218.038377860	10.0.2.15	91.189.91.61	TCP	74 50762 → 80 [SYN] Se
189	218.265674371	91.189.91.61	10.0.2.15	TCP	60 80 → 50762 [SYN, AC
190	218.265706331	10.0.2.15	91.189.91.61	TCP	54 50762 → 80 [ACK] Se
192	218.265912193	91.189.91.61	10.0.2.15	TCP	60 80 → 50762 [ACK] Se
196	218.492118299	10.0.2.15	91.189.91.61	TCP	54 50762 → 80 [ACK] Se
197	218.492187145	10.0.2.15	91.189.91.61	TCP	54 50762 → 80 [FIN, AC
198	218.492325704	91.189.91.61	10.0.2.15	TCP	60 80 → 50762 [ACK] Se
199	218.492325824	91.189.91.61	10.0.2.15	TCP	60 80 → 50762 [FIN, AC
200	218.492349178	10.0.2.15	91.189.91.61	TCP	54 50762 → 80 [ACK] Se
317	428.234521659	fd17:625c:f037:2:a0…	2606:4700:10::6814:…	TCP	94 55298 → 80 [SYN] Se



```
GET / HTTP/1.1
Host: example.com
User-Agent: curl/8.18.0
Accept: */*


HTTP/1.1 200 OK
Date: Fri, 30 Oct 2026 10:20:26 GMT
Content-Type: text/html; charset=utf-8
Transfer-Encoding: chunked
Connection: keep-alive
Server: cloudflare
Last-Modified: Sat, 24 Oct 2026 11:34:40 GMT
Allow: GET, HEAD
Accept-Ranges: bytes
Age: 6872
cf-cache-status: HIT
CF-RAY: a529affab93c4bcb-CPT
alt-svc: h3=":443"; ma=86400

241
<!doctype html><html lang=en><head><meta charset=utf-8><link rel=icon href=data:,><meta name=viewport content="width=device-width,ini
tial-scale=1"><title>Example Domain</title><style>html{color-scheme:light dark;background:light-dark(#eee,#222)}body{font:16px/1.6 sy
stem-ui,sans-serif;max-width:26em;margin:auto;padding:25vh 2em 2em;text-align:center}</style></head><body><p>This domain is for use i
n documentation examples without needing permission. This is not a service; avoid relying on it for testing and monitoring purposes.<
/p><script src=/s.js></script></body></html>

0
```

```
dbutler@Linux-VM:~$ ping -c 4 example.com
PING example.com (172.66.147.243) 56(84) bytes of data.
64 bytes from 172.66.147.243: icmp_seq=1 ttl=64 time=7.05 ms
64 bytes from 172.66.147.243: icmp_seq=2 ttl=64 time=5.94 ms
64 bytes from 172.66.147.243: icmp_seq=3 ttl=64 time=9.31 ms
di64 bytes from 172.66.147.243: icmp_seq=4 ttl=64 time=6.78 ms

--- example.com ping statistics ---
4 packets transmitted, 4 received, 0% packet loss, time 9026ms
rtt min/avg/max/mdev = 5.943/7.273/9.314/1.247 ms
dbutler@Linux-VM:~$ dig example.com

; <<>> DiG 9.20.24-1ubuntu0.4-Ubuntu <<>> example.com
;; global options: +cmd
;; Got answer:
;; ->>HEADER<<- opcode: QUERY, status: NOERROR, id: 9721
;; flags: qr rd ra; QUERY: 1, ANSWER: 2, AUTHORITY: 0, ADDITIONAL: 1

;; OPT PSEUDOSECTION:
; EDNS: version: 0, flags:; udp: 65494
;; QUESTION SECTION:
;example.com.                   IN      A

;; ANSWER SECTION:
example.com.            43      IN      A       104.20.23.154
example.com.            43      IN      A       172.66.147.243

;; Query time: 0 msec
;; SERVER: 127.0.0.53#53(127.0.0.53) (UDP)
;; WHEN: Fri Oct 30 10:24:42 UTC 2026
;; MSG SIZE  rcvd: 72

dbutler@Linux-VM:~$ curl -I http://example.com
HTTP/1.1 200 OK
Date: Fri, 30 Oct 2026 10:24:56 GMT
Content-Type: text/html; charset=utf-8
Connection: keep-alive
Server: cloudflare
Last-Modified: Sat, 24 Oct 2026 11:34:40 GMT
Allow: GET, HEAD
Accept-Ranges: bytes
Age: 7142
cf-cache-status: HIT
CF-RAY: a529b691bd5be2c5-CPT
alt-svc: h3=":443"; ma=86400
```

Reflection


By changing the incoming filter on Wireshark I was able to narrow down the packets I saw which in return helped me find the exact packets I needed. Without making use of the filter this task would have taken me a lot longer. Understanding the differences between dig, curl and ping helped me a lot with being able to complete this task


Conclusion

This task was completed successfully by making use of wire shar as well as the ping, dig and curl command in terminal as well as being able to use the filter effectively on the Wireshark application to narrow down the search.

Week3

Screenshots





Reflection

I was able to generate a hash correctly and made use of OpenSSL. This allowed me to validate the file integrity

Conclusion

The hashing was completed successfully and this ensured that the file integrity was kept

Week 4

Screenshots

```
butler@Linux-VM:~$ sudo grep -E "Failed|Accepted" /var/log/auth.log
026-10-30T08:50:18.415088+00:00 Linux-VM dbus-daemon[1330]: [system] Failed to activate service 'org.bluez': timed out (service_start_timeout=25000ms)
026-10-30T10:42:17.566724+00:00 Linux-VM sshd-session[5996]: Failed password for labuser from 127.0.0.1 port 50086 ssh2
026-10-30T10:42:24.680475+00:00 Linux-VM sshd-session[5996]: Failed password for labuser from 127.0.0.1 port 50086 ssh2
026-10-30T10:42:45.289371+00:00 Linux-VM sshd-session[5996]: Failed password for labuser from 127.0.0.1 port 50086 ssh2
026-10-30T10:43:25.299510+00:00 Linux-VM sshd-session[6011]: Failed password for labuser from 127.0.0.1 port 59040 ssh2
026-10-30T10:43:25.309310+00:00 Linux-VM sshd-session[6011]: Failed password for labuser from 127.0.0.1 port 59040 ssh2
026-10-30T10:43:31.204445+00:00 Linux-VM sshd-session[6011]: Failed password for labuser from 127.0.0.1 port 59040 ssh2
026-10-30T10:47:34.212383+00:00 Linux-VM sshd-session[6070]: Accepted password for labuser from 127.0.0.1 port 47164 ssh2
026-10-30T10:48:33.009663+00:00 Linux-VM sudo: dbutler : TTY=/dev/pts/0 ; PWD=/home/dbutler ; USER=root ; COMMAND=/usr/bin/grep -E Failed|Accepted /var/log/auth.log
```

```
dbutler@Linux-VM:~$ last -n 5
labuser  ssh          127.0.0.1        Fri Oct 30 11:00 - 11:00  (00:00)
labuser  pts/1        127.0.0.1        Fri Oct 30 10:47 - still logged in
dbutler  tty2         local            Fri Oct 30 09:55 - still logged in
dbutler  tty2         local            Fri Oct 30 08:27 - 09:52  (01:24)
dbutler  tty2         local            Thu Oct 29 18:50 - still logged in
```

Reflection

I was able to inspect the authentication logs of the VM where I found an attempted brute force login for the labuser account.

Conclusion

By being able to complete this task successfully I was able to obtain a new understanding of log reviews of accounts and understand the importance of doing this often for the accounts.

Week 5

Screenshots

```
dbutler@Linux-VM:~$ sudo nmap -sS 127.0.0.1
Starting Nmap 7.98 ( https://nmap.org ) at 2026-10-30 11:08 +0000
Nmap scan report for localhost (127.0.0.1)
Host is up (0.0000040s latency).
Not shown: 997 closed tcp ports (reset)
PORT    STATE SERVICE
22/tcp  open  ssh
80/tcp  open  http
631/tcp open  ipp

Nmap done: 1 IP address (1 host up) scanned in 1.28 seconds
```

Ethernet · 1 | IPv4 · 1 | IPv6 | TCP · 1000 | UDP

Address A	Port A	Address B	Port B	Packets	Bytes	Stream ID	Total Packets	Percent Filtered	Packets A → B	Bytes A → B	Packets B → A	Bytes B → A
127.0.0.1	43091	127.0.0.1	995	1	58 bytes	0	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	25	1	58 bytes	1	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	3306	1	58 bytes	2	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	113	1	58 bytes	3	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	8888	1	58 bytes	4	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	23	1	58 bytes	5	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	256	1	58 bytes	6	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	1025	1	58 bytes	7	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	21	1	58 bytes	8	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	80	1	58 bytes	9	3	33.33%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	110	1	58 bytes	10	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	445	1	58 bytes	11	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	199	1	58 bytes	12	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	22	1	58 bytes	13	3	33.33%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	993	1	58 bytes	14	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	143	1	58 bytes	15	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	139	1	58 bytes	16	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	1723	1	58 bytes	17	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	587	1	58 bytes	18	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	554	1	58 bytes	19	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	8080	1	58 bytes	20	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	111	1	58 bytes	21	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	5900	1	58 bytes	22	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	135	1	58 bytes	23	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	53	1	58 bytes	24	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	1720	1	58 bytes	25	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	3389	1	58 bytes	26	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	443	1	58 bytes	27	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	80	1	58 bytes	28	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	1152	1	58 bytes	29	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	6101	1	58 bytes	30	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	49156	1	58 bytes	31	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	6566	1	58 bytes	32	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	1060	1	58 bytes	33	2	50.00%	1	58 bytes	0	0 bytes
127.0.0.1	43091	127.0.0.1	1433	1	58 bytes	34	2	50.00%	1	58 bytes	0	0 bytes

Reflection


I was able to execute NMAP which showed me all the different ports that the VM has and the current state of the port.

Conclusion

By using NMAP I was able to view any ports on the device and also Gained the knowledge of which ports were open as well as which service was tied to the port

Week 6

Screenshot



Reflection


I was able to review the system process and files to try and locate any un authorized files


Conclusion

Week 7

Screenshot







Reflection

I was able to conduct a investigation to try and find an comprise in the system

Conclusion

By using systematic analysis I was able to undercover an incoming attack and stop it in time.

Week 9

Screenshot

```
dbutler@Linux-VM:~$ id Damian
uid=1003(Damian) gid=1004(Damian) groups=1004(Damian),1003(devs)
dbutler@Linux-VM:~$ id gina
uid=1004(gina) gid=1005(gina) groups=1005(gina)
```

```
dbutler@Linux-VM:~$ ls -ld /srv/p
drwxrwx--- 2 root devs 4096 Oct 30 11:35 /srv/p
```

```
dbutler@Linux-VM:~$ sudo -u gina touch /srv/p/b
touch: setting times of '/srv/p/b': Permission denied
dbutler@Linux-VM:~$ sudo -u Damian touch /srv/p/a
```

Reflection

I was able to configure two users one named Damian and one named gina and to showcase the principle of least privildge

Conclusion

By making use of roles I was able to prevent gina from being able to access a certain directory which Damian was able to access

Week 10

Screenshot

```
dbutler@Linux-VM:~$ sudo usermod -L labuser
dbutler@Linux-VM:~$ sudo passwd -S labuser
labuser L 2026-10-30 0 99999 7 -1
dbutler@Linux-VM:~$ sudo userdel -r backdoor
userdel: backdoor mail spool (/var/mail/backdoor) not found
userdel: backdoor home directory (/home/backdoor) not found
```

```
dbutler@Linux-VM:~$ rm /tmp/.hidden
dbutler@Linux-VM:~$ ls -la /tmp
total 12
drwxrwxrwt 18 root    root     400 Oct 30 11:48 .
drwxr-xr-x 20 root    root    4096 Aug 20 13:48 ..
drwxrwxrwt  2 root    root      40 Oct 30 09:53 .ICE-unix
-r--r--r--  1 dbutler dbutler   11 Oct 30 09:55 .X0-lock
-r--r--r--  1 dbutler dbutler   11 Oct 30 09:55 .X1-lock
drwxrwxrwt  2 root    root      80 Oct 30 09:55 .X11-unix
drwxrwxrwt  2 root    root      40 Oct 30 09:53 .XIM-unix
drwxrwxrwt  2 root    root      40 Oct 30 09:53 .font-unix
drwx------  4 root    root      80 Oct 30 09:55 snap-private-tmp
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-ModemManager.service-VckwYu
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-apache2.service-vg3B2T
drwx------  3 root    root      60 Oct 30 10:38 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-bluetooth.service-54naez
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-chrony.service-E0a53m
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-colord.service-gprWUk
drwx------  3 root    root      60 Oct 30 10:38 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-fwupd.service-zP9t5r
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-polkit.service-XJbpq3
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-power-profiles-daemon.service-Wz9L0A
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-switcheroo-control.service-Q0Zkht
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-systemd-logind.service-PBaV3p
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-upower.service-hNzjfL
```

```
dbutler@Linux-VM:~$ rm/tmp/.hidden
bash: rm/tmp/.hidden: No such file or directory
Files er@Linux-VM:~$ cut -d: -f1 /etc/passwd | tail -5
dbutler
sshd
labuser
Damian
gina
dbutler@Linux-VM:~$ ls -la /tmp
total 12
drwxrwxrwt 18 root    root     420 Oct 30 11:30 .
drwxr-xr-x 20 root    root    4096 Aug 20 13:48 ..
drwxrwxrwt  2 root    root      40 Oct 30 09:53 .ICE-unix
-r--r--r--  1 dbutler dbutler   11 Oct 30 09:55 .X0-lock
-r--r--r--  1 dbutler dbutler   11 Oct 30 09:55 .X1-lock
drwxrwxrwt  2 root    root      80 Oct 30 09:55 .X11-unix
drwxrwxrwt  2 root    root      40 Oct 30 09:53 .XIM-unix
drwxrwxrwt  2 root    root      40 Oct 30 09:53 .font-unix
-rw-rw-r--  1 dbutler dbutler    0 Oct 30 11:15 .hidden
drwx------  4 root    root      80 Oct 30 09:55 snap-private-tmp
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-ModemManager.service-VckwYu
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-apache2.service-vg3B2T
drwx------  3 root    root      60 Oct 30 10:38 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-bluetooth.service-54naez
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-chrony.service-E0a53m
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-colord.service-gprWUk
drwx------  3 root    root      60 Oct 30 10:38 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-fwupd.service-zP9t5r
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-polkit.service-XJbpq3
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-power-profiles-daemon.service-Wz9L0A
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-switcheroo-control.service-Q0Zkht
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-systemd-logind.service-PBaV3p
drwx------  3 root    root      60 Oct 30 09:53 systemd-private-e52f5ad553e04db4a678916cdaf3a17a-upower.service-hNzjfL
dbutler@Linux-VM:~$ sudo usermod -U labuser
dbutler@Linux-VM:~$ sudo passwd-S labuser
sudo: 'passwd-S': command not found
```

Reflection

I applied an response lifecycle to try and contain and remove the breach that occurred


Conclusion

I was able to effectively able to contain and stop any threats to the device.

Week 11

Screenshot

```
dbutler@Linux-VM:~$ printf '%s\n' 'X50!P%@AP[4\PZX54(P^)7CC)7}EICAR-STANDARD-ANTIVIRUS-TEST-FILE!$H+H*' >eicar.txt
dbutler@Linux-VM:~$ sha256sum eicar.txt
51d90a44cd351b748fcf2c67d61f79ae5d5f6c988d37dfa5e8742cde1cb582aa  eicar.txt
dbutler@Linux-VM:~$ md5sum eicar.txt
8ca1b5821077d2828ef3c5eb128fdd55  eicar.txt
```



Reflection

I created an EICAR test file which would allow me to go to a verified source where I can test the detection

Conclusion

I was able to identify an threat with making use of hashes and stop the malware before it infected or caused any more damage