Production CSID (Onboarding) API

e-Invoicing Sandbox Release (2.1.0) 1.0.0 OAS 3.0.0

ZATCA wants to provide Taxpayers and Developers of Taxpayer e-invoicing solutions and devices the opportunity to test the integration of the systems with a ZATCA Sandbox environment prior to the launch of the production system. The Integration Sandbox (ISB) should enable solution developers to simulate the integration calls/requests that will be required later as part of the registration process and the submission of e-invoices, credit and debit notes to the production system. The Sandbox backend will accordingly simulate the validations and responses as part of the Cryptographic Stamp Identifiers issuance, renewal and revocation as well as the Reporting and Clearance function.

Although the ISB will give ZATCA an indication of the adoption rate for e-invoicing solutions in the market, it will not be mandatory to complete Sandbox testing as a pre-requisite for Registration/Taxpayer onboarding or accessing the production system. Similar to the Compliance and Enablement Toolbox (CET), the ISB is also aimed at Developers to build/update their solutions which are in line with ZATCA specifications and standards and are able to integrate with a ZATCA backend. Accordingly access to the ISB test/mock APIs will not be limited to Taxpayers and any user can register for a Developer account to access the ISB test/mock APIs and associated documentation. This registration will enable ZATCA to monitor the solution providers who intent to develop/update their solutions to integrate with ZATCA.

It should be noted that although the ISB will simulate most of the core functionalities of the production system, any validations that require integrations/access with external systems and/or storage as well as scenarios involving any backend exceptional handling (for example overriding the clearance process) will not be part of the ISB and will be covered by the core solution. Accordingly the ISB should not be considered as representative of all integrations and/or APIs that will be part of the production system.

This swagger documents the set of apis for the Sandbox (ISB) solution.

Developers can also refer to section 2.3.10 of the Developer Portal User Manual for additional guidance and steps.

Servers

https://gw-fatoora.zatca.gov.sa/e-invoicing/developer-portal

Cryptographic Stamp Identifier (Certificate) Endpoint(s)

POST `/production/csids` Issues an X509 Production Cryptographic Stamp Identifier (PCSID/Certificate) (CSID) based on submitted CSR.

This Production CSID is a simulation of ZATCA rootCA moreover it is used to sign einvoice documents and authenticate einvoicing api calls. Specifically, it is sent via the authentication header for those api calls.This Production CSID is a simulation of ZATCA rootCA moreover it is used to sign einvoice documents and authenticate einvoicing api calls. Specifically, it is sent via the authentication header for those api calls.

Parameters

Name	Description
Authorization `string` *(header)*	Username (Compliance Certificate) and Password (Secret) should be taken from the Compliance certificate response and put in the Authorize popup : - Username: 'binarySecurityToken' which represnts the Compliance Certificate - Password: 'secret' Authorization
Accept-Version * required `string` *(header)*	V2

Request body — application/json

Examples:
Example

Example Value

```
{"compliance_request_id":"1234567890123"}
```

Responses

Code	Description	Links
200	returns a Base64 encoded X509 certificate Media type application/json **Example Value** | Schema	


```
{"requestID":1642424139872,"dispositionMessage":"ISSUED","binarySecurityToken":"TUlJRDNqQ0NBNFNnQXdJQkFnSVRFUUFBT0FQRjkwQWpz
L3hjWHdBQkFBQTRBekFLQmdncWhrak9QUVFEQWpCaU1SVXdFd1lLQ1pJbWlaUHlMR1FCR1JZRmJHOWpZV3d4RXpBUkJnb0praWFKay9Jc1pBRVpGZ05uYjNZeEZ6
QVZCZ29Ka2lhSmsvSXNaQUVaRmdkbGVIUm5ZWHAwTVJzd0dRWURWUVFERXhKUVVscEZTVTVXVDBsRFJWTkRRVFF0UTBFd0hoY05NalF3TVRFeE1Ea3hPVE13V2hj
Tk1qa3dNVEE1TURreE9UTXdXakIxTVFzd0NRWURWUVFHRXdKVFFURW1NQ1FHQTFVRUNoTWRUV0Y0YVcxMWJTQlRjR1ZsWkNCVVpXTm9JRk4xY0hCc2VTQk1WRVF4
RmpBVUJnTlZCQXNURFZKcGVXRmthQ0JDY21GdVkyZ3hKakFrQmdOVkJBTVRIVlJUVkMwNE9EWTBNekV4TkRVdE16azVPVGs1T1RrNU9UQXdNREF6TUZZd0VBWUhL
b1pJemowQ0FRWUZLNEVFQUFvRFFnQUVvV0NLYTBTYTlGSUVyVE92MHVBa0MxVklLWHhVOW5QcHgydmxmNHloTWVqeThjMDJYSmJsRHE3dFB5ZG84bXEwYWhPTW1O
bzhnd25pN1h0MUtUOVVlS09DQWdjd2dnSURNSUd0QmdOVkhSRUVnYVV3Z2FLa2daOHdnWnd4T3pBNUJnTlZCQVFNTWpFdFZGTlVmREl0VkZOVWZETXRaV1F5TW1Z
eFpEZ3RaVFpoTWkweE1URTRMVGxpTlRndFpEbGhPR1l4TVdVME5EVm1NUjh3SFFZS0NaSW1pWlB5TEdRQkFRd1BNems1T1RrNU9UazVPVEF3TURBek1RMHdDd1lE
VlFRTURBUXhNVEF3TVJFd0R3WURWUVFhREFoU1VsSkVNamt5T1RFYU1CZ0dBMVVFRHd3UlUzVndjR3g1SUdGamRHbDJhWFJwWlhNd0hRWURWUjBPQkJZRUZFWCtZ
dm1tdG5Zb0RmOUJHYktvN29jVEtZSzFNQjhHQTFVZEl3UVlNQmFBRkp2S3FxTHRtcXdza0lGelZ2cFAyUHhUKzlObk1Ic0dDQ3NHQVFVRkJ3RUJCRzh3YlRCckJn
Z3JCZ0VGQlFjd0FvWmZhSFIwY0RvdkwyRnBZVFF1ZW1GMFkyRXVaMjkyTG5OaEwwTmxjblJGYm5KdmJHd3ZVRkphUlVsdWRtOXBZMlZUUTBFMExtVjRkR2RoZW5R
dVoyOTJMbXh2WTJGc1gxQlNXa1ZKVGxaUFNVTkZVME5CTkMxRFFTZ3hLUzVqY25Rd0RnWURWUjBQQVFIL0JBUURBZ2VBTUR3R0NTc0dBUVFCZ2pjVkJ3UXZNQzBH
SlNzR0FRUUJnamNWQ0lHR3FCMkUwUHNTaHUyZEpJZk8reG5Ud0ZWbWgvcWxaWVhaaEQ0Q0FXUUNBUkl3SFFZRFZSMGxCQll3RkFZSUt3WUJCUVVIQXdNR0NDc0dB
UVVGQndNQ01DY0dDU3NHQVFRQmdqY1ZDZ1FhTUJnd0NnWUlLd1lCQlFVSEF3TXdDZ1lJS3dZQkJRVUhBd0l3Q2dZSUtvWkl6ajBFQXdJRFNBQXdSUUloQUxFL2lj
aG1uV1hDVUtVYmNhM3ljaThvcXdhTHZGZEhWalFydmVJOXVxQWJBaUE5aEM0TThqZ01CQURQU3ptZDJ1aVBKQTZnS1IzTEUwM1U3NWVxYkMvclhBPT0=","secre
t":"SX3P87hpTma5qUsOEQWv46fHL9uGcKFow90i9ercnSY="}
```

Code	Description	Links
400	HTTP Bad Request. Returned when the submitted request is invalid.	

Media type
application/json

Example Value | **Missing ComplianceSteps**

```
{"errors":[{"code":"Missing-ComplianceSteps","message":"Compliance steps for this CSID are not yet complete"}]}
```

Example Value | **Missing CurrentCCSID**

```
{"errors":[{"code":"Missing-CurrentCCSID","message":"currentCCSID is a required header"}]}
```

Example Value | **Invalid CurrentCCSID**

```
{"errors":[{"code":"Invalid-CurrentCCSID","message":"currentCCSID is invalid"}]}
```

Example Value | **Missing compliance request id**

```
{"errors":[{"code":"Missing-compliance_request_id","message":"compliance_request_id is a required header"}]}
```

Example Value | **Invalid ComplianceRequest Id**

```
{"errors":[{"code":"Invalid-ComplianceRequestId","message":"The provided compliance_request_id is invalid"}]}
```

401 Returned when username and password are not added or added as wrong values.

Media type
application/json

Example Value | **Unauthorized**

```
{"timestamp":1654514661409,"status":401,"error":"Unauthorized","message":""}
```

406

Media type
text/plain;charset=UTF-8

Example Value | **Not Acceptable**

```
"This Version is not supported or not provided in the header."
```

500 HTTP Internal Server Error. Returned when the service faces internal errors.

Media type
application/json

Example Value | **Internal Server Error**

```
{"code":"Invalid-Request","message":"System failed to process your request"}
```

Schemas

InfoModel {
- **description:** An object representing the result of the clearance or reporting API endpoints when the clearance flag is turned on or off. Basically, it shows an informational message instructing the client to see the other api.
- **message** string

}

ErrorModel {
- **description:** An object representing the structure of the error object returned by the API endpoints. Specifically, it includes the Category of the error, its code and message.
- **category** string
- **code** string
- **message** string

}

WarningModel {
- **description:** An object representing the structure of the warning object returned by the API endpoints. Specifically, it includes the Category of the warning, its code and message.
- **category** string
- **code** string
- **message** string

}

InvoiceResultModel {

```
   description:          An Object the represents the response of the API endpoint where it shows the results including status, warnings (if any), and error (if any) in addition to the
                         submitted document hash

   invoiceHash           string
   status                string ["Reported","Not Reported","Accepted with Warnings"]
   warnings              array {"$ref":"#/components/schemas/WarningModel"}
   erros                 array {"$ref":"#/components/schemas/ErrorModel"}
}
```

ClearedInvoiceResultModel {

```
   description:          An object representing the structure of the clearance endpoint response. Specifically, it is an object that contains the hash of the document, status, the
                         cleared document, warnings (if any), and errors (if any).

   invoiceHash           string
   clearedInvoice        string
   status                string ["Cleared","Not Cleared"]
   warnings              array {"$ref":"#/components/schemas/WarningModel"}
   erros                 array {"$ref":"#/components/schemas/ErrorModel"}
}
```

InvoiceRequest {

```
   description:          An object representing the structure of the clearance endpoint request. Specifically, it has the the submitted document hash and the base64 representation of
                         the invoice.

   invoiceHash           string
   invoice               string
}
```

CSRRequest {

```
   description:          An object representing the structure of the CSR request that is used to generate a CSID.

   csr                   string
}
```

CertificatesErrorsResponse {

```
   description:
   errors                array {"$ref":"#/components/schemas/ErrorModel"}
}
```