Production CSID (Renewal) API

e-Invoicing Sandbox Release (2.1.0) 1.0.0 OAS 3.0.1

ZATCA wants to provide Taxpayers and Developers of Taxpayer e-invoicing solutions and devices the opportunity to test the integration of the systems with a ZATCA Sandbox environment prior to the launch of the production system. The Integration Sandbox (ISB) should enable solution developers to simulate the integration calls/requests that will be required later as part of the registration process and the submission of e-invoices, credit and debit notes to the production system. The Sandbox backend will accordingly simulate the validations and responses as part of the Cryptographic Stamp Identifiers issuance, renewal and revocation as well as the Reporting and Clearance function.

Although the ISB will give ZATCA an indication of the adoption rate for e-invoicing solutions in the market, it will not be mandatory to complete Sandbox testing as a pre-requisite for Registration/Taxpayer onboarding or accessing the production system. Similar to the Compliance and Enablement Toolbox (CET), the ISB is also aimed at Developers to build/update their solutions which are in line with ZATCA specifications and standards and are able to integrate with a ZATCA backend. Accordingly access to the ISB test/mock APIs will not be limited to Taxpayers and any user can register for a Developer account to access the ISB test/mock APIs and associated documentation. This registration will enable ZATCA to monitor the solution providers who intent to develop/update their solutions to integrate with ZATCA.

It should be noted that although the ISB will simulate most of the core functionalities of the production system, any validations that require integrations/access with external systems and/or storage as well as scenarios involving any backend exceptional handling (for example overriding the clearance process) will not be part of the ISB and will be covered by the core solution. Accordingly the ISB should not be considered as representative of all integrations and/or APIs that will be part of the production system.

This swagger documents the set of apis for the Sandbox (ISB) solution.

Developers can also refer to section 2.3.10 of the Developer Portal User Manual for additional guidance and steps.

Servers

https://gw-fatoora.zatca.gov.sa/e-invoicing/developer-portal

Cryptographic Stamp Identifier (Certificate) Endpoint(s)

PATCH `/production/csids` Renews an X509 Certificate (CSID) based on submitted CSR.

Renews an X509 Certificate (CSID) based on submitted CSR

Parameters

Name	Description
OTP * required `string` *(header)*	One time password generated from Fatoora portal **Examples:** 111111 222222 123456
accept-language `string` *(header)*	Specifies the langauge in which the response will be returned. Currently supported languages are English (en) and Arabic (ar) and it defaults to English. **Examples:** en ar
Accept-Version * required `string` *(header)*	V2

Request body required — application/json

Examples:
Example

Example Value


```
{"csr":"LS0tLS1CRUdJTiBDRVJUSUZJQ0FURSBSRVFVRVNULS0tLS0NCk1JSUNGekNDQWI0Q0FRQXdkVEVMTUFrR0ExVUVCaE1DVTBFeEZqQVVCZ05WQkFzTURWSnBlV0ZrYUNCQ2NtRnUNClkyZ3hKakFrQmdOVkJBb01IVTFoZUdsdGRXMGdVM0JsW
ldRZ1ZHVmphQ0JUZFhCd2JIa2dURlJFTVNZd0pBWUQNClZRUUREQjFVVTFRdE9EZzJORE14TVRRMUxUTTVPVGs1T1RrNU9Ua3dNREF3TXpCV01CQUdCeXFHU000OUFnRUcNCkJTdUJCQUFLQTBJQUJPVlQvWFVGcDVJdU0wWUZHSTZUUStBTGxWT0Z3Rl
dxckNXMVU3M1NpUFJDSGM2Q1V4UXcNCmxoeG14aFRjNUdEOU1xRFM3YVArZi9OR0F3ZWJ6UmJvRjJpZ2dla3dnZVlHQ1NxR1NJYjNEUUVKRGpHQjJEQ0INCjFUQWhCZ2tyQmdFRUFZSTNGQUlFRkF3U1drRlVRMEV0UTI5a1pTMVRhV2R1YVc1bk1JR3Z
CZ05WSFJFRWdhY3cNCmdhU2tnYUV3Z1o0eE96QTVCZ05WQkFRTU1qRXRWRk5VZkRJdFZGTlVmRE10WldReU1tWXhaRGd0WlRaaE1pMHgNCk1URTRMVGxpTlRndFpEbGhPR1l4TVdVME5EVm1NUjh3SFFZS0NaSW1pWlB5TEdRQkFRd1BNems1T1RrNU9U
azUNCk9UQXdNREF6TVEwd0N3WURWUVFNREFReE1UQXdNUkV3RHdZRFZRUWFEQWhTVWxKRU1qa3lPVEVjTUJvR0ExVUUNCkR3d1QyWTFUZFhCd2JIa2dZV04wYVhacGRHbGxjekFLQmdncWhrak9QUVFEQWdOSEFEQkVBaUJCWXNyRkZLUGYNCml4SkhSR
VNxRlF0cmI0L0orMXRNczlrcWNGdEJ2eGdiR3dJZ0tXaWE0ZVcyZkhYY1d4amp5T3RqdVQ5MmhMUDMNCjRKOFBNVnFqeDR4TDFVTT0NCi0tLS0tRU5EIENFUlRJRklDQVRFIFJFUVVFU1QtLS0tLQ0K"}
```


Responses

Code	Description	Links

Code	Description	Links
200	returns a Base64 encoded X509 certificate	

Media type

application/json

Example Value | Schema


```
{"requestID":347,"tokenType":"http://docs.oasis-open.org/wss/2004/01/oasis-200401-wss-x509-token-profile-1.0#X509v3","dispos
itionMessage":"ISSUED","binarySecurityToken":"TUlJRDRUQ0NBNGFnQXdJQkFnSVRGd0FBTzJVVXE4RmR0Z1lLNWdBQkFBQTdaVEFLQmdncWhrak9QUV
FEQWpCaU1SVXdFd1lLQ1pJbWlaUHlMR1FCR1JZRmJHOWpZV3d4RXpBUkJnb0praWFKay9Jc1pBRVpGZ05uYjNZeEZ6QVZCZ29Ka2lhSmsvSXNaQUVaRmdkbGVIUm
5ZWHAwTVJzd0dRWURWUVFERXhKUVVscEZTVTVXVDBsRFJWTkRRVEV0UTBFd0hoY05NalF3TVRFMU1UY3lOVEU1V2hjTk1qa3dNVEV6TVRjeU5URTVXakIxTVFzd0
NRWURWUVFHRXdKVFFURW1NQ1FHQTFVRUNoTWRUV0Y0YVcxMWJTQlRjR1ZsWkNCVVpXTm9JRk4xY0hCc2VTQk1WRVF4RmpBVUJnTlZCQXNURFZKcGVXRmthQ0JDY2
1GdVkyZ3hKakFrQmdOVkJBTVRIVlJUVkMwNE9EWTBNekV4TkRVdE16azVPVGs1T1RrNU9UQXdNREF6TUZZd0VBWUhLb1pJemowQ0FRWUZLNEVFQUFvRFFnQUU1Vl
A5ZFFXbmtpNHpSZ1VZanBORDRBdVZVNFhBVmFxc0piVlR2ZEtJOUVJZHpvSlRGRENXSEdiR0ZOemtZUDB5b05MdG8vNS84MFlEQjV2TkZ1Z1hhS09DQWdrd2dnSU
ZNSUd2QmdOVkhSRUVnYWN3Z2FTa2dhRXdnWjR4T3pBNUJnTlZCQVFNTWpFdFZGTlVmREl0VkZOVWZETXRaV1F5TW1ZeFpEZ3RaVFpoTWkweE1URTRMVGxpTlRndF
pEbGhPR1l4TVdVME5EVm1NUjh3SFFZS0NaSW1pWlB5TEdRQkFRd1BNems1T1RrNU9UazVPVEF3TURBek1RMHdDd1lEVlFRTURBUXhNVEF3TVJFd0R3WURWUVFhRE
FoU1VsSkVNamt5T1RFY01Cb0dBMVVFRHd3VDJZMVRkWEJ3YkhrZ1lXTjBhWFpwZEdsbGN6QWRCZ05WSFE0RUZnUVVadkJOcHdmMFJzWTBvU2QyWXo2Tjg0aXhCRl
l3SHdZRFZSMGpCQmd3Rm9BVWNwUFJEbXY2SkZzVGhlckJGZk80RmZzYkJZMHdld1lJS3dZQkJRVUhBUUVFYnpCdE1Hc0dDQ3NHQVFVRkJ6QUNobDlvZEhSd09pOH
ZZV2xoTVM1NllYUmpZUzVuYjNZdWMyRXZRMlZ5ZEVWdWNtOXNiQzlRVWxwRmFXNTJiMmxqWlZORFFURXVaWGgwWjJGNmRDNW5iM1l1Ykc5allXeGZVRkphUlVsT1
ZrOUpRMFZUUTBFeExVTkJLREVwTG1OeWREQU9CZ05WSFE4QkFmOEVCQU1DQjRBd1BBWUpLd1lCQkFHQ054VUhCQzh3TFFZbEt3WUJCQUdDTnhVSWdZYW9IWVRRK3
hLRzdaMGtoODc3R2RQQVZXYUgrcVZsaGRtRVBnSUJaQUlCRWpBZEJnTlZIU1VFRmpBVUJnZ3JCZ0VGQlFjREF3WUlLd1lCQlFVSEF3SXdKd1lKS3dZQkJBR0NOeF
VLQkJvd0dEQUtCZ2dyQmdFRkJRY0RBekFLQmdnckJnRUZCUWNEQWpBS0JnZ3Foa2pPUFFRREFnTkpBREJHQWlFQS9vaDRIb2FlTGh6SDFNN2YrTjBrSmZoSW42RH
lzQkZaWEZNcGdnK3poeG9DSVFDVWwweEtyTGxuZEM5V25QdGVSNUx1dVF2amdQQUpvUklFd2JDeVJpSXk2dz09","secret":"1npmzeTq4VnKFQaZ5/9SwUxNho
LtuMWZVLVWUm3MTVU="}
```


400	HTTP Bad Request. Returned when the submitted request is invalid.

Media type

application/json

Example Value | **Missing OTP**

```
{"errors":[{"code":"Missing-OTP","message":"OTP is required field"}]}
```

Example Value | **Invalid OTP**

```
{"errors":[{"code":"Invalid-OTP","message":"The provided OTP is invalid"}]}
```

Example Value | **Missing CSR**

```
{"errors":[{"code":"Missing-CSR","message":"CSR is required field"}]}
```

Example Value | **Invalid CSR**

```
{"errors":[{"code":"Invalid-CSR","message":"The provided CSR is invalid"}]}
```

Example Value | **Missing currentCSID**

```
{"errors":[{"code":"Missing-currentCSID","message":"currentCSID is required field"}]}
```

Example Value | **Invalid currentCSID**

```
{"errors":[{"code":"Invalid-currentCSID","message":"The provided currentCSID is invalid"}]}
```

401	Returned when username and password are not added or added as wrong values.

Media type

application/json

Example Value | **Unauthorized**

```
{"timestamp":1654514661409,"status":401,"error":"Unauthorized","message":""}
```

406	Returned when accept version header is anything other than V2

Media type

text/plain;charset=UTF-8

Example Value | **Not Acceptable**

```
"This Version is not supported or not provided in the header."
```

Code	Description	Links
428	returns a Base64 encoded X509 compliance certificate Media type application/json **Example Value** | Schema	


```
{"value":{"requestID":1234567890123,"tokenType":null,"dispositionMessage":"NOT_COMPLIANT","binarySecurityToken":"TUlJQ1FEQ0N
BZVdnQXdJQkFnSUdBWTBPTFNiWk1Bb0dDQ3FHU000OUJBTUNNQlV4RXpBUkJnTlZCQU1NQ21WSmJuWnZhV05wYm1jd0hoY05NalF3TVRFMU1UY3pNRFV4V2hjTk1
qa3dNVEUwTWpFd01EQXdXakIxTVFzd0NRWURWUVFHRXdKVFFURVdNQlFHQTFVRUN3d05VbWw1WVdSb0lFSnlZVzVqYURFbU1DUUdBMVVFQ2d3ZFRXRjRhVzExYlN
CVGNHVmxaQ0JVWldOb0lGTjFjSEJzZVNCTVZFUXhKakFrQmdOVkJBTU1IVlJUVkMwNE9EWTBNekV4TkRVdE16azVPVGs1T1RrNU9UQXdNREF6TUZZd0VBWUhLb1p
JemowQ0FRWUZLNEVFQUFvRFFnQUU1VlA5ZFFXbmtpNHpSZ1VZanBORDRBdVZVNFhBVmFxc0piVlR2ZEtJOUVJZHpvSlRGRENXSEdiR0ZOemtZUDB5b05MdG8vNS8
4MFlEQjV2TkZ1Z1hhS09Cd3pDQndEQU1CZ05WSFJNQkFmOEVBakFBTUlHdkJnTlZIUkVFZ2Fjd2dhU2tnYUV3Z1o0eE96QTVCZ05WQkFRTU1qRXRWRk5VZkRJdFZ
GTlVmRE10WldReU1tWXhaRGd0WlRaaE1pMHhNVEU0TFRsaU5UZ3RaRGxoT0dZeE1XVTBORFZtTVI4d0hRWUtDWkltaVpQeUxHUUJBUXdQTXprNU9UazVPVGs1T1R
Bd01EQXpNUTB3Q3dZRFZRUU1EQVF4TVRBd01SRXdEd1lEVlFRYURBaFNVbEpFTWpreU9URWNNQm9HQTFVRUR3d1QyWTFUZFhCd2JIa2dZV04wYVhacGRHbGxjekF
LQmdncWhrak9QUVFEQWdOSkFEQkdBaUVBM1JsTTJlaGZaMzFmdk5yRGlJKzI5c0crNGJVVlg2QWZ1eEJuNUJiLzZ4TUNJUUQ5ZmxVNTc4U0htdEdZeTNWaW9LSU1
VMFpMVHJaT2liOXdHVTliTFJiYll3PT0=","secret":"goDgeIdM5mkfTThl1unu8rP9XhknKWAc24hafXZS1f4=","errors":null}}
```


500	HTTP Internal Server Error. Returned when the service faces internal errors. Media type application/json **Example Value** | **Internal Server Error**	

```
{"category":"HTTP-Errors","code":"500","message":"Something went wrong and caused an Internal Server Error."}
```

Schemas

InfoModel {
- **description:** An object representing the result of the clearance or reporting API endpoints when the clearance flag is turned on or off. Basically, it shows an informational message instructing the client to see the other api.
- **message** string

}

ErrorModel {
- **description:** An object representing the structure of the error object returned by the API endpoints. Specifically, it includes the Category of the error, its code and message.
- **category** string
- **code** string
- **message** string

}

WarningModel {
- **description:** An object representing the structure of the warning object returned by the API endpoints. Specifically, it includes the Category of the warning, its code and message.
- **category** string
- **code** string
- **message** string

}

InvoiceResultModel {
- **description:** An Object the represents the response of the API endpoint where it shows the results including status, warnings (if any), and error (if any) in addition to the submitted document hash
- **invoiceHash** string
- **status** string ["Reported","Not Reported","Accepted with Warnings"]
- **warnings** array {"$ref":"#/components/schemas/WarningModel"}
- **erros** array {"$ref":"#/components/schemas/ErrorModel"}

}

ClearedInvoiceResultModel {
- **description:** An object representing the structure of the clearance endpoint response. Specifically, it is an object that contains the hash of the document, status, the cleared document, warnings (if any), and errors (if any).
- **invoiceHash** string
- **clearedInvoice** string
- **status** string ["Cleared","Not Cleared"]
- **warnings** array {"$ref":"#/components/schemas/WarningModel"}
- **erros** array {"$ref":"#/components/schemas/ErrorModel"}

}

InvoiceRequest {
- **description:** An object representing the structure of the clearance endpoint request. Specifically, it has the the submitted document hash and the base64 representation of the invoice.
- **invoiceHash** string
- **invoice** string

}

CSRRequest {
- **description:** An object representing the structure of the CSR request that is used to generate a CSID.
- **csr** string

}

CertificatesErrorsResponse {
- **description:**
- **errors** array {"$ref":"#/components/schemas/ErrorModel"}

}