

Faculty of Computing

SECD2523-08: DATABASE

Lab 1: DDL

Lecturer: Dr. Noor Hidayah Binti Zakaria

Date:18/10/2023

Prepared by:

Name	Ghathfan Muhamad Afifazfa
Matric Number	A21EC4046

Section 6 Lesson 3 Exercise : Data Definition Language

Part 1: Reading information from a script

1.	How many	tables have	been created	using the	CREATE	TABLE statement?

There are 10 tables created.

2. How many columns are created for the price history table?

There are 6 columns created.

3. What statement is used to enforce the constraint that the category column of the items table must have a value?

"NOT NULL" statement.

4. What is the name of the foreign key constraint between the customers and customer addresses tables?

CUSTOMER ADDRESS CUSTOMER FK

5. What are the lowest and highest values that can be stored in the commission_rate column for the sales representatives table?

Lowest = -99

Highest = 99

6. What are the lowest and highest values that can be stored in the price column for the price history table?

Lowest = -99999

Highest = 99999

7. What are the 3 columns that make up the primary key for the price history table?


ITM NUMBER, START DATE, START TIME

Part 2: Updating Constraints

Log-in to APEX and go to the SQL commands environment

Modifying a column


1. Run the DESCRIBE command on the orders table to view its structure.




2. Task: Add a default constraint that will use todays date to assign a value to the odr_date column of the orders table if no date is provided.



3. Run the DESCRIBE command again to verify the command was successful.



Adding a check constraint



2. Task: Add a check constraint that will not allow the customers current balance to go below zero.

3. Run the DESCRIBE command again to verify the command was successful.




- 4. A check constraint is not shown in the results of a describe command.
- a. Go to the Object Browser

- b. Select the customers table.
- c. Click on the CONSTRAINTS tab.
- d. You will see your constraint here.

Constraints										
Constraint	Туре	Condition	Related Constraint	Related Table	Constraint Columns	On Delete	Status	Last Change	Invalid?	
CUST_BAL_CHECK	Check	CURRENT_BALANCE >= 0					ENABLED	2 minutes ago		
SYS_C00143879189	Check	"CTR_NUMBER" IS NOT NULL					ENABLED	15 minutes ago		
SYS_C00143879190	Check	"EMAIL" IS NOT NULL					ENABLED	15 minutes ago		
SYS_C00143879191	Check	"FIRST_NAME" IS NOT NULL					ENABLED	15 minutes ago		
SYS_C00143879192	Check	"LAST_NAME" IS NOT NULL					ENABLED	15 minutes ago		
SYS_C00143879193	Check	"PHONE_NUMBER" IS NOT NULL					ENABLED	15 minutes ago		
SYS_C00143879194	Check	"CURRENT_BALANCE" IS NOT NULL					ENABLED	15 minutes ago		
CUSTOMER_SALES_REP_FK	Foreign Key		SALES_REPRESENTATIVE_PK	SALES_REPRESENTATIVES	SRE_ID	NO ACTION	ENABLED	15 minutes ago		
CUSTOMER_TEAM_FK	Foreign Key		TEAM_PK	TEAMS	TEM_ID	NO ACTION	ENABLED	15 minutes ago		
CUSTOMER_PK	Primary Key				CUSTOMER_ID		ENABLED	15 minutes ago		
CTR_EMAIL_UK	Unique Key				EMAIL		ENABLED	15 minutes ago		
CTR_LCN_UK	Unique Key				LOYALTY_CARD_NUMBER		ENABLED	15 minutes ago		

Adding a column

The client has decided that they would like a separate column for the customer's mobile phone number. This is an optional column that will be required to store 11 digits.




2. Task: Add column that will satisfy the clients requirements

```
SQL Worksheet


1 VALTER TABLE CUSTOMERS
2 ADD MOBILE_NUMBER VARCHAR2(11);

Table altered.
```



Dropping a column

The client has decided that they don't need the mobile number column as most customers only provide a single contact number and that is already catered for with the existing phone_number column.



2. Task: Drop the column that was created to store the mobile phone number.

