UTM

UNIVERSITI TEKNOLOGI MALAYSIA

UNIVERSITI TEKNOLOGI MALAYSIA
FACULTY OF COMPUTING
SEMESTER I, SESION 2023/2024

LAB EXERCISE 3 : DML2

SECD2523 – DATABASE

NAME	:	**CHONG WEI YANG**
MARIC NO	:	**A23CS5027**
COURSE	:	**2 SECJH**
SUBMITION DATE	:	**17 DISEMBER 2023**
LECTURER'S NAME	:	**DR. NOOR HIDAYAH BINTI ZAKARIA**

Section 6 Lesson 6 Exercise 1: Retrieving Data Using SELECT

Write and Execute SELECT statements (S6L6 Objective 2)

In this exercise you will retrieve data that is stored in the database system by using a SELECT statement.

Part 1: Retrieving all columns from a table

Using the SELECT * statement show all data stored in the following tables:

1. customers



```
1  SELECT * FROM customers
```

Results | Explain | Describe | Saved SQL | History

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	012345678998	150	sr01	t001	-
c00012	Jjones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	t002	-
c00103	MurciaA@globaltech.com	Andrew	Murcia	077715246890	85	-	-	lc2341
c01986	margall87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-
c02001	brianrog@hootech.com	Brian	Rogers	01654564898	50	-	-	lc4587

6 rows returned in 0.05 seconds Download

2.teams



```
1  SELECT * FROM teams
```

Results | Explain | Describe | Saved SQL | History

ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT
t001	Rockets	25	10
t002	Celtics	42	20
t003	Rovers	8	-
t004	Jets	10	5

4 rows returned in 0.03 seconds Download

3. items



```
1  SELECT * FROM items
```

Results | Explain | Describe | Saved SQL | History

ITM_NUMBER	NAME	DESCRIPTION	CATEGORY	COLOR	Size	ILT_ID
im01101044	gloves	catcher mitt	clothing	brown	m	#010230124
im01101045	under shirt	top worn under the game top	clothing	white	s	#010230125
im01101046	socks	team socks with emblem	clothing	range	l	#010230126
im01101047	game top	team shirt with emblem	clothing	range	m	#010230127
im01101048	premium bat	high quality baseball bat	equipment	-	-	#010230128

5 rows returned in 0.04 seconds Download

Part 2: Selecting Specific Columns

1. Display the customer number, first name, last name, email and phone number of the customer.

```
1  SELECT ctr_number, first_name, last_name, email, phone_number FROM customers
```

Results | Explain | Describe | Saved SQL | History

CTR_NUMBER	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER
c00001	Robert	Thornberry	bob.thornberry@heatmail.com	01234567898
c00012	Jennifer	Jones	Jjones@freemail.com	01505214598
c00101	John	Doe	unknown@here.com	03216547808
c00103	Andrew	Murcia	MurciaA@globaltech.com	07715246890
c01986	Maria	Galant	margal87@delphiview.com	01442736589
c02001	Brian	Rogers	brianrog@hootech.com	01654564898

6 rows returned in 0.03 seconds Download

2. Display the name and number of players for each team.

```
1  SELECT name, number_of_players FROM teams
```

Results | Explain | Describe | Saved SQL | History

NAME	NUMBER_OF_PLAYERS
Rockets	25
Celtics	42
Rovers	8
Jets	10

4 rows returned in 0.00 seconds Download

3. Display the name, description and category for every item in the table.

```
1  SELECT name, description, category FROM items
```

Results | Explain | Describe | Saved SQL | History

NAME	DESCRIPTION	CATEGORY
gloves	catcher mitt	clothing
under shirt	top worn under the game top	clothing
socks	team socks with emblem	clothing
game top	team shirt with emblem	clothing
premium bat	high quaity basball bat	equipment

5 rows returned in 0.00 seconds Download

Section 6 Lesson 6 Exercise 2: Retrieving Data Using SELECT

Write and Execute SELECT statements (S6L6 Objective 2)

In this exercise you will retrieve data that is stored in the database system by using a SELECT statement.

Part 1: Using Arithmetic Operators

1. Every customer has been told they can pay off their current balance over a 12 month period. Display the customer's first name, last name, current balance and monthly payment.

```
SELECT first_name, last_name, current_balance, current_balance/12
FROM customers;
```

Results | Explain | Describe | Saved SQL | History

FIRST_NAME	LAST_NAME	CURRENT_BALANCE	CURRENT_BALANCE/12
Robert	Thornberry	150	12.5
Jennifer	Jones	0	0
John	Doe	987.5	82.291666666666666666666666666666666667
Andrew	Murcia	85	7.0833333333333333333333333333333333333
Maria	Galant	125.65	10.470833333333333333333333333333333333
Brian	Rogers	50	4.166666666666666666666666666666666667

6 rows returned in 0.05 seconds Download

2. Obl is considering giving a gift card to all its customers of 5.00 that can be used to reduce their current balance. Write a query that will show the customers first name, last name, customer number, current balance and the value of their balance minus the gift value.

```
SELECT first_name, last_name, ctr_number, current_balance, current_balance-5
FROM customers;
```

Results | Explain | Describe | Saved SQL | History

FIRST_NAME	LAST_NAME	CTR_NUMBER	CURRENT_BALANCE	CURRENT_BALANCE-5
Robert	Thornberry	c00001	150	145
Jennifer	Jones	c00012	0	-5
John	Doe	c00101	987.5	982.5
Andrew	Murcia	c00103	85	80
Maria	Galant	c01986	125.65	120.65
Brian	Rogers	c02001	50	45

6 rows returned in 0.01 seconds Download

3. What would be the problem with implementing this scheme?

The current balance cannot be zero value

Part 2 : Using Column Aliases

1. You previously wrote a query that display the customer's first name, last name, current balance and monthly payment. Rewrite the query to use First Name, Last Name, Balance and Monthly Repayments as the column aliases. The aliases are to be shown exactly as described (case sensitive).



```
SELECT first_name AS "First Name", last_name AS "Last Name", current_balance AS "Balance", current_balance/12 AS "Monthly Repayments"
FROM customers;
```

Results | Explain | Describe | Saved SQL | History

First Name	Last Name	Balance	Monthly Repayments
Robert	Thornberry	150	12.5
Jennifer	Jones	0	0
John	Doe	987.5	82.2916666666666666666666666666666666667
Andrew	Murcia	85	7.0833333333333333333333333333333333333
Maria	Galant	125.65	10.470833333333333333333333333333333333
Brian	Rogers	50	4.1666666666666666666666666666666666667

6 rows returned in 0.01 seconds Download

Part 3: Using Literal Character Strings

1. Write a query that will display the team information in the following format: The Rockets team has 25 players and receives a discount of 10 percent. Use Team Information as the column alias.



```
SELECT 'The ' || name || ' team has ' || number_of_players || ' players and receives a discount of ' || discount || ' percent.' AS "Team Information"
FROM teams;
```

Results | Explain | Describe | Saved SQL | History

First Name	Last Name	Balance	Monthly Repayments
Robert	Thornberry	150	12.5
Jennifer	Jones	0	0
John	Doe	987.5	82.2916666666666666666666666666666666667
Andrew	Murcia	85	7.0833333333333333333333333333333333333
Maria	Galant	125.65	10.470833333333333333333333333333333333
Brian	Rogers	50	4.1666666666666666666666666666666666667

6 rows returned in 0.01 seconds Download

2. Why does the last team not show a discount?

It contains the zero value, which means doesn't equal zero.

Section 6 Lesson 7 Exercise 1: Restricting Data Using WHERE

Limit rows using WHERE (S6L7 Objective 1)

In this exercise you will refine the data that is returned in your query by adding a WHERE clause to your SELECT
Statement

Part 1: Using the WHERE Clause.

1. Using the unique customer number in the where clause display all columns for Maria Galant.



```
SELECT * FROM customers
WHERE ctr_number = 'c01986';
```

Results | Explain | Describe | Saved SQL | History

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-

1 rows returned in 0.01 seconds Download

2. Display the first name, last name and customer number for all customers who have a current balance of greater than 100. Use an appropriate alias for your column headings.



```
SELECT first_name AS "First Name", last_name AS "Last Name", current_balance AS "Balance"
FROM customers
WHERE current_balance > 100;
```

Results | Explain | Describe | Saved SQL | History

First Name	Last Name	Balance
Robert	Thornberry	150
John	Doe	987.5
Maria	Galant	125.65

3 rows returned in 0.01 seconds Download

3. Display the order id, date and time of all orders that were placed before the 28th of May 2019. Use an appropriate alias for your column headings.

```
SELECT id "Order ID", odr_date "Order Date", odr_time "Order Time"
FROM orders
WHERE odr_date < TO_DATE('28-May-2019', 'DD-MM-YYYY');
```

Results | Explain | Describe | Saved SQL | History

Order ID	Order Date	Order Time
or0101250	2017-04-17	2017-04-17
or0101350	2017-05-24	2017-05-24
or0101425	2017-05-28	2017-05-28
or0101681	2017-06-02	2017-06-02
or0101750	2017-06-18	2017-06-18

5 rows returned in 0.05 seconds Download

Part 2: Range Conditions: BETWEEN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that have a trade cost of between 3.00 and 15.00.

```
SELECT id AS "Inventory ID", cost, units AS "Number of units"
FROM inventory_list
WHERE cost BETWEEN 3.00 AND 15.00;
```

Results | Explain | Describe | Saved SQL | History

Inventory ID	COST	Number of units
il010230125	7.99	250
il010230126	5.24	87

2 rows returned in 0.04 seconds Download

Part 3: Membership Conditions: IN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that have 50, 100, 150 or 200 units in stock.

```
1  SELECT id AS "Inventory ID", cost, units AS "Number of units"
2  FROM inventory_list
3  WHERE units IN (50,100,150,200)
```

Results | Explain | Describe | Saved SQL | History

Inventory ID	COST	Number of units
il010230124	2.5	100

1 rows returned in 0.01 seconds Download

Part 4: Membership Conditions: NOT IN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that do not have 50, 100, 150 or 200 units in stock.

```
1  SELECT id AS "Inventory ID", cost, units AS "Number of units"
2  FROM inventory_list
3  WHERE units NOT IN (50,100,150,200)
```

Results | Explain | Describe | Saved SQL | History

Inventory ID	COST	Number of units
il010230125	7.99	250
il010230126	5.24	87
il010230127	18.95	65
il010230128	97.46	8

4 rows returned in 0.01 seconds Download

Part 5: Pattern Matching: LIKE Operator

1. Display item number and name of all items that have a name that begins with g. Use an appropriate alias for your column headings.

```
1  SELECT itm_number AS "Item Number", name
2  FROM items
3  WHERE name LIKE 'g%' ;
```

Results | Explain | Describe | Saved SQL | History

Item Number	NAME
im01101044	gloves
im01101047	game top

2 rows returned in 0.06 seconds Download

Part 6 : Pattern Matching: Combining Wildcard Characters with the LIKE Operator

1. Display item number and name of all items that have a name that contain a lowercase o. Use an appropriate alias for your column headings



```
SELECT itm_number AS "Item Number" , name
FROM items
WHERE name LIKE '_o%';
```

Results | Explain | Describe | Saved SQL | History

Item Number	NAME
im01101046	socks

1 rows returned in 0.04 seconds Download