



UTM
UNIVERSITI TEKNOLOGI MALAYSIA

UNIVERSITI TEKNOLOGI MALAYSIA
FACULTY OF COMPUTING
SEMESTER I, SESION 2023/2024

LAB EXERCISE 4 : DML3

SECD2523 – DATABASE

NAME : CHONG WEI YANG

MARIC NO : A23CS5027

COURSE : 2 SECJH

SUBMISSION DATE : 17 DISEMBER 2023

LECTURER'S NAME : DR. NOOR HIDAYAH BINTI ZAKARIA


Section 6 Lesson 9 Exercise 1: Joining Tables Using JOIN

Write SELECT Statements Using Data From Multiple Tables Using Equijoins and Non-Equijoins (S6L9 Objective 1)

In this exercise you will write SELECT statements to access data from more than one table

Part 1: Creating Natural Joins.

1. Display all of the information about sales representatives and their addresses using a natural join.




```
1 SELECT *
2 FROM sales_representatives NATURAL JOIN sales_rep_addresses;
```

ID	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	COMMISSION_RATE	SUPERVISOR_ID	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	ZIP_CODE
sr01	chray@obl.com	Charles	Raymond	0134598761	10	sr01	12 Cherry Lane	Denton	Detroit	DT48211
sr02	vwright@obl.com	Victoria	Wright	0134598762	5	sr01	87 Blossom Hill	Uptown	Detroit	DT52314
sr03	bspeed@obl.com	Barry	Speed	0134598763	5	sr01	12 Junction Row	Skinflats	Detroit	DT52564

3 rows returned in 0.01 seconds [Download](#)

2. Adapt the query from the previous question to only show the id, first name, last name, address line 1, address line 2, city, email and phone_number for the sales representatives.




```
1 SELECT first_name, last_name, address_line_1, address_line_2, city, email, phone_number
2 FROM sales_representatives NATURAL JOIN sales_rep_addresses;
```

FIRST_NAME	LAST_NAME	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	EMAIL	PHONE_NUMBER
Charles	Raymond	12 Cherry Lane	Denton	Detroit	chray@obl.com	0134598761
Victoria	Wright	87 Blossom Hill	Uptown	Detroit	vwright@obl.com	0134598762
Barry	Speed	12 Junction Row	Skinflats	Detroit	bspeed@obl.com	0134598763

3 rows returned in 0.05 seconds [Download](#)

Part 2: Creating Joins with the USING Clause

1. Adapt the previous query answer to use the USING clause instead of a natural join.



```
1 SELECT id, first_name, last_name, address_line_1, address_line_2, city, email, phone_number
2 FROM sales_representatives JOIN sales_rep_addresses
3 USING (id);
```

ID	FIRST_NAME	LAST_NAME	ADDRESS_LINE_1	ADDRESS_LINE_2	CITY	EMAIL	PHONE_NUMBER
sr01	Charles	Raymond	12 Cherry Lane	Denton	Detroit	chray@obl.com	0134598761
sr02	Victoria	Wright	87 Blossom Hill	Uptown	Detroit	vwright@obl.com	0134598762
sr03	Barry	Speed	12 Junction Row	Skinflats	Detroit	bspeed@obl.com	0134598763

3 rows returned in 0.01 seconds [Download](#)

2. Display all of the information about items and their price history by joining the items and price_history tables.

```

1 SELECT *
2 FROM items JOIN price_history
3 USING (item_number);

```

ITEM_NUMBER	NAME	DESCRIPTION	CATEGORY	COLOR	Size	LT_ID	START_DATE	START_TIME	PRICE	END_DATE	END_TIME
im0101044	gloves	catcher mitt	clothing	brown	m	8010230104	2017-06-17	2016-06-17	4.99	-	-
im0101045	under shirt	top worn under the game top	clothing	white	s	8010230105	2016-11-25	2016-11-25	14.99	2017-01-25	2017-01-25
im0101045	under shirt	top worn under the game top	clothing	white	s	8010230105	2017-01-25	2017-01-25	8.99	2017-01-25	2017-01-25
im0101045	under shirt	top worn under the game top	clothing	white	s	8010230105	2017-01-26	2017-01-26	15.99	-	-
im0101046	socks	team socks with emblem	clothing	range	l	8010230106	2017-02-12	2017-02-12	7.99	-	-
im0101047	game top	team shirt with emblem	clothing	range	m	8010230107	2017-04-25	2017-04-25	24.99	-	-
im0101048	premium hat	high quality baseball hat	equipment	-	-	8010230108	2017-05-31	2017-05-31	149	-	-

7 rows returned in 0.05 seconds [Download](#)

Part 3: Creating Joins with the ON Clause

1. Use an ON clause to join the customer and sales representative table so that you display the customer number, customer first name, customer last name, customer phone number, customer email, sales representative id, sales representative first name, sales representative last name and sales representative email. You will need to use a table alias in your answer as both tables have columns with the same name.

```

1 SELECT c.cus_number AS "Customer Number", c.first_name AS "Customer First Name",
2        c.last_name AS "Customer Last Name", c.phone_number AS "Customer Phone Number",
3        c.email AS "Customer Email", s.id AS "Sales Representative ID",
4        s.first_name AS "Sales Representative First Name",
5        s.last_name AS "Sales Representative Last Name",
6        s.email AS "Sales Representative Email"
7 FROM customers c JOIN sales_representatives s
8 ON s.id = c.sre_id;

```

Customer Number	Customer First Name	Customer Last Name	Customer Phone Number	Customer Email	Sales Representative ID	Sales Representative First Name	Sales Representative Last Name	Sales Representative Email
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com
c00101	John	Doe	03216547808	unknown@here.com	sr01	Charles	Raymond	chray@obl.com
c01986	Maria	Galant	01442736589	margal87@delphiview.com	sr03	Barry	Speed	bspeed@obl.com

3 rows returned in 0.01 seconds [Download](#)

Part 4- Creating Three-Way Joins with the ON Clause

1. Using the answer to Task 3 add a join that will allow the team name that the customer represents to be included in the results.

```

1 s.last_name, s.email, t.name "Team Name"
2 FROM customers c JOIN sales_representatives s
3 ON (s.id = c.sre_id)
4 JOIN Teams t
5 ON (t.lt = c.tem_id);


```

CTR_NUMBER	FIRST_NAME	LAST_NAME	PHONE_NUMBER	EMAIL	ID	FIRST_NAME	LAST_NAME	EMAIL	Team Name
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	sr01	Charles	Raymond	chray@obl.com	Rockets
c00101	John	Doe	03216547808	unknown@here.com	sr01	Charles	Raymond	chray@obl.com	Celtics
c01986	Maria	Galant	01442736589	margal87@delphiview.com	sr03	Barry	Speed	bspeed@obl.com	Rovers

3 rows returned in 0.01 seconds [Download](#)

Part 5: Applying Additional Conditions to a Join

1. Using the answer to Task 4 add an additional condition to only show the results for the customer that has the number - c00001.




```
1 SELECT ctr_number, c.first_name, c.last_name, c.phone_number, c.email, s.id, s.first_name,
2 s.last_name, s.email, t.name "Team Name"
3 FROM customers c JOIN sales_representatives s
4 ON (s.id = c.sre_id)
5 JOIN teams t
6 ON (t.id = c.team_id)
7 WHERE c.ctr_number = 'c00001';
```

CTR_NUMBER	FIRST_NAME	LAST_NAME	PHONE_NUMBER	EMAIL	ID	FIRST_NAME	LAST_NAME	EMAIL	Team Name
c00001	Robert	Thornberry	01234567898	bob.thornberry@heatmail.com	s01	Charles	Raymond	chray@obl.com	Rockets

1 rows returned in 0.01 seconds [Download](#)

Part 6: Retrieving Records with Nonequijoins

1. Write a query that will display name and cost of the item with the number im01101045 on the 12th of December 2016. The output of the query should look like this: The cost of the under shirt on this day was 14.99



```
1 SELECT 'The cost of the ' || i.name || ' on this day was ' || p.price AS "Cost of the item
2 ||with the number im01101045 on the 12th of December
3 2016"
4 FROM items i JOIN price_history p
5 ON TO_DATE('12-Dec-2016', 'DD-MM-YYYY') BETWEEN p.start_date AND p.end_date AND (i.itm_number = 'im01101045');
6
```

Results	Explain	Describe	Saved SQL	History
Cost of the item with the number im01101045 on the 12th of December 2016				
The cost of the under shirt on this day was 14.99				

1 rows returned in 0.04 seconds [Download](#)


Section 6 Lesson 9 Exercise 2: Joining Tables Using JOIN

Write SELECT Statements Using Data From Multiple Tables Using

Equijoins and Non-Equijoins (S6L9 Objective 1)

Part 1 : Use a Self-Join to Join a Table to Itself (S6L9 Objective 2)

1. Write a query that will display who the supervisor is for each of the sales representatives. The information should be displayed in two columns, the first column will be the first name and last name of the sales representative and the second will be the first name and last name of the supervisor. The column aliases should be Rep and Supervisor.




```
1 SELECT r.first_name|| ' ' || r.last_name AS "Rep", s.first_name|| ' ' || s.last_name AS "Supervisor"
2 FROM sales_representatives r JOIN sales_representatives s
3 ON (r.supervisor_id = s.id);
```

Rep	Supervisor
Charles Raymond	Charles Raymond
Victoria Wright	Charles Raymond
Barry Speed	Charles Raymond

3 rows returned in 0.00 seconds [Download](#)

Part 2 : Use OUTER joins (S6L9 Objective 3)

1. Write a query that will display all of the team and customer information even if there is no match with the table on the left (team).



```
1 SELECT *
2 FROM teams t RIGHT OUTER JOIN customers c
3 ON (t.id = c.team_id);
```

ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT	CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEAM_ID	LOYALTY_CARD_NUMBER
1001	Rockets	25	10	c00001	bob.thornberry@hotmail.com	Robert	Thornberry	01234567898	150	sr01	1001	-
-	-	-	-	c00002	jones@freemail.com	Jennifer	Jones	01505214598	0	-	-	lc1015
1002	Celtics	42	20	c00101	unknown@here.com	John	Doe	03216547808	9875	sr01	1002	-
-	-	-	-	c00103	MurciaA@globaltech.com	Andrew	Murcia	07765246890	85	-	-	lc2341
1003	Rovers	8	-	c07986	marga887@delphireview.com	Marta	Galant	01442736089	125.65	sr03	1003	-
-	-	-	-	c02001	brianrog@hooitech.com	Brian	Rogers	01654564898	50	-	-	lc4587

6 rows returned in 0.00 seconds [Download](#)

Part 3 : Generating a Cartesian Product (S6L9 Objective 4)

1. Create a Cartesian product between the customer and sales representative tables

Q

Alt

1

SELECT *

2

FROM customers CROSS JOIN sales_representatives;

Results

Explain

Describe

Save SQL

History

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER	ID	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	COMMISSION_RATE	SUPERVISOR_ID
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-	sr01	chray@obl.com	Charles	Raymond	0154598761	10	sr01
c00012	jones@freemail.com	Jennifer	Jones	01505214598	0	-	-	k1015	sr01	chray@obl.com	Charles	Raymond	0154598761	10	sr01
c00101	unknown@here.com	John	Doe	03216547808	9875	sr01	t002	-	sr01	chray@obl.com	Charles	Raymond	0154598761	10	sr01
c00103	Murcia@globaltech.com	Andrew	Murcia	0775246890	85	-	-	k2341	sr01	chray@obl.com	Charles	Raymond	0154598761	10	sr01
c01986	margalit@delphiview.com	Maria	Galant	01442736589	125.65	sr03	t003	-	sr01	chray@obl.com	Charles	Raymond	0154598761	10	sr01
c02001	brianrog@hootech.com	Brian	Rogers	01654564898	50	-	-	k4567	sr01	chray@obl.com	Charles	Raymond	0154598761	10	sr01
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	t001	-	sr02	vwright@obl.com	Victoria	Wright	0154598762	5	sr01
c00012	jones@freemail.com	Jennifer	Jones	01505214598	0	-	-	k1015	sr02	vwright@obl.com	Victoria	Wright	0154598762	5	sr01
c00101	unknown@here.com	John	Doe	03216547808	9875	sr01	t002	-	sr02	vwright@obl.com	Victoria	Wright	0154598762	5	sr01
c00103	Murcia@globaltech.com	Andrew	Murcia	0775246890	85	-	-	k2341	sr02	vwright@obl.com	Victoria	Wright	0154598762	5	sr01

More than 10 rows available. Increase rows selector to view more rows.

10 rows returned in 0.01 seconds

Download