

Database Design Project

Oracle Baseball League Store Database

Project Scenario:

You are a small consulting company specializing in database development. You have just been awarded the contract to develop a data model for a database application system for a small retail store called Oracle Baseball League (OBL).

The Oracle Baseball League store serves the entire surrounding community selling baseball kit. The OBL has two types of customer, there are individuals who purchase items like balls, cleats, gloves, shirts, screen printed t-shirts, and shorts. Additionally customers can represent a team when they purchase uniforms and equipment on behalf of the team.

Teams and individual customers are free to purchase any item from the inventory list, but teams get a discount on the list price depending on the number of players. When a customer places an order we record the order items for that order in our database.

OBL has a team of three sales representatives that officially only call on teams but have been known to handle individual customer complaints.

Name : Elvis Chang Feng Jie

Section 6 Lesson 3 Exercise : Data Definition Language

Use DDL to build and maintain database tables (S6L3 Objective 3)

Part 1: Reading information from a script

In this exercise you will use the “obl Sports.ddl” file to consolidate your knowledge of DDL.

Open the “obl Sports.ddl” in a text editor.

1. How many tables have been created using the CREATE TABLE statement?

10 tables

2. How many columns are created for the price history table?

6 columns

3. What statement is used to enforce the constraint that the category column of the items table must have a value?

NOT NULL

4. What is the name of the foreign key constraint between the customers and customer addresses tables?

customer_address_fk

5. What are the lowest and highest values that can be stored in the commission_rate column for the sales_representatives table?

Lowest value = -99

Highest value = 99

6. What are the lowest and highest values that can be stored in the price column for the price_history table?

Lowest value = -99999.99

Highest value = 99999.99

7. What are the 3 columns that make up the primary key for the price_history table?


itm_number,start_date,start_time

Part 2 : Updating Constraints

Log-in to APEX and go to the SQL commands environment

Modifying a column

1. Run the DESCRIBE command on the orders table to view its structure.




```
1 describe orders
```

Results	Explain	Describe	Saved SQL	History
ORDERS	ID	VARCHAR2	9	- - 1 - - -
	ODR_DATE	DATE	7	- - - - -
	ODR_TIME	DATE	7	- - - - -
	NUMBER_OF_UNITS	NUMBER	-	2 0 - - - -
	CTR_NUMBER	VARCHAR2	6	- - - - -

elvisfeng@graduate.utm.my elvischang en Copyright © 1999, 2023, Oracle and/or its affiliates.

2. **Task:** Add a default constraint that will use today's date to assign a value to the odr_date column of the orders table if no date is provided.



```
1 ALTER TABLE ORDERS
2 MODIFY odr_date DATE DEFAULT SYSDATE
```

Results	Explain	Describe	Saved SQL	History
Table altered.				
0.06 seconds				

3. Run the DESCRIBE command again to verify the command was successful.

Language SQL Rows 10

```

1 ALTER TABLE CUSTOMERS
2 ADD CONSTRAINT ctr_current_balance
3 CHECK (current_balance >= 0)
4
5

```

Results Explain Describe Saved SQL History

Table altered.

0.06 seconds

3. Run the DESCRIBE command again to verify the command was successful.

1 DESCRIBE CUSTOMERS

Results	Explain	Describe	Saved SQL	History
CUSTOMERS	CTR_NUMBER	VARCHAR2	6	-
	EMAIL	VARCHAR2	50	-
	FIRST_NAME	VARCHAR2	20	-
	LAST_NAME	VARCHAR2	30	-
	PHONE_NUMBER	VARCHAR2	11	-
	CURRENT_BALANCE	NUMBER	-	6
	SRE_ID	VARCHAR2	4	-
	TEM_ID	VARCHAR2	4	-
	LOYALTY_CARD_NUMBER	VARCHAR2	6	-

Copyright © 1999, 2023, Oracle and/or its affiliates.

4. A check constraint is not shown in the results of a describe command.
 - a. Go to the Object Browser
 - b. Select the customers table.
 - c. Click on the CONSTRAINTS tab.

d. You will see your constraint here.

The screenshot shows the Oracle APEX interface for the 'CUSTOMERS' table. The 'Constraints' tab is active, showing a list of constraints. The constraints are as follows:

Constraint	Type	Search Condition	Related Constraint
CTR_CURRENT_BALANCE	Check	current_balance>=0	
CUST_CURRENT_BALANCE	Check	current_balance>=0	
SYS_C00151977548	Check	"CTR_NUMBER" IS NOT NULL	
SYS_C00151977549	Check	"EMAIL" IS NOT NULL	
SYS_C00151977550	Check	"FIRST_NAME" IS NOT NULL	
SYS_C00151977551	Check	"LAST_NAME" IS NOT NULL	
SYS_C00151977552	Check	"PHONE_NUMBER" IS NOT NULL	
SYS_C00151977553	Check	"CURRENT_BALANCE" IS NOT NULL	

1 cells selected

Copyright © 1999, 2023, Oracle and/or its affiliates.

Adding a column

The client has decided that they would like a separate column for the customer's mobile phone number. This is an optional column that will be required to store 11 digits.


1. Run the DESCRIBE command on the customers table to view its structure.

The screenshot shows the Oracle APEX interface with the command 'DESCRIBE CUSTOMERS' executed. The results are displayed in a table format:

Results	Explain	Describe	Saved SQL	History
CUSTOMERS	CTR_NUMBER	VARCHAR2	6	-
	EMAIL	VARCHAR2	50	-
	FIRST_NAME	VARCHAR2	20	-
	LAST_NAME	VARCHAR2	30	-
	PHONE_NUMBER	VARCHAR2	11	-
	CURRENT_BALANCE	NUMBER	-	6
	SRE_ID	VARCHAR2	4	-
	TEM_ID	VARCHAR2	4	-
	LOYALTY_CARD_NUMBER	VARCHAR2	6	-

Copyright © 1999, 2023, Oracle and/or its affiliates.

2. **Task:** Add column that will satisfy the clients requirements



- Run the DESCRIBE command on the customers table to view its structure.

1 DESCRIBE CUSTOMERS

Results	Explain	Describe	Saved SQL	History
		EMAIL	VARCHAR2	50
		FIRST_NAME	VARCHAR2	20
		LAST_NAME	VARCHAR2	30
		PHONE_NUMBER	VARCHAR2	11
		CURRENT_BALANCE	NUMBER	- 6 2
		SRE_ID	VARCHAR2	4
		TEM_ID	VARCHAR2	4
		LOYALTY_CARD_NUMBER	VARCHAR2	6
		MOBILE_NUM	VARCHAR2	11

elvisfeng@graduate.utm.my elvischang en Copyright © 1999, 2023, Oracle and/or its affiliates.

Dropping a column

The client has decided that they don't need the mobile number column as most customers only provide a single contact number and that is already catered for with the existing phone_number column.

- Run the DESCRIBE command on the customers table to view its structure.

1 DESCRIBE CUSTOMERS

Results	Explain	Describe	Saved SQL	History
CUSTOMERS		CTR_NUMBER	VARCHAR2	6
		EMAIL	VARCHAR2	50
		FIRST_NAME	VARCHAR2	20
		LAST_NAME	VARCHAR2	30
		PHONE_NUMBER	VARCHAR2	11
		CURRENT_BALANCE	NUMBER	- 6 2
		SRE_ID	VARCHAR2	4
		TEM_ID	VARCHAR2	4
		LOYALTY_CARD_NUMBER	VARCHAR2	6

elvisfeng@graduate.utm.my elvischang en Copyright © 1999, 2023, Oracle and/or its affiliates.

2. **Task:** Drop the column that was created to store the mobile phone number.

1

ALTER TABLE CUSTOMERS

2

DROP (mobile_num)

Results

Explain

Describe

Saved SQL

History

Table altered.

0.05 seconds

3. Run the DESCRIBE command on the customers table to view its structure.

1

DESCRIBE CUSTOMERS

Results

Explain

Describe

Saved SQL

History

CUSTOMERS	CTR_NUMBER	VARCHAR2	6	-	-	1	-	-	-
	EMAIL	VARCHAR2	50	-	-	-	-	-	-
	FIRST_NAME	VARCHAR2	20	-	-	-	-	-	-
	LAST_NAME	VARCHAR2	30	-	-	-	-	-	-
	PHONE_NUMBER	VARCHAR2	11	-	-	-	-	-	-
	CURRENT_BALANCE	NUMBER	-	6	2	-	-	-	-
	SRE_ID	VARCHAR2	4	-	-	-	✓	-	-
	TEM_ID	VARCHAR2	4	-	-	-	✓	-	-
	LOYALTY_CARD_NUMBER	VARCHAR2	6	-	-	-	✓	-	-

elvisfeng@graduate.utm.my

elvischang

en

Copyright © 1999, 2023, Oracle and/or its affiliates.