

SECD2523 - 08 Database

SEMESTER I, SESSION 2023/2024

LAB 2 - DML 1

Lecturer: Dr. Noor Hidayah Zakaria

Name	Matric Number	
Tan Jing Zhe	A22EC0280	

SQL2 - DML 1 PART 1

Part 1: Running a script to populate the tables.

You have to consider the order of the tables when populating them. A table that has a foreign key field cannot be populated before the related table with the primary key


1. Use the table mapping document and list the order that you would use to populate the tables.

```
inventory_list
items
price_history
sales_representatives
sales_rep_addresses
teams
customers
customers_addresses
orders
ordered_items
```

2. Open the "sports data.sql" and look at the order the data is being added there, does your list match? This file can be found in the Section 6 Lesson 4 interaction (sports data.zip) and must first be extracted.

Yes the list match

- 3. Run the "sports data.sql" script in APEX to populate your tables
- 4. Check that no errors occurred when you ran the script.



Part 2- Inserting rows to the system

1. Add a new team to the system

id	name	Number_of_players	discount	
t004	Jets	10	5	



2. Add a new Customer with the following details to the system

ctr number	email	First name	Last name	Phone number	Current balance	Loyalty card number	tem id	sre id
c02001	brianrog@hoote ch.com	Brian	Rogers	01654564898	-5	lc4587		



3. This information violates the check constraint that the current balance must not be less than zero. Change the current balance to 50 and rerun the query.




SQL2 - DML 1 PART 2

Part 1- Updating rows to the system

1. Run the following query to view the content of the price_history table: SELECT start_date, TO_CHAR (start_time, 'HH24:MI:SS'), price, end_date, TO_CHAR (end_time, 'HH24:MI')
FROM price history;

\$\text{\$\Q\ \P\ Az}\$							
1 SELECT start_date, TO_CHAR (start_time, "HH24:MI:SS'), price, end_date, TO_CHAR (end_time, 'HH24:MI') 2 FROM price_history; 3							
Results Explain Describe Saved SQL History							
Results Explain Describe Surea Squ	instory			-			
START_DATE	TO_CHAR(START_TIME,'HH24:MLSS')	PRICE	END_DATE	TO_CHAR(END_TIME,'HH24:MI')			
06/17/2017	09:00:00						
11/25/2016	09:00:00	14.99	01/25/2017	17:00			
01/25/2017	17.01.00	8.99	01/25/2017	19:00			
01/26/2017	09:00:00	15.99					
02/12/2017	12:30:00						
04/25/2017	10:10:10	24.99					
05/31/2017	16:35:30						
7 rows returned in 0.04 seconds Demiked							


2. Obl is going to update the price of the premium bat so you will need to write a query that will close off the current price by adding the system date values to the end_date and end_time fields. To run this query you will need to both match the item number and identify that the end date is null. This ensures that you are updating the latest price.




3. Rerun the select statement on the price_history table to ensure that the statement has been executed



4. Insert a new row that will use the current date and time to set the new price of the premium bat to be 99.99




5. Rerun the select statement on the price_history table to ensure that the statement has been executed.



Part 2: Deleting rows from the system

1. Bob Thornberry has contacted Obl to ask that the 83 Barrhill Drive address be removed from the system as he can longer receive parcels at this address. Write a SQL statement that will remove this address from the system.



2. Run a select statement on the customers_addresses table to ensure that the statement has been executed.

