



UTM
UNIVERSITI TEKNOLOGI MALAYSIA

FACULTY OF COMPUTING
UTM Johor Bahru

LAB 3 DML 2

Name	Yap Jun Cheng
Matrix Number	A22EC0294
Course Code	SEDC2523
Course Name	Database
Section	08

Section 6 Lesson 6 Exercise 1: Retrieving Data Using SELECT

Part 1: Retrieving all columns from a table.

Using the SELECT * statement show all data stored in the following tables:

1. customers

```
1 SELECT *
2 FROM customers
```

CTR_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER
c00001	bob.thornberry@heatmail.com	Robert	Thornberry	01234567898	150	sr01	1001	-
c00012	j.jones@freemail.com	Jennifer	Jones	01505214598	0	-	-	k1015
c00101	unknown@here.com	John	Doe	03216547808	987.5	sr01	1002	-
c00103	MurciaA@globaltech.com	Andrew	Murcia	0775246890	85	-	-	k2341
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	sr03	1003	-
c02001	brianrog@hooitech.com	Brian	Rogers	01654564898	50	-	-	k4587

2. teams

```
1 SELECT *
2 FROM teams
```

ID	NAME	NUMBER_OF_PLAYERS	DISCOUNT
1001	Rockets	25	10
1002	Celtics	42	20
1003	Rovers	8	-
1004	Jets	10	5

3. items

```
1 SELECT *
2 FROM items
```

ITM_NUMBER	NAME	DESCRIPTION	CATEGORY	COLOR	Size	ILT_ID
im0101044	gloves	catcher mitt	clothing	brown	m	1010230124
im0101045	under shirt	top worn under the game top	clothing	white	s	1010230125
im0101046	socks	team socks with emblem	clothing	range	l	1010230126
im0101047	game top	team shirt with emblem	clothing	range	m	1010230127
im0101048	premium bat	high quality baseball bat	equipment	-	-	1010230128

Part 2: Selecting Specific Columns

1. Display the customer number, first name, last name, email and phone number of the customers.

```
1 SELECT ctr_number, first_name, last_name, email, phone_number
2 FROM customers
```

CTR_NUMBER	FIRST_NAME	LAST_NAME	EMAIL	PHONE_NUMBER
c00001	Robert	Thornberry	bob.thornberry@heatmail.com	01234567898
c00012	Jennifer	Jones	j.jones@freemail.com	01505214598
c00101	John	Doe	unknown@here.com	03216547808
c00103	Andrew	Murcia	MurciaA@globaltech.com	0775246890
c01986	Maria	Galant	margal87@delphiview.com	01442736589
c02001	Brian	Rogers	brianrog@hooitech.com	01654564898

2. Display the name and number of players for each team.

1 SELECT name, number_of_players

2 FROM Teams

Results

Explain

Describe

Saved SQL

History

NAME	NUMBER_OF_PLAYERS
Rockets	25
Celtics	42
Rovers	8
Jets	10

3. Display the name, description and category for every item in the table.

1 SELECT name, description, category

2 FROM Item

Results

Explain

Describe

Saved SQL

History

NAME	DESCRIPTION	CATEGORY
gloves	catcher mitt	clothing
under shirt	top worn under the game top	clothing
socks	team socks with emblem	clothing
game top	team shirt with emblem	clothing
premium bat	high quality baseball bat	equipment

Section 6 Lesson 6 Exercise 2

Part 1 Using Arithmetic Operators

1. Every customer has been told they can pay off their current balance over a 12 month period. Display the customer's first name, last name, current balance and monthly payment.

```
1 SELECT first_name, last_name, current_balance, current_balance/12
2 FROM customers;
```

Results	Explain	Describe	Save SQL	History
FIRST_NAME	LAST_NAME	CURRENT_BALANCE	CURRENT_BALANCE/12	
Robert	Thornberry	150	12.5	
Jennifer	Jones	0	0	
John	Doe	9875	82.2916666666666666666666666667	
Andrew	Murcia	85	7.0833333333333333333333333333	
Maria	Galant	125.65	10.4708333333333333333333333333	
Brian	Rogers	50	4.1666666666666666666666666667	

2. Obl is considering giving a gift card to all its customers of 5.00 that can be used to reduce their current balance. Write a query that will show the customers first name, last name, customer number, current balance and the value of their balance minus the gift value.

```
1 SELECT first_name, last_name, ctr_number, current_balance, current_balance-5
2 FROM customers;
```

Results	Explain	Describe	Save SQL	History
FIRST_NAME	LAST_NAME	CTR_NUMBER	CURRENT_BALANCE	CURRENT_BALANCE -5
Robert	Thornberry	c00001	150	145
Jennifer	Jones	c00012	0	-5
John	Doe	c00101	9875	982.5
Andrew	Murcia	c00103	85	80
Maria	Galant	c01986	125.65	120.65
Brian	Rogers	c02001	50	45

3. What would be the problem with implementing this scheme?

The current balance cannot go below zero.

Part 2: Using Column Aliases

1. You previously wrote a query that display the customer's first name, last name, current balance and monthly payment. Rewrite the query to use First Name, Last Name, Balance and Monthly Repayments as the column aliases. The aliases are to be shown exactly as described (case sensitive).

```
1 SELECT first_name "First Name", last_name "Last Name", current_balance
2 "Balance", current_balance/12 "Monthly Repayments"
3 FROM customers;
```

Results	Explain	Describe	Save SQL	History
First Name	Last Name	Balance	Monthly Repayments	
Robert	Thornberry	150	12.5	
Jennifer	Jones	0	0	
John	Doe	9875	82.2916666666666666666666666667	
Andrew	Murcia	85	7.0833333333333333333333333333	
Maria	Galant	125.65	10.4708333333333333333333333333	
Brian	Rogers	50	4.1666666666666666666666666667	

Part 3: Using Literal Character Strings

1. Write a query that will display the team information in the following format: The Rockets team has 25 players and receives a discount of 10 percent. Use Team Information as the column alias.

```
1 SELECT 'The '||name||' team has '||number_of_players||' players and receives a
2 discount of '||discount||' percent.' AS "Team Information"
3 FROM Teams
```

Results	Explain	Describe	Save SQL	History
Team Information				
The Rockets team has 25 players and receives a discount of 10 percent.				
The Celtics team has 42 players and receives a discount of 30 percent.				
The Rovers team has 8 players and receives a discount of percent.				
The Jets team has 10 players and receives a discount of 5 percent.				

2. Why does the last team not show a discount?

Rovers team does not show a discount because it contains a null value which is not the same as zero or a blank space.

Section 6 Lesson 7 Exercise 1

Part 1: Using the WHERE Clause.

1. Using the unique customer number in the where clause display all columns for Maria Galant

```
1 SELECT *
2 FROM customers
3 WHERE ctf_number = 'c01986';
```

CTF_NUMBER	EMAIL	FIRST_NAME	LAST_NAME	PHONE_NUMBER	CURRENT_BALANCE	SRE_ID	TEM_ID	LOYALTY_CARD_NUMBER
c01986	margal87@delphiview.com	Maria	Galant	01442736589	125.65	w003	1003	-

2. Display the first name, last name and customer number for all customers who have a current balance of greater than 100. Use an appropriate alias for your column headings.

```
1 SELECT first_name "First Name", last_name "Last Name", ctf_number "Customer
2 Number"
3 FROM customers
4 WHERE current_balance > 100;
```

First Name	Last Name	Customer Number
Robert	Thornberry	c00001
John	Doe	c00101
Maria	Galant	c01986

3. Display the order id, date and time of all orders that were placed before the 28th of May 2019. Use an appropriate alias for your column headings.

```
1 SELECT id "Order Id", odr_date "Order Date", odr_time "Order Time"
2 FROM orders
3 WHERE odr_date < TO_DATE('28-May-2019', 'DD-MM-YYYY');
```

Order Id	Order Date	Order Time
or0101250	04/11/2017	04/11/2017
or0101350	05/24/2017	05/24/2017
or0101425	05/28/2017	05/28/2017
or0101681	06/02/2017	06/02/2017
or0101750	06/18/2017	06/18/2017

Part 2: Range Conditions: BETWEEN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that have a trade cost of between 3.00 and 15.00.

```
1 SELECT id "Inventory Id", cost "Cost", units "Number of Units"
2 FROM inventory_list
3 WHERE cost BETWEEN 3 AND 15;
```

Inventory Id	Cost	Number of Units
id010230125	7.99	250
id010230126	5.24	87

Part 3: Membership Conditions: IN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that have 50, 100, 150 or 200 units in stock.

```

1 SELECT id "Inventory Id", cost "Cost", units "Number of Units"
2 FROM inventory_list
3 WHERE units IN (50, 100, 150, 200);

```

Results	Explain	Describe	Saved SQL	History
Inventory Id	Cost	Number of Units		
8010230104	2.5	100		

Part 4: Membership Conditions: NOT IN Operator

1. Display the inventory id, cost and number of units using appropriate aliases for all items that do not have 50, 100, 150 or 200 units in stock.

```

1 SELECT id "Inventory Id", cost "Cost", units "Number of Units"
2 FROM inventory_list
3 WHERE units NOT IN (50, 100, 150, 200);

```

Results	Explain	Describe	Saved SQL	History
Inventory Id	Cost	Number of Units		
8010230105	799	250		
8010230106	5.24	87		
8010230107	18.95	65		
8010230108	97.46	8		

Part 5: Pattern Matching: LIKE Operator

1. Display item number and name of all items that have a name that begins with g. Use an appropriate alias for your column headings.

```

1 SELECT itm_number "Item Number", name "Item Name"
2 FROM items
3 WHERE name LIKE 'g%';

```

Results	Explain	Describe	Saved SQL	History
Item Number	Item Name			
im0101044	gloves			
im0101047	game top			

Part 6: Pattern Matching: Combining Wildcard Characters with the LIKE Operator

1. Display item number and name of all items that have a name that contain a lowercase o. Use an appropriate alias for your column headings.

```

1 SELECT itm_number "Item Number", name "Item Name"
2 FROM items
3 WHERE name LIKE "%o%";

```

Results	Explain	Describe	Saved SQL	History
Item Number	Item Name			
im0101046	socks			

Section 6 Lesson 7 Exercise 2

Part 1: Using the NULL Conditions

1. Write a query that will display information for teams that don't receive a discount in the following format: The Rovers team has 25 players and does not receive a discount. Use Team Information as the column alias.

```
1 SELECT 'The '||name||' team has '||number_of_players||' players and does not receive a
2 discount.'
3 AS "Team Information"
4 FROM teams
5 WHERE discount IS NULL;
```

Results Explain Describe Saved SQL History

Team Information

The Rovers team has 8 players and does not receive a discount.

2. Write a query that will display information for only teams that receive a discount in the following format: The Rockets team has 25 players and receives a discount of 10 percent. Use Team Information as the column alias.

```
1 SELECT 'The '||name||' team has '||number_of_players||' players and receives a
2 discount of '||discount||' percent.'
3 AS "Team Information"
4 FROM teams
5 WHERE discount IS NOT NULL;
```

Results Explain Describe Saved SQL History

Team Information

The Rockets team has 25 players and receives a discount of 10 percent.

The Celtics team has 42 players and receives a discount of 20 percent.

The Jets team has 10 players and receives a discount of 5 percent.

Part 2: Logical Operators: AND

1. Write a query that will display the customer number, address line 1 and postal code for customers that live in the starford area of Liverpool. Use Customer Number, Street Address and Postal Code as the column aliases.

```
1 SELECT ctc_number "Customer Number", Address_line_1 "Street Address",
2 zip_code "Postal Code"
3 FROM customers_addresses
4 WHERE city = 'Liverpool' AND address_line_2 = 'Starford';
```

Results Explain Describe Saved SQL History

Customer Number	Street Address	Postal Code
c00001	17 Gartsquare Road	LP09 3HK

Part 3: Logical Operators: OR

1. Write a query that will display the customer number, address line 1 and postal code for customers that live in either starford or Liverpool in general. Use Customer Number, Street Address and Postal Code as the column aliases.


```

1 SELECT ctr_number "Customer Number", Address_line_1 "Street Address",
2 zip_code "Postal Code"
3 FROM customers_addresses
4 WHERE city = 'Liverpool' OR address_line_2 = 'Starford';

```

Results	Explain	Describe	Saved SQL	History
Customer Number		Street Address	Postal Code	
C00001		17 Gartsquare Road	LP892HK	
C00001		43 Acacia Drive	LP832HR	

Part 4: Logical Operators: NOT Equal To

1. Write a query that will display the customer number, address line 1 and postal code for customers that do not live in Liverpool. Use Customer Number, Street Address and Postal Code as the column aliases.

```

1 SELECT ctr_number "Customer Number", Address_line_1 "Street Address",
2 zip_code "Postal Code"
3 FROM customers_addresses
4 WHERE city NOT IN ( 'Liverpool' );

```

Results	Explain	Describe	Saved SQL	History
Customer Number		Street Address	Postal Code	
C00101		54 Ropehill Crescent	ST45AGV	
C01986		36 Watercross Lane	JP23YTH	

SQL3-DML2 PART 5

Section 6 Lesson 8 Exercise 1

1. Display the team name and number of players alphabetically in order of team name. Use an appropriate alias for your column headings.

```
1 SELECT team "Team Name", number_of_players "Number of Players"
2 FROM Teams
3 ORDER BY name;
```

Team Name	Number of Players
Celtics	42
Jets	10
Rockets	25
Rovers	8

2. Display the team name and number of players in descending order of number of players. Use an appropriate alias for your column headings.

```
1 SELECT team "Team Name", number_of_players "Number of Players"
2 FROM Teams
3 ORDER BY number_of_players DESC;
```

Team Name	Number of Players
Celtics	42
Rockets	25
Jets	10
Rovers	8

3. Display the team name and number of players alphabetically in order of team name. Use Team Name for the name alias and Players for the number of players. Sort the output in descending order of name using the alias in the ORDER BY clause.

```
1 SELECT team "Team Name", number_of_players "Players"
2 FROM Teams
3 ORDER BY "Team Name" DESC;
```

Team Name	Players
Rovers	8
Rockets	25
Jets	10
Celtics	42

SQL3-DML2 PART 6

Section 6 Lesson 8 Exercise 2

Part 1 : TOP-N-ANALYSIS (S6L8 Objective 3)

1. The customers are numbered sequentially with each new customer being assigned a higher customer number. Use TOP-N-ANALYSIS to only show the First and last name of the first three customers. Show the customers first and last name in the same column using Customer Name as the column alias.

```
1 SELECT ROWNUM AS "Order for Customers Numbers", first_name||' '||last_name
2 "Customer Name"
3 FROM customers
4 WHERE ROWNUM<=3
5 ORDER BY ctr_number;
```

Order for Customers Numbers	Customer Name
1	Robert Thornberry
2	Jennifer Jones
3	John Doe

Part 2 : Using a Substitution Variable (SL8 Objective 4)

1. Use a substitution variable that will allow you to enter the commission rate for the sales representatives. The first and last names should be displayed to screen for any sales representatives that earn that commission rate and the output should be ordered by their last name. Use an appropriate alias for your column headings.

<input type="button" value="Submit"/>	
Bind Variable	Value
:COMMISSION_RATE	5

Sales Representative Name
Barry Speed
Victoria Wright

