Filter Summary Report: CG,Test,simple,Z1,Z2

Generated by MacAnalog-Symbolix

January 16, 2025

Contents

| 1 Examined $H(z)$ for CG Test simple Z1 Z2: $Z_1Z_2g_m + Z_1$ |
|--|
| 2 HP |
| 3 BP 3.1 BP-1 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, R_2, \infty, \infty, \infty\right)$ |
| $4~~\mathrm{LP}$ |
| 5 BS $5.1 	BS-1 Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, R_2, \infty, \infty, \infty\right) 	\dots 	$ |
| 6 GE 6.1 GE-1 $Z(s) = \left(R_1, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty\right)$ |
| 7 AP |
| 8 INVALID-NUMER. 8.1 INVALID-NUMER-1 $Z(s) = \left(\frac{R_1}{C_1R_1s+1}, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty\right)$. 8.2 INVALID-NUMER-2 $Z(s) = \left(\frac{L_1R_1s}{C_1L_1R_1s^2+L_1s+R_1}, \frac{1}{C_2s}, \infty, \infty, \infty\right)$. 8.3 INVALID-NUMER-3 $Z(s) = \left(\frac{L_1R_1s}{C_1L_1R_1s^2+L_1s+R_1}, R_2 + \frac{1}{C_2s}, \infty, \infty, \infty\right)$ |
| 8.2 INVALID-NUMER-2 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$ |
| 8.3 INVALID-NUMER-3 $Z(s) = \left(\frac{L_1R_1s}{C_1L_1R_1s^2 + L_1s + R_1}, R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \infty\right)$ |
| 9 INVALID-WZ-1 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$ 9.2 INVALID-WZ-2 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$ |
| 10 INVALID-ORDER |
| 10.1 INVALID-ORDER-1 $Z(s) = (R_1, R_2, \infty, \infty, \infty, \infty)$ |
| 10.1 INVALID-ORDER-1 $Z(s) = (R_1, R_2, \infty, \infty, \infty, \infty)$. 10.2 INVALID-ORDER-2 $Z(s) = \left(R_1, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$. 10.3 INVALID-ORDER-3 $Z(s) = \left(R_1, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$. 10.4 INVALID-ORDER-4 $Z(s) = \left(R_1, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$. |
| 10.4 INVALID-ORDER-4 $Z(s) = \begin{pmatrix} R_1 & R_2 + \frac{1}{1} & \infty & \infty & \infty \end{pmatrix}$ |
| 10.5 INVALID-ORDER-5 $Z(s) = \left(R_1, \ L_2s + \frac{1}{C_2s}, \ \infty, \ \infty, \ \infty, \ \infty\right)$ |
| 10.6 INVALID-ORDER-6 $Z(s) = \left(R_1, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \infty\right)$ |
| 10.7 INVALID-ORDER-7 $Z(s) = \left(R_1, \frac{C_2L_2R_2s^2 + L_2s + R_2}{C_2L_2s^2 + 1}, \infty, \infty, \infty, \infty\right)$ |
| 10.8 INVALID-ORDER-8 $Z(s) = \begin{pmatrix} 1_{c_1}, & C_2L_2s^2+1 & , & & & & & \\ C_2L_2s^2+1 & , & & & & & \\ 0.8 & INVALID-ORDER-8 & Z(s) & = \begin{pmatrix} 1_{c_1}, & C_2L_2s^2+1 & , & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & & \\ & & & & \\ & & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & & \\ & & \\ & & & \\ &$ |
| 10.9 INVALID-ORDER-9 $Z(s) = \begin{pmatrix} 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1 & 1$ |
| 10.10INVALID-ORDER-10 $Z(s) = \left(L_1 s, \frac{R_2}{C_2 R_2 s+1}, \infty, \infty, \infty, \infty\right)$ |
| 10.11INVALID-ORDER-11 $Z(s) = \begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix}$ $\begin{pmatrix} 1 & 1 & 1 \\ 1 & 1 & 1 \end{pmatrix}$ |
| $10.12 \text{INVALID-ORDER-12 } Z(s) = \left(L_1 s, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) \dots $ |
| $10.13 \text{INVALID-ORDER-} 13 \ Z(s) = \left(L_1 s, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) \ \dots $ |
| $10.14 \text{INVALID-ORDER-} 14 \ Z(s) = \left(L_1 s, \ \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |

| $10.15\text{INVALID-ORDER-15 } Z(s) = \left(L_1 s, \frac{R_2\left(C_2 L_2 s^2 + 1\right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right) $ |
|--|
| $10.16 \text{INVALID-ORDER-} 16 \ Z(s) = \left(\frac{1}{C_1 s}, \ R_2, \ \infty, \ \infty, \ \infty, \ \infty\right) \dots $ |
| 10.17INVALID-ORDER-17 $Z(s) = \left(\frac{1}{C_1 s}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$ 8 |
| $10.18 \text{INVALID-ORDER-18 } Z(s) = \left(\frac{1}{C_1 s}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right) $ |
| $10.19INVALID-ORDER-19\ Z(s) = \left(\frac{1}{C_1 s},\ R_2 + \frac{1}{C_2 s},\ \infty,\ \infty,\ \infty,\ \infty\right) \qquad . \qquad $ |
| $10.20 \text{INVALID-ORDER-20 } Z(s) = \left(\frac{1}{C_1 s}, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.21 \text{INVALID-ORDER-21 } Z(s) = \left(\frac{1}{C_1 s}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) \dots $ |
| 10.22INVALID-ORDER-22 $Z(s) = \left(\frac{1}{C_1 s}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$ |
| $10.23\text{INVALID-ORDER-23} \ Z(s) = \left(\frac{1}{C_1 s}, \ \frac{R_2\left(C_2 L_2 s^2 + 1\right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.24 \text{INVALID-ORDER-} 24 \ Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ R_2, \ \infty, \ \infty, \ \infty\right) \qquad \qquad$ |
| $10.25 \text{INVALID-ORDER-} 25 \ Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) \dots $ |
| $10.26 \text{INVALID-ORDER-} 26 \ Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.27 \text{INVALID-ORDER-27 } Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right) $ |
| $10.28 \text{INVALID-ORDER-} 28 \ Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.29 \text{INVALID-ORDER-} 29 \ Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| 10.30INVALID-ORDER-30 $Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$ 10. |
| $10.31\text{INVALID-ORDER-31 } Z(s) = \left(R_1 + \frac{1}{C_1 s}, R_2, \infty, \infty, \infty, \infty\right) $ |
| $10.32 \text{INVALID-ORDER-} 32 \ Z(s) = \left(R_1 + \frac{1}{C_1 s}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right) $ |
| $10.33 \text{INVALID-ORDER-33 } Z(s) = \left(R_1 + \frac{1}{C_1 s}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right) $ |
| $10.34 \text{INVALID-ORDER-34 } Z(s) = \left(R_1 + \frac{1}{C_1 s}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right) $ |
| $10.35 \text{INVALID-ORDER-35 } Z(s) = \left(R_1 + \frac{1}{C_1 s}, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right) \dots \dots$ |
| $10.36 \text{INVALID-ORDER-36 } Z(s) = \left(R_1 + \frac{1}{C_1 s}, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right) $ |
| 10.37INVALID-ORDER-37 $Z(s) = \left(R_1 + \frac{1}{C_1 s}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty, \infty\right)$ |
| 10.38INVALID-ORDER-38 $Z(s) = \left(R_1 + \frac{1}{C_1 s}, \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$ 10. |
| 10.39INVALID-ORDER-39 $Z(s) = \left(L_1 s + \frac{1}{C_1 s}, R_2, \infty, \infty, \infty\right)$ |
| $10.40 \text{INVALID-ORDER-40 } Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right) $ |
| $10.41\text{INVALID-ORDER-41 } Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right) $ |
| $10.42 \text{INVALID-ORDER-} 42 \ Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) \ \dots $ |
| $10.43\text{INVALID-ORDER-43} \ Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.44 \text{INVALID-ORDER-} 44 \ Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| 10.45INVALID-ORDER-45 $Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$ |
| 10.46INVALID-ORDER-46 $Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$ 11 |
| $10.47 \text{INVALID-ORDER-47 } Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, R_2, \infty, \infty, \infty, \infty \right) $ |
| $10.48INVALID-ORDER-48 \ Z(s) = \left(\frac{L_1s}{C_1L_1s^2+1}, \ \frac{1}{C_2s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.49 \text{INVALID-ORDER-49 } Z(s) = \left(\underbrace{\frac{L_1 s}{C_1 L_1 s^2 + 1}}, \underbrace{\frac{R_2}{C_2 R_2 s + 1}}, \infty, \infty, \infty, \infty \right) $ |
| $10.50 \text{INVALID-ORDER-50 } Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right) $ |
| $10.51\text{INVALID-ORDER-51 } Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right) \dots $ |
| $10.52 \text{INVALID-ORDER-52 } Z(s) = \left(\underbrace{\frac{L_1 s}{C_1 L_1 s^2 + 1}}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty \right) $ |
| $10.53 \text{INVALID-ORDER-} 53 \ Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \ \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \ \infty, \ \infty, \ \infty, \ \infty\right) \ \dots $ |

| $10.54 \text{INVALID-ORDER-54 } Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \frac{R_2 \left(C_2 L_2 s^2 + 1\right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right) $ |
|---|
| $10.55 \text{INVALID-ORDER-} 55 \ Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ R_2, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.56 \text{INVALID-ORDER-56 } Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right) \dots \dots$ |
| $10.57 \text{INVALID-ORDER-57 } Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right) $ |
| 10.58INVALID-ORDER-58 $Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$ |
| $10.59 \text{INVALID-ORDER-59 } Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.60 \text{INVALID-ORDER-} 60 \ Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right) \dots $ |
| 10.61INVALID-ORDER-61 $Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$ |
| $10.62 \text{INVALID-ORDER-} 62 \ Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.63 \text{INVALID-ORDER-63 } Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right) $ |
| $10.64 \text{INVALID-ORDER-} 64 \ Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \ \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.65 \text{INVALID-ORDER-} 65 \ Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \frac{R_2 \left(C_2 L_2 s^2 + 1\right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.66 \text{INVALID-ORDER-} 66 \ Z(s) = \left(\underbrace{C_1 L_1 R_1 s^2 + L_1 s + R_1}_{C_1 L_1 s^2 + 1}, \ R_2, \ \infty, \ \infty, \ \infty, \ \infty \right) $ |
| $10.67 \text{INVALID-ORDER-} 67 \ Z(s) = \left(\underbrace{\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}}, \ \underbrace{\frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \infty, \ \infty \right) \ \dots $ |
| $10.68 \text{INVALID-ORDER-} 68 \ Z(s) = \left(\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| 10.69INVALID-ORDER-69 $Z(s) = \left(\frac{C_1L_1R_1s^2 + L_1s + R_1}{C_1L_1s^2 + 1}, R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \infty\right)$ |
| $10.70 \text{INVALID-ORDER-} 70 \ Z(s) = \left(\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| 10.71INVALID-ORDER-71 $Z(s) = \left(\frac{C_1L_1R_1s^2 + L_1s + R_1}{C_1L_1s^2 + 1}, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \infty\right)$ |
| 10.72INVALID-ORDER-72 $Z(s) = \left(\frac{C_1L_1R_1s^2 + L_1s + R_1}{C_1L_1s^2 + 1}, \frac{C_2L_2R_2s^2 + L_2s + R_2}{C_2L_2s^2 + 1}, \infty, \infty, \infty, \infty\right)$ |
| $10.73 \text{INVALID-ORDER-73 } Z(s) = \left(\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}, \frac{R_2 \left(C_2 L_2 s^2 + 1\right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right) $ |
| $10.74 \text{INVALID-ORDER-} 74 \ Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ \frac{1}{C_2s}, \ \infty, \ \infty, \ \infty, \ \infty\right) $ |
| $10.75 \text{INVALID-ORDER-75 } Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty\right) \dots \dots$ |
| 10.76INVALID-ORDER-76 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \infty\right)$ |
| 10.77INVALID-ORDER-77 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, L_2s + \frac{1}{C_2s}, \infty, \infty, \infty, \infty\right)$ |
| 10.78INVALID-ORDER-78 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \infty\right)$ |
| 10.79INVALID-ORDER-79 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \frac{C_2L_2R_2s^2+L_2s+R_2}{C_2L_2s^2+1}, \infty, \infty, \infty, \infty\right)$ |
| $10.80 \text{INVALID-ORDER-80 } Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty\right)'$ |

1 Examined H(z) for CG Test simple Z1 Z2: $Z_1Z_2g_m + Z_1$

$$H(z) = Z_1 Z_2 g_m + Z_1$$

- 2 HP
- 3 BP
- **3.1** BP-1 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, R_2, \infty, \infty, \infty\right)$

$H(s) = \frac{s (L_1 R_1 R_2 g_m + L_1 R_1)}{C_1 L_1 R_1 s^2 + L_1 s + R_1}$

Parameters:

Q: $C_1 R_1 \sqrt{\frac{1}{C_1 L_1}}$ wo: $\sqrt{\frac{1}{C_1 L_1}}$ bandwidth: $\frac{1}{C_1 R_1}$ K-LP: 0 K-HP: 0 K-BP: $R_1 R_2 g_m + R_1$ Qz: 0 Wz: None

- 4 LP
- 5 BS
- **5.1** BS-1 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, R_2, \infty, \infty, \infty, \infty\right)$

$H(s) = \frac{R_1 R_2 g_m + R_1 + s^2 \left(C_1 L_1 R_1 R_2 g_m + C_1 L_1 R_1 \right)}{C_1 L_1 s^2 + C_1 R_1 s + 1}$

Parameters:

 $\begin{aligned} &\text{Q: } \frac{L_1\sqrt{\frac{1}{C_1L_1}}}{R_1} \\ &\text{wo: } \sqrt{\frac{1}{C_1L_1}} \\ &\text{bandwidth: } \frac{R_1}{L_1} \\ &\text{K-LP: } R_1R_2g_m + R_1 \\ &\text{K-HP: } R_1R_2g_m + R_1 \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_1L_1}} \end{aligned}$

6 **GE**

6.1 GE-1
$$Z(s) = \left(R_1, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty\right)$$

 $H(s) = \frac{C_2 R_1 R_2 s + R_1 R_2 g_m + R_1 + s^2 \left(C_2 L_2 R_1 R_2 g_m + C_2 L_2 R_1 \right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}$

Parameters:

$$\begin{aligned} &\text{Q: } \frac{L_2\sqrt{\frac{1}{C_2L_2}}}{R_2} \\ &\text{wo: } \sqrt{\frac{1}{C_2L_2}} \\ &\text{bandwidth: } \frac{R_2}{L_2} \\ &\text{K-LP: } R_1R_2g_m + R_1 \\ &\text{K-HP: } R_1R_2g_m + R_1 \\ &\text{K-BP: } R_1 \\ &\text{Qz: } \frac{L_2R_2g_m\sqrt{\frac{1}{C_2L_2}} + L_2\sqrt{\frac{1}{C_2L_2}}}{R_2} \\ &\text{Wz: } \sqrt{\frac{1}{C_2L_2}} \end{aligned}$$

7 AP

8 INVALID-NUMER

8.1 INVALID-NUMER-1 $Z(s) = \left(\frac{R_1}{C_1R_1s+1}, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty\right)$

 $H(s) = \frac{C_2 R_1 R_2 s + R_1 R_2 g_m + R_1}{C_1 C_2 R_1 R_2 s^2 + s \left(C_1 R_1 + C_2 R_2\right) + 1}$

Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{C_1C_2R_1R_2\sqrt{\frac{1}{C_1C_2R_1R_2}}}{C_1R_1+C_2R_2}\\ \text{wo:} \ \sqrt{\frac{1}{C_1C_2R_1R_2}}\\ \text{bandwidth:} \ \frac{C_1R_1+C_2R_2}{C_1C_2R_1R_2}\\ \text{K-LP:} \ R_1R_2g_m+R_1\\ \text{K-HP:} \ 0\\ \text{K-BP:} \ \frac{C_2R_1R_2}{C_1R_1+C_2R_2}\\ \text{Qz:} \ 0\\ \text{Wz:} \ \text{None} \end{array}$$

8.2 INVALID-NUMER-2 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \frac{1}{C_2 s}, \infty, \infty, \infty\right)$

 $H(s) = \frac{C_2 L_1 R_1 s + L_1 R_1 g_m}{C_1 C_2 L_1 R_1 s^2 + C_2 L_1 s + C_2 R_1}$

Parameters:

Q:
$$C_1R_1\sqrt{\frac{1}{C_1L_1}}$$

wo: $\sqrt{\frac{1}{C_1L_1}}$
bandwidth: $\frac{1}{C_1R_1}$
K-LP: $\frac{L_1g_m}{C_2}$
K-HP: 0
K-BP: R_1
Qz: 0
Wz: None

8.3 INVALID-NUMER-3 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$

 $H(s) = \frac{L_1 R_1 g_m + s \left(C_2 L_1 R_1 R_2 g_m + C_2 L_1 R_1 \right)}{C_1 C_2 L_1 R_1 s^2 + C_2 L_1 s + C_2 R_1}$

Parameters:

Q:
$$C_1R_1\sqrt{\frac{1}{C_1L_1}}$$

wo: $\sqrt{\frac{1}{C_1L_1}}$
bandwidth: $\frac{1}{C_1R_1}$
K-LP: $\frac{L_1g_m}{C_2}$
K-HP: 0
K-BP: $R_1R_2g_m + R_1$
Qz: 0
Wz: None

9 INVALID-WZ

9.1 INVALID-WZ-1 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 L_1 L_2 R_1 g_m s^2 + C_2 L_1 R_1 s + L_1 R_1 g_m}{C_1 C_2 L_1 R_1 s^2 + C_2 L_1 s + C_2 R_1}$$

Parameters:

Q:
$$C_1R_1\sqrt{\frac{1}{C_1L_1}}$$

wo: $\sqrt{\frac{1}{C_1L_1}}$
bandwidth: $\frac{1}{C_1R_1}$
K-LP: $\frac{L_1g_m}{C_2}$
K-HP: $\frac{L_2g_m}{C_1}$
K-BP: R_1
Qz: $L_2g_m\sqrt{\frac{1}{C_1L_1}}$
Wz: $\sqrt{\frac{1}{C_2L_2}}$

9.2 INVALID-WZ-2 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 L_1 L_2 R_1 g_m s^2 + L_1 R_1 g_m + s \left(C_2 L_1 R_1 R_2 g_m + C_2 L_1 R_1 \right)}{C_1 C_2 L_1 R_1 s^2 + C_2 L_1 s + C_2 R_1}$$

6

Parameters:

Q:
$$C_1 R_1 \sqrt{\frac{1}{C_1 L_1}}$$

wo: $\sqrt{\frac{1}{C_1 L_1}}$
bandwidth: $\frac{1}{C_1 R_1}$
K-LP: $\frac{L_1 g_m}{C_2}$
K-HP: $\frac{L_2 g_m}{C_1}$
K-BP: $R_1 R_2 g_m + R_1$
Qz: $\frac{L_2 g_m \sqrt{\frac{1}{C_1 L_1}}}{R_2 g_m + 1}$
Wz: $\sqrt{\frac{1}{C_2 L_2}}$

10 INVALID-ORDER

10.1 INVALID-ORDER-1 $Z(s) = (R_1, R_2, \infty, \infty, \infty, \infty)$

$$H(s) = R_1 R_2 g_m + R_1$$

10.2 INVALID-ORDER-2 $Z(s) = \left(R_1, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 R_1 s + R_1 g_m}{C_2 s}$$

10.3 INVALID-ORDER-3 $Z(s) = \left(R_1, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 R_1 R_2 s + R_1 R_2 g_m + R_1}{C_2 R_2 s + 1}$$

10.4 INVALID-ORDER-4 $Z(s) = \left(R_1, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{R_1 g_m + s \left(C_2 R_1 R_2 g_m + C_2 R_1 \right)}{C_2 s}$$

10.5 INVALID-ORDER-5 $Z(s) = \left(R_1, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 L_2 R_1 g_m s^2 + C_2 R_1 s + R_1 g_m}{C_2 s}$$

10.6 INVALID-ORDER-6 $Z(s) = \left(R_1, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 L_2 R_1 g_m s^2 + R_1 g_m + s \left(C_2 R_1 R_2 g_m + C_2 R_1 \right)}{C_2 s}$$

10.7 INVALID-ORDER-7 $Z(s) = \left(R_1, \frac{C_2L_2R_2s^2 + L_2s + R_2}{C_2L_2s^2 + 1}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{L_2 R_1 g_m s + R_1 R_2 g_m + R_1 + s^2 (C_2 L_2 R_1 R_2 g_m + C_2 L_2 R_1)}{C_2 L_2 s^2 + 1}$$

10.8 INVALID-ORDER-8 $Z(s) = (L_1 s, R_2, \infty, \infty, \infty, \infty)$

$$H(s) = s \left(L_1 R_2 g_m + L_1 \right)$$

10.9 INVALID-ORDER-9 $Z(s) = \left(L_1 s, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 L_1 s + L_1 g_m}{C_2}$$

10.10 INVALID-ORDER-10 $Z(s) = \left(L_1 s, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 L_1 R_2 s^2 + s \left(L_1 R_2 g_m + L_1\right)}{C_2 R_2 s + 1}$$

10.11 INVALID-ORDER-11
$$Z(s) = \left(L_1 s, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m + s \left(C_2 L_1 R_2 g_m + C_2 L_1 \right)}{C_2}$$

10.12 INVALID-ORDER-12
$$Z(s) = \left(L_1 s, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_2 L_1 L_2 g_m s^2 + C_2 L_1 s + L_1 g_m}{C_2}$$

10.13 INVALID-ORDER-13
$$Z(s) = \left(L_1 s, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_2 L_1 L_2 g_m s^2 + L_1 g_m + s \left(C_2 L_1 R_2 g_m + C_2 L_1 \right)}{C_2}$$

10.14 INVALID-ORDER-14
$$Z(s) = \left(L_1 s, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{L_1 L_2 g_m s^2 + s^3 \left(C_2 L_1 L_2 R_2 g_m + C_2 L_1 L_2 \right) + s \left(L_1 R_2 g_m + L_1 \right)}{C_2 L_2 s^2 + 1}$$

10.15 INVALID-ORDER-15
$$Z(s) = \left(L_1 s, \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 L_1 R_2 s^2 + s^3 \left(C_2 L_1 L_2 R_2 g_m + C_2 L_1 L_2 \right) + s \left(L_1 R_2 g_m + L_1 \right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}$$

10.16 INVALID-ORDER-16 $Z(s) = \left(\frac{1}{C_1 s}, R_2, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{R_2 g_m + 1}{C_1 s}$$

10.17 INVALID-ORDER-17 $Z(s) = \left(\frac{1}{C_1 s}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 s + g_m}{C_1 C_2 s^2}$$

10.18 INVALID-ORDER-18 $Z(s) = \left(\frac{1}{C_1 s}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 R_2 s + R_2 g_m + 1}{C_1 C_2 R_2 s^2 + C_1 s}$$

10.19 INVALID-ORDER-19 $Z(s) = \left(\frac{1}{C_1 s}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{g_m + s (C_2 R_2 g_m + C_2)}{C_1 C_2 s^2}$$

10.20 INVALID-ORDER-20 $Z(s) = \left(\frac{1}{C_1 s}, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 L_2 g_m s^2 + C_2 s + g_m}{C_1 C_2 s^2}$$

10.21 INVALID-ORDER-21
$$Z(s) = \left(\frac{1}{C_1 s}, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 L_2 g_m s^2 + g_m + s \left(C_2 R_2 g_m + C_2 \right)}{C_1 C_2 s^2}$$

10.22 INVALID-ORDER-22
$$Z(s) = \left(\frac{1}{C_1 s}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{L_2 g_m s + R_2 g_m + s^2 \left(C_2 L_2 R_2 g_m + C_2 L_2 \right) + 1}{C_1 C_2 L_2 s^3 + C_1 s}$$

10.23 INVALID-ORDER-23
$$Z(s) = \left(\frac{1}{C_1 s}, \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 R_2 s + R_2 g_m + s^2 (C_2 L_2 R_2 g_m + C_2 L_2) + 1}{C_1 C_2 L_2 s^3 + C_1 C_2 R_2 s^2 + C_1 s}$$

10.24 INVALID-ORDER-24
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, R_2, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_1 R_2 g_m + R_1}{C_1 R_1 s + 1}$$

10.25 INVALID-ORDER-25
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 R_1 s + R_1 g_m}{C_1 C_2 R_1 s^2 + C_2 s}$$

10.26 INVALID-ORDER-26
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m + s \left(C_2 R_1 R_2 g_m + C_2 R_1 \right)}{C_1 C_2 R_1 s^2 + C_2 s}$$

10.27 INVALID-ORDER-27
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 L_2 R_1 g_m s^2 + C_2 R_1 s + R_1 g_m}{C_1 C_2 R_1 s^2 + C_2 s}$$

10.28 INVALID-ORDER-28
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_2 L_2 R_1 g_m s^2 + R_1 g_m + s \left(C_2 R_1 R_2 g_m + C_2 R_1 \right)}{C_1 C_2 R_1 s^2 + C_2 s}$$

10.29 INVALID-ORDER-29
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{L_2 R_1 g_m s + R_1 R_2 g_m + R_1 + s^2 \left(C_2 L_2 R_1 R_2 g_m + C_2 L_2 R_1 \right)}{C_1 C_2 L_2 R_1 s^3 + C_1 R_1 s + C_2 L_2 s^2 + 1}$$

10.30 INVALID-ORDER-30
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \frac{R_2 \left(C_2 L_2 s^2 + 1\right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 R_1 R_2 s + R_1 R_2 g_m + R_1 + s^2 \left(C_2 L_2 R_1 R_2 g_m + C_2 L_2 R_1 \right)}{C_1 C_2 L_2 R_1 s^3 + s^2 \left(C_1 C_2 R_1 R_2 + C_2 L_2 \right) + s \left(C_1 R_1 + C_2 R_2 \right) + 1}$$

10.31 INVALID-ORDER-31
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, R_2, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_2 g_m + s \left(C_1 R_1 R_2 g_m + C_1 R_1 \right) + 1}{C_1 s}$$

10.32 INVALID-ORDER-32
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 R_1 s^2 + g_m + s \left(C_1 R_1 g_m + C_2 \right)}{C_1 C_2 s^2}$$

10.33 INVALID-ORDER-33
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 R_1 R_2 s^2 + R_2 g_m + s \left(C_1 R_1 R_2 g_m + C_1 R_1 + C_2 R_2\right) + 1}{C_1 C_2 R_2 s^2 + C_1 s}$$

10.34 INVALID-ORDER-34
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{g_m + s^2 \left(C_1 C_2 R_1 R_2 g_m + C_1 C_2 R_1 \right) + s \left(C_1 R_1 g_m + C_2 R_2 g_m + C_2 \right)}{C_1 C_2 s^2}$$

10.35 INVALID-ORDER-35
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_2 R_1 g_m s^3 + g_m + s^2 \left(C_1 C_2 R_1 + C_2 L_2 g_m \right) + s \left(C_1 R_1 g_m + C_2 \right)}{C_1 C_2 s^2}$$

10.36 INVALID-ORDER-36
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_2 R_1 g_m s^3 + g_m + s^2 \left(C_1 C_2 R_1 R_2 g_m + C_1 C_2 R_1 + C_2 L_2 g_m \right) + s \left(C_1 R_1 g_m + C_2 R_2 g_m + C_2 \right)}{C_1 C_2 s^2}$$

10.37 INVALID-ORDER-37
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_2 g_m + s^3 \left(C_1 C_2 L_2 R_1 R_2 g_m + C_1 C_2 L_2 R_1\right) + s^2 \left(C_1 L_2 R_1 g_m + C_2 L_2 R_2 g_m + C_2 L_2\right) + s \left(C_1 R_1 R_2 g_m + C_1 R_1 + L_2 g_m\right) + 1}{C_1 C_2 L_2 s^3 + C_1 s}$$

10.38 INVALID-ORDER-38
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_2 g_m + s^3 \left(C_1 C_2 L_2 R_1 R_2 g_m + C_1 C_2 L_2 R_1\right) + s^2 \left(C_1 C_2 R_1 R_2 + C_2 L_2 R_2 g_m + C_2 L_2\right) + s \left(C_1 R_1 R_2 g_m + C_1 R_1 + C_2 R_2\right) + 1}{C_1 C_2 L_2 s^3 + C_1 C_2 R_2 s^2 + C_1 s}$$

10.39 INVALID-ORDER-39
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, R_2, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_2 g_m + s^2 \left(C_1 L_1 R_2 g_m + C_1 L_1 \right) + 1}{C_1 s}$$

10.40 INVALID-ORDER-40
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 s^3 + C_1 L_1 g_m s^2 + C_2 s + g_m}{C_1 C_2 s^2}$$

10.41 INVALID-ORDER-41
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 R_2 s^3 + C_2 R_2 s + R_2 g_m + s^2 (C_1 L_1 R_2 g_m + C_1 L_1) + 1}{C_1 C_2 R_2 s^2 + C_1 s}$$

10.42 INVALID-ORDER-42
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_1 L_1 g_m s^2 + g_m + s^3 \left(C_1 C_2 L_1 R_2 g_m + C_1 C_2 L_1 \right) + s \left(C_2 R_2 g_m + C_2 \right)}{C_1 C_2 s^2}$$

10.43 INVALID-ORDER-43
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 L_2 g_m s^4 + C_1 C_2 L_1 s^3 + C_2 s + g_m + s^2 (C_1 L_1 g_m + C_2 L_2 g_m)}{C_1 C_2 s^2}$$

10.44 INVALID-ORDER-44
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 L_2 g_m s^4 + g_m + s^3 \left(C_1 C_2 L_1 R_2 g_m + C_1 C_2 L_1 \right) + s^2 \left(C_1 L_1 g_m + C_2 L_2 g_m \right) + s \left(C_2 R_2 g_m + C_2 \right)}{C_1 C_2 s^2}$$

10.45 INVALID-ORDER-45
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1L_1L_2g_ms^3 + L_2g_ms + R_2g_m + s^4\left(C_1C_2L_1L_2R_2g_m + C_1C_2L_1L_2\right) + s^2\left(C_1L_1R_2g_m + C_1L_1 + C_2L_2R_2g_m + C_2L_2\right) + 1}{C_1C_2L_2s^3 + C_1s}$$

10.46 INVALID-ORDER-46
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1C_2L_1R_2s^3 + C_2R_2s + R_2g_m + s^4\left(C_1C_2L_1L_2R_2g_m + C_1C_2L_1L_2\right) + s^2\left(C_1L_1R_2g_m + C_1L_1 + C_2L_2R_2g_m + C_2L_2\right) + 1}{C_1C_2L_2s^3 + C_1C_2R_2s^2 + C_1s}$$

10.47 INVALID-ORDER-47 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, R_2, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{s(L_1 R_2 g_m + L_1)}{C_1 L_1 s^2 + 1}$$

10.48 INVALID-ORDER-48 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$

$$H(s) = \frac{C_2 L_1 s + L_1 g_m}{C_1 C_2 L_1 s^2 + C_2}$$

10.49 INVALID-ORDER-49
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 L_1 R_2 s^2 + s \left(L_1 R_2 g_m + L_1\right)}{C_1 C_2 L_1 R_2 s^3 + C_1 L_1 s^2 + C_2 R_2 s + 1}$$

10.50 INVALID-ORDER-50
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m + s \left(C_2 L_1 R_2 g_m + C_2 L_1 \right)}{C_1 C_2 L_1 s^2 + C_2}$$

10.51 INVALID-ORDER-51
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 L_1 L_2 g_m s^2 + C_2 L_1 s + L_1 g_m}{C_1 C_2 L_1 s^2 + C_2}$$

10.52 INVALID-ORDER-52
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 L_1 L_2 g_m s^2 + L_1 g_m + s \left(C_2 L_1 R_2 g_m + C_2 L_1 \right)}{C_1 C_2 L_1 s^2 + C_2}$$

10.53 INVALID-ORDER-53
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{L_1 L_2 g_m s^2 + s^3 \left(C_2 L_1 L_2 R_2 g_m + C_2 L_1 L_2 \right) + s \left(L_1 R_2 g_m + L_1 \right)}{C_1 C_2 L_1 L_2 s^4 + s^2 \left(C_1 L_1 + C_2 L_2 \right) + 1}$$

10.54 INVALID-ORDER-54
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \frac{R_2 \left(C_2 L_2 s^2 + 1\right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 L_1 R_2 s^2 + s^3 \left(C_2 L_1 L_2 R_2 g_m + C_2 L_1 L_2 \right) + s \left(L_1 R_2 g_m + L_1 \right)}{C_1 C_2 L_1 L_2 s^4 + C_1 C_2 L_1 R_2 s^3 + C_2 R_2 s + s^2 \left(C_1 L_1 + C_2 L_2 \right) + 1}$$

10.55 INVALID-ORDER-55
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, R_2, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_2 g_m + s^2 \left(C_1 L_1 R_2 g_m + C_1 L_1\right) + s \left(C_1 R_1 R_2 g_m + C_1 R_1\right) + 1}{C_1 s}$$

10.56 INVALID-ORDER-56
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 s^3 + g_m + s^2 (C_1 C_2 R_1 + C_1 L_1 g_m) + s (C_1 R_1 g_m + C_2)}{C_1 C_2 s^2}$$

10.57 INVALID-ORDER-57
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 R_2 s^3 + R_2 g_m + s^2 \left(C_1 C_2 R_1 R_2 + C_1 L_1 R_2 g_m + C_1 L_1\right) + s \left(C_1 R_1 R_2 g_m + C_1 R_1 + C_2 R_2\right) + 1}{C_1 C_2 R_2 s^2 + C_1 s}$$

10.58 INVALID-ORDER-58
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{g_m + s^3 \left(C_1 C_2 L_1 R_2 g_m + C_1 C_2 L_1\right) + s^2 \left(C_1 C_2 R_1 R_2 g_m + C_1 C_2 R_1 + C_1 L_1 g_m\right) + s \left(C_1 R_1 g_m + C_2 R_2 g_m + C_2\right)}{C_1 C_2 s^2}$$

10.59 INVALID-ORDER-59
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 L_2 g_m s^4 + g_m + s^3 \left(C_1 C_2 L_1 + C_1 C_2 L_2 R_1 g_m \right) + s^2 \left(C_1 C_2 R_1 + C_1 L_1 g_m + C_2 L_2 g_m \right) + s \left(C_1 R_1 g_m + C_2 L_2 g_m \right)$$

10.60 INVALID-ORDER-60
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_1C_2L_1L_2g_ms^4 + g_m + s^3\left(C_1C_2L_1R_2g_m + C_1C_2L_1 + C_1C_2L_2R_1g_m\right) + s^2\left(C_1C_2R_1R_2g_m + C_1C_2R_1 + C_1L_1g_m + C_2L_2g_m\right) + s\left(C_1R_1g_m + C_2R_2g_m + C_2C_2R_1R_2g_m\right) + s\left(C_1R_1g_m + C_2R_2g_m + C_2R_2g_m\right) + s\left(C_1R_1g_m + C_2R_2g_m\right) +$$

10.61 INVALID-ORDER-61
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_2 g_m + s^4 \left(C_1 C_2 L_1 L_2 R_2 g_m + C_1 C_2 L_1 L_2\right) + s^3 \left(C_1 C_2 L_2 R_1 R_2 g_m + C_1 C_2 L_2 R_1 + C_1 L_1 L_2 g_m\right) + s^2 \left(C_1 L_1 R_2 g_m + C_1 L_1 + C_1 L_2 R_1 g_m + C_2 L_2 R_2 g_m + C_2 L_2\right) + s \left(C_1 R_1 R_2 g_m + C_1 R_1 + L_2 g_m\right) + 1}{C_1 C_2 L_2 s^3 + C_1 s}$$

10.62 INVALID-ORDER-62
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \frac{R_2(C_2 L_2 s^2 + 1)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_2 g_m + s^4 \left(C_1 C_2 L_1 L_2 R_2 g_m + C_1 C_2 L_1 L_2\right) + s^3 \left(C_1 C_2 L_1 R_2 + C_1 C_2 L_2 R_1 R_2 g_m + C_1 C_2 L_2 R_1\right) + s^2 \left(C_1 C_2 R_1 R_2 + C_1 L_1 R_2 g_m + C_1 L_1 + C_2 L_2 R_2 g_m + C_2 L_2\right) + s \left(C_1 R_1 R_2 g_m + C_1 R_1 + C_2 R_2\right) + 1}{C_1 C_2 L_2 s^3 + C_1 C_2 R_2 s^2 + C_1 s}$$

10.63 INVALID-ORDER-63
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2 L_1 R_1 R_2 s^2 + s \left(L_1 R_1 R_2 g_m + L_1 R_1 \right)}{C_1 C_2 L_1 R_1 R_2 s^3 + R_1 + s^2 \left(C_1 L_1 R_1 + C_2 L_1 R_2 \right) + s \left(C_2 R_1 R_2 + L_1 \right)}$$

10.64 INVALID-ORDER-64
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{L_1 L_2 R_1 g_m s^2 + s^3 \left(C_2 L_1 L_2 R_1 R_2 g_m + C_2 L_1 L_2 R_1 \right) + s \left(L_1 R_1 R_2 g_m + L_1 R_1 \right)}{C_1 C_2 L_1 L_2 R_1 s^4 + C_2 L_1 L_2 s^3 + L_1 s + R_1 + s^2 \left(C_1 L_1 R_1 + C_2 L_2 R_1 \right)}$$

10.65 INVALID-ORDER-65
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \frac{R_2 \left(C_2 L_2 s^2 + 1\right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_2L_1R_1R_2s^2 + s^3\left(C_2L_1L_2R_1R_2g_m + C_2L_1L_2R_1\right) + s\left(L_1R_1R_2g_m + L_1R_1\right)}{C_1C_2L_1L_2R_1s^4 + R_1 + s^3\left(C_1C_2L_1R_1R_2 + C_2L_1L_2\right) + s^2\left(C_1L_1R_1 + C_2L_1R_2 + C_2L_2R_1\right) + s\left(C_2R_1R_2 + L_1\right)}$$

10.66 INVALID-ORDER-66
$$Z(s) = \left(\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}, R_2, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_1 R_2 g_m + R_1 + s^2 \left(C_1 L_1 R_1 R_2 g_m + C_1 L_1 R_1 \right) + s \left(L_1 R_2 g_m + L_1 \right)}{C_1 L_1 s^2 + 1}$$

10.67 INVALID-ORDER-67
$$Z(s) = \left(\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 R_1 s^3 + R_1 g_m + s^2 \left(C_1 L_1 R_1 g_m + C_2 L_1 \right) + s \left(C_2 R_1 + L_1 g_m \right)}{C_1 C_2 L_1 s^3 + C_2 s}$$

10.68 INVALID-ORDER-68
$$Z(s) = \left(\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 R_1 R_2 s^3 + R_1 R_2 g_m + R_1 + s^2 \left(C_1 L_1 R_1 R_2 g_m + C_1 L_1 R_1 + C_2 L_1 R_2\right) + s \left(C_2 R_1 R_2 + L_1 R_2 g_m + L_1\right)}{C_1 C_2 L_1 R_2 s^3 + C_1 L_1 s^2 + C_2 R_2 s + 1}$$

10.69 INVALID-ORDER-69
$$Z(s) = \left(\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m + s^3 \left(C_1 C_2 L_1 R_1 R_2 g_m + C_1 C_2 L_1 R_1 \right) + s^2 \left(C_1 L_1 R_1 g_m + C_2 L_1 R_2 g_m + C_2 L_1 \right) + s \left(C_2 R_1 R_2 g_m + C_2 R_1 + L_1 g_m \right)}{C_1 C_2 L_1 s^3 + C_2 s}$$

10.70 INVALID-ORDER-70
$$Z(s) = \left(\frac{C_1 L_1 R_1 s^2 + L_1 s + R_1}{C_1 L_1 s^2 + 1}, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 L_2 R_1 g_m s^4 + R_1 g_m + s^3 \left(C_1 C_2 L_1 R_1 + C_2 L_1 L_2 g_m\right) + s^2 \left(C_1 L_1 R_1 g_m + C_2 L_1 + C_2 L_2 R_1 g_m\right) + s \left(C_2 R_1 + L_1 g_m\right) +$$

10.71 INVALID-ORDER-71
$$Z(s) = \left(\frac{C_1L_1R_1s^2 + L_1s + R_1}{C_1L_1s^2 + 1}, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1C_2L_1L_2R_1g_ms^4 + R_1g_m + s^3\left(C_1C_2L_1R_1R_2g_m + C_1C_2L_1R_1 + C_2L_1L_2g_m\right) + s^2\left(C_1L_1R_1g_m + C_2L_1R_2g_m + C_2L_1 + C_2L_2R_1g_m\right) + s\left(C_2R_1R_2g_m + C_2R_1 + L_1g_m\right) + s\left(C_2R_1R_2g_m + C_2R_1R_2g_m + C_2R_1R_2g_m\right) + s\left(C_2R_1R_2g_m + C_2R_2g_m\right) + s\left(C_2R_1R_$$

10.72 INVALID-ORDER-72
$$Z(s) = \left(\frac{C_1L_1R_1s^2 + L_1s + R_1}{C_1L_1s^2 + 1}, \frac{C_2L_2R_2s^2 + L_2s + R_2}{C_2L_2s^2 + 1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_1 R_2 g_m + R_1 + s^4 \left(C_1 C_2 L_1 L_2 R_1 R_2 g_m + C_1 C_2 L_1 L_2 R_1\right) + s^3 \left(C_1 L_1 L_2 R_1 g_m + C_2 L_1 L_2\right) + s^2 \left(C_1 L_1 R_1 R_2 g_m + C_1 L_1 R_1 + C_2 L_2 R_1 R_2 g_m + C_2 L_2 R_1 + L_1 L_2 g_m\right) + s \left(L_1 R_2 g_m + L_1 + L_2 R_1 g_m\right) + s \left(L_1 R_2 g_m + L_1 + L_2 R_1 g_m\right) + s \left(L_1 R_2 g_m + L_1 L_2 R$$

10.73 INVALID-ORDER-73
$$Z(s) = \left(\frac{C_1L_1R_1s^2 + L_1s + R_1}{C_1L_1s^2 + 1}, \frac{R_2(C_2L_2s^2 + 1)}{C_2L_2s^2 + C_2R_2s + 1}, \infty, \infty, \infty\right)$$

$$H(s) = \frac{R_1 R_2 g_m + R_1 + s^4 \left(C_1 C_2 L_1 L_2 R_1 R_2 g_m + C_1 C_2 L_1 L_2 R_1\right) + s^3 \left(C_1 C_2 L_1 R_1 R_2 + C_2 L_1 L_2 R_2 g_m + C_2 L_1 L_2\right) + s^2 \left(C_1 L_1 R_1 R_2 g_m + C_1 L_1 R_1 + C_2 L_1 R_2 + C_2 L_2 R_1 R_2 g_m + C_2 L_2 R_1\right) + s \left(C_2 R_1 R_2 + L_1 R_2 g_m + L_1\right)}{C_1 C_2 L_1 L_2 s^4 + C_1 C_2 L_1 R_2 s^3 + C_2 R_2 s + s^2 \left(C_1 L_1 + C_2 L_2\right) + 1}$$

10.74 INVALID-ORDER-74
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \frac{1}{C_2s}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 R_1 s^3 + C_1 L_1 R_1 g_m s^2 + C_2 R_1 s + R_1 g_m}{C_1 C_2 L_1 s^3 + C_1 C_2 R_1 s^2 + C_2 s}$$

10.75 INVALID-ORDER-75
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty\right)$$

$$H(s) = \frac{C_1 C_2 L_1 R_1 R_2 s^3 + C_2 R_1 R_2 s + R_1 R_2 g_m + R_1 + s^2 \left(C_1 L_1 R_1 R_2 g_m + C_1 L_1 R_1 \right)}{C_1 C_2 L_1 R_2 s^3 + s^2 \left(C_1 C_2 R_1 R_2 + C_1 L_1 \right) + s \left(C_1 R_1 + C_2 R_2 \right) + 1}$$

10.76 INVALID-ORDER-76
$$Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ R_2 + \frac{1}{C_2s}, \ \infty, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_1L_1R_1g_ms^2 + R_1g_m + s^3\left(C_1C_2L_1R_1R_2g_m + C_1C_2L_1R_1\right) + s\left(C_2R_1R_2g_m + C_2R_1\right)}{C_1C_2L_1s^3 + C_1C_2R_1s^2 + C_2s}$$

10.77 INVALID-ORDER-77
$$Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ L_2s+\frac{1}{C_2s}, \ \infty, \ \infty, \ \infty, \ \infty\right)$$

$$H(s) = \frac{C_1C_2L_1L_2R_1g_ms^4+C_1C_2L_1R_1s^3+C_2R_1s+R_1g_m+s^2\left(C_1L_1R_1g_m+C_2L_2R_1g_m\right)}{C_1C_2L_1s^3+C_1C_2R_1s^2+C_2s}$$

$$\textbf{10.78} \quad \textbf{INVALID-ORDER-78} \ Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ L_2s+R_2+\frac{1}{C_2s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \infty \right) \\ H(s) = \frac{C_1C_2L_1L_2R_1g_ms^4+R_1g_m+s^3\left(C_1C_2L_1R_1R_2g_m+C_1C_2L_1R_1\right)+s^2\left(C_1L_1R_1g_m+C_2L_2R_1g_m\right)+s\left(C_2R_1R_2g_m+C_2R_1\right)}{C_1C_2L_1s^3+C_1C_2R_1s^2+C_2s}$$

$$\textbf{10.79} \quad \textbf{INVALID-ORDER-79} \ Z(s) = \left(\frac{R_1 \left(C_1 L_1 s^2 + 1 \right)}{C_1 L_1 s^2 + C_1 R_1 s + 1}, \ \frac{C_2 L_2 R_2 s^2 + L_2 s + R_2}{C_2 L_2 s^2 + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ \infty \right)$$

$$H(s) = \frac{C_1 L_1 L_2 R_1 g_m s^3 + L_2 R_1 g_m s + R_1 R_2 g_m + R_1 + s^4 \left(C_1 C_2 L_1 L_2 R_1 R_2 g_m + C_1 C_2 L_1 L_2 R_1 \right) + s^2 \left(C_1 L_1 R_1 R_2 g_m + C_1 L_1 R_1 + C_2 L_2 R_1 R_2 g_m + C_2 L_2 R_1 \right) }{C_1 C_2 L_1 L_2 s^4 + C_1 C_2 L_2 R_1 s^3 + C_1 R_1 s + s^2 \left(C_1 L_1 + C_2 L_2 \right) + 1 }$$

$$\textbf{10.80} \quad \textbf{INVALID-ORDER-80} \ \ Z(s) = \left(\frac{R_1 \left(C_1 L_1 s^2 + 1 \right)}{C_1 L_1 s^2 + C_1 R_1 s + 1}, \ \frac{R_2 \left(C_2 L_2 s^2 + 1 \right)}{C_2 L_2 s^2 + C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty \right) \\ H(s) = \frac{C_1 C_2 L_1 R_1 R_2 s^3 + C_2 R_1 R_2 s + R_1 R_2 g_m + R_1 + s^4 \left(C_1 C_2 L_1 L_2 R_1 R_2 g_m + C_1 C_2 L_1 L_2 R_1 \right) + s^2 \left(C_1 L_1 R_1 R_2 g_m + C_1 L_1 R_1 + C_2 L_2 R_1 R_2 g_m + C_2 L_2 R_1 \right)}{C_1 C_2 L_1 L_2 s^4 + s^3 \left(C_1 C_2 L_1 R_2 + C_1 C_2 L_2 R_1 \right) + s^2 \left(C_1 C_2 R_1 R_2 + C_1 L_1 + C_2 L_2 \right) + s \left(C_1 R_1 + C_2 R_2 \right) + 1 }$$

11 PolynomialError