## Filter Summary Report: CG,TIA,simple,Z2

Generated by MacAnalog-Symbolix January 16, 2025

## Contents

1 Examined H(z) for CG TIA simple Z2:  $\infty$ 

 $H(z) = \infty$ 

- 2 HP
- 3 BP
- 4 LP
- 5 BS
- 6 **GE**
- 7 AP
- 8 INVALID-NUMER
- 9 INVALID-WZ
- 10 INVALID-ORDER
- 10.1 INVALID-ORDER-1  $Z(s) = (\infty, R_2, \infty, \infty, \infty, \infty)$

 $H(s) = \infty$ 

10.2 INVALID-ORDER-2  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$ 

 $H(s) = \infty$ 

10.3 INVALID-ORDER-3  $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty\right)$ 

 $H(s) = \infty$ 

10.4 INVALID-ORDER-4  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty\right)$ 

 $H(s) = \infty$ 

10.5 INVALID-ORDER-5  $Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty\right)$ 

 $H(s) = \infty$ 

10.6 INVALID-ORDER-6  $Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty\right)$ 

 $H(s) = \infty$ 

10.7 INVALID-ORDER-7  $Z(s) = \left(\infty, \frac{C_2L_2R_2s^2 + L_2s + R_2}{C_2L_2s^2 + 1}, \infty, \infty, \infty, \infty\right)$ 

 $H(s) = \infty$ 

10.8 INVALID-ORDER-8  $Z(s) = \left(\infty, \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty\right)$ 

 $H(s) = \infty$ 

## 11 PolynomialError