# Filter Summary Report: TIA,simple,Z2,ZL

# Generated by MacAnalog-Symbolix

## December 11, 2024

# Contents

1 Examined $H(z)$ for TIA simple Z2 ZL: $Z_L$
$_{ m 2}$ HP
3 BP 3.1 BP-1 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)$
$3.2  \text{BP-2 } Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right) \qquad \dots $
$3.3  \text{BP-3 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)  \dots $
$3.4  \text{BP-4 } Z(s) = \left(\infty, \ \frac{L_L R_L s^2 + L_L s + R_L}{C_2 s}\right)  \dots $ $3.4  \text{BP-4 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)  \dots $
$3.5  \text{BP-5 } Z(s) = \left(\infty, \ L_2s + \frac{1}{C_2s}, \ \infty, \ \infty, \ \infty, \ \frac{L_LR_Ls^2 + L_Ls + R_L}{C_LL_LR_Ls^2 + L_Ls + R_L}\right)  \dots $
$3.6  \text{BP-6 } Z(s) = \left( \infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L R_L s^2 + L_L s + R_L}{C_L L_L R_L s^2 + L_L s + R_L} \right) $ $3.6  \text{BP-6 } Z(s) = \left( \infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L} \right) $
$3.7  \text{BP-7} \ Z(s) = \left( \infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_LR_Ls}{C_LL_LR_Ls^2+L_Ls+R_L} \right) $
· · · · · · · · · · · · · · · · · · ·
3.8 BP-8 $Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty, \frac{L_LR_Ls}{C_LL_LR_Ls^2+L_Ls+R_L}\right)$
$4~~\mathrm{LP}$
5 BS
$5.1  \text{BS-1 } Z(s) = \left( \infty, \ R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1} \right)  \dots $
$5.2  \text{BS-2 } Z(s) = \left( \infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L \left( C_L L_L s^2 + 1 \right)}{C_L L_L s^2 + C_L R_L s + 1} \right) $
5.3 BS-3 $Z(s) = \left( \infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, \frac{R_L \left( C_L L_L s^2 + 1 \right)}{C_L L_L s^2 + C_L R_L s + 1} \right)$
$5.4  \text{BS-4 } Z(s) = \left( \infty, \ R_2 + \frac{1}{C_{2s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1} \right)  \dots $
5.5 BS-5 $Z(s) = \left( \infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{R_L \left( C_L L_L s^2 + 1 \right)}{C_L L_L s^2 + C_L R_L s + 1} \right) \dots $
5.6 BS-6 $Z(s) = \left( \infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L \left( C_L L_L s^2 + 1 \right)}{C_L L_L s^2 + C_L R_L s + 1} \right)$
5.7 BS-7 $Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}\right)$
5.8 BS-8 $Z(s) = \left( \infty, \ \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(C_LL_Ls^2+1\right)}{C_LL_Ls^2+C_LR_Ls+1} \right)$
$f{6}$ GE
7 AP
8 INVALID-NUMER
9 INVALID-WZ
10.1 INVALID-ORDER-1 $Z(s) = (\infty, R_2, \infty, \infty, \infty, R_L)$ 10.2 INVALID-ORDER-2 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s}\right)$ 10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$
10.5 IN VALID-ORDER-5 $Z(s) = \{ \infty, \; R_2, \; \infty, \; $

10.4 INVALID-ORDER-4 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$
10.5 INVALID-ORDER-5 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$
10.6 INVALID-ORDER-6 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$
10.7 INVALID-ORDER-7 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$
10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ .
10.9 INVALID-ORDER-9 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$
10.10INVALID-ORDER-10 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$
10.11INVALID-ORDER-11 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$
$10.12 \text{INVALID-ORDER-12 } Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ $
$10.13 \text{INVALID-ORDER-13 } Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right) $
$10.14 \text{INVALID-ORDER-} 14 \ Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right) $
$10.15 \text{INVALID-ORDER-15 } Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ $
$10.16 \text{INVALID-ORDER-16 } Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right) $
$10.17 \text{INVALID-ORDER-17 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L\right) $
$10.18 \text{INVALID-ORDER-} 18 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) \ \dots $
$10.19 \text{INVALID-ORDER-19 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right) \ \dots $
$10.20 \text{INVALID-ORDER-20 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) $
$10.21 \text{INVALID-ORDER-21 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right) $
$10.22 \text{INVALID-ORDER-} 22 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L \overline{L}_L s^2 + 1}\right) $
$10.23 \text{INVALID-ORDER-} 23 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right) $
$10.24 \text{INVALID-ORDER-} 24 \ Z(s) = \left( \infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L \right) $
$10.25 \text{INVALID-ORDER-} 25 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L\right) \ \dots $
$10.26 \text{INVALID-ORDER-} 26 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) $
$10.27 \text{INVALID-ORDER-} 27 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right) $
$10.28 \text{INVALID-ORDER-28 } Z(s) = \left( \infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ $
$10.29 \text{INVALID-ORDER-29 } Z(s) = \left( \infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s} \right) $
$10.30 \text{INVALID-ORDER-30 } Z(s) = \left( \infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} \right)' $
$10.31 \text{INVALID-ORDER-31 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right) $
$10.32 \text{INVALID-ORDER-32 } Z(s) = \left( \infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L \right)' \dots \dots$
$10.33 \text{INVALID-ORDER-33 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L\right) $
$10.34 \text{INVALID-ORDER-34 } Z(s) = \left( \infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s} \right) \dots $
$10.35 \text{INVALID-ORDER-35 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right) $
$10.36 \text{INVALID-ORDER-36 } Z(s) = \left( \infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s} \right) $
$10.37 \text{INVALID-ORDER-37 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right) $
$10.38 \text{INVALID-ORDER-38 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right) $
$10.39 \text{INVALID-ORDER-39 } Z(s) = \left( \infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s} \right) $
$10.40 \text{INVALID-ORDER-40 } Z(s) = \left( \infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L \right) $
10.41INVALID-ORDER-41 $Z(s) = \left(\infty, L_2s + R_2 + \frac{1}{C_2s}, \infty, \infty, \infty, \infty, R_L\right)$
$10.42 \text{INVALID-ORDER-42 } Z(s) = \left( \infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s} \right) $
$10.43 \text{INVALID-ORDER-43 } Z(s) = \left( \infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1} \right)  \dots $

$10.44 \text{INVALID-ORDER-} 44 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right)  \dots \qquad 1$
$10.45 \text{INVALID-ORDER-} 45 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right) \ \dots $
$10.46 \text{INVALID-ORDER-} 46 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right) $
$10.47 \text{INVALID-ORDER-47 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right) $
$10.48 \text{INVALID-ORDER-48 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$
$10.49 \text{INVALID-ORDER-49 } Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L\right) \ \dots \ $
$10.50 \text{INVALID-ORDER-50 } Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) $
$10.51 \text{INVALID-ORDER-51 } Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right) $
$10.52 \text{INVALID-ORDER-52 } Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) \ \dots $
$10.53 \text{INVALID-ORDER-53 } Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right) $
$10.54 \text{INVALID-ORDER-54 } Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1}\right)  \dots $
$10.55 \text{INVALID-ORDER-55 } Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right) $
$10.56 \text{INVALID-ORDER-56 } Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1} + R_L\right) \dots \dots$
$10.57 \text{INVALID-ORDER-57 } Z(s) = \left(\infty, \ \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L\right) $
$10.58 \text{INVALID-ORDER-} 58 \ Z(s) = \left( \infty, \ \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls} \right) $
$10.59 \text{INVALID-ORDER-59 } Z(s) = \left( \infty, \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty, \frac{R_L}{C_LR_Ls+1} \right) $
10.60INVALID-ORDER-60 $Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_Ls}\right)$
10.61INVALID-ORDER-61 $Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty, L_Ls + \frac{1}{C_Ls}\right)$
$10.62 \text{INVALID-ORDER-} 62 \ Z(s) = \left( \infty, \ \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1} \right) \ \dots $
10.63INVALID-ORDER-63 $Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls}\right)$
10.64INVALID-ORDER-64 $Z(s) = \left( \infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2+1} + R_L \right)$

11 PolynomialError

## 1 Examined H(z) for TIA simple Z2 ZL: $Z_L$

$$H(z) = Z_L$$

2 HP

3 BP

3.1 BP-1  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)$ 

 $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L} \label{eq:hamiltonian}$ 

Parameters:

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ Qz: 0 Wz: None

3.2 BP-2  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)$ 

 $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$ 

Parameters:

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ Qz: 0 Wz: None

**3.3** BP-3  $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)$ 

 $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$ 

Parameters:

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ Qz: 0 Wz: None

**3.4** BP-4 
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)$$

Parameters:

Q: 
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$
  
wo:  $\sqrt{\frac{1}{C_L L_L}}$   
bandwidth:  $\frac{1}{C_L R_L}$   
K-LP: 0  
K-HP: 0  
K-BP:  $R_L$   
Qz: 0  
Wz: None

**3.5** BP-5 
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)$$

Parameters:

Q: 
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$
  
wo:  $\sqrt{\frac{1}{C_L L_L}}$   
bandwidth:  $\frac{1}{C_L R_L}$   
K-LP: 0  
K-HP: 0  
K-BP:  $R_L$   
Qz: 0  
Wz: None

**3.6** BP-6 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}\right)$$

Parameters:

Q: 
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$
  
wo:  $\sqrt{\frac{1}{C_L L_L}}$   
bandwidth:  $\frac{1}{C_L R_L}$   
K-LP: 0  
K-HP: 0  
K-BP:  $R_L$   
Qz: 0  
Wz: None

3.7 BP-7 
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_LR_Ls}{C_LL_LR_Ls^2+L_Ls+R_L}\right)$$

Parameters:

Q: 
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$
  
wo:  $\sqrt{\frac{1}{C_L L_L}}$   
bandwidth:  $\frac{1}{C_L R_L}$ 

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

K-LP: 0 K-HP: 0 K-BP:  $R_L$ 

Qz: 0

Wz: None

3.8 BP-8  $Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \frac{L_LR_Ls}{C_LL_LR_Ls^2+L_Ls+R_L}\right)$ 

# $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$

Parameters:

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ 

4 LP

Qz: 0 Wz: None

5 BS

**5.1** BS-1  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L(C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}\right)$ 

Parameters:

 $\begin{aligned} &\text{Q: } \frac{L_L\sqrt{\frac{1}{C_LL_L}}}{R_L}\\ &\text{wo: } \sqrt{\frac{1}{C_LL_L}}\\ &\text{bandwidth: } \frac{R_L}{L_L}\\ &\text{K-LP: } R_L\\ &\text{K-HP: } R_L\\ &\text{K-BP: } 0\\ &\text{Qz: None}\\ &\text{Wz: } \sqrt{\frac{1}{C_LL_L}} \end{aligned}$ 

**5.2** BS-2  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L(C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}\right)$ 

Parameters:

 $\begin{aligned} &\text{Q: } \frac{\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \end{aligned}$ 

 $H(s) = \frac{C_L L_L R_L s^2 + R_L}{C_L L_L s^2 + C_L R_L s + 1}$ 

 $H(s) = \frac{C_L L_L R_L s^2 + R_L}{C_L L_L s^2 + C_L R_L s + 1}$ 

K-HP: 
$$R_L$$
  
K-BP: 0  
Qz: None  
Wz:  $\sqrt{\frac{1}{C_L L_L}}$ 

**5.3** BS-3 
$$Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}\right)$$

#### Parameters:

Q: 
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$
 bandwidth: 
$$\frac{R_L}{L_L}$$
 K-LP:  $R_L$  K-HP:  $R_L$  K-BP: 0 Qz: None Wz: 
$$\sqrt{\frac{1}{C_L L_L}}$$

**5.4** BS-4 
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L(C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}\right)$$

#### Parameters:

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

**5.5** BS-5 
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}\right)$$

#### Parameters:

Q: 
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$
 bandwidth: 
$$\frac{R_L}{L_L}$$
 K-LP:  $R_L$  K-HP:  $R_L$  K-BP: 0 Qz: None Wz: 
$$\sqrt{\frac{1}{C_L L_L}}$$

$$H(s) = \frac{C_L L_L R_L s^2 + R_L}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{C_L L_L R_L s^2 + R_L}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{C_L L_L R_L s^2 + R_L}{C_L L_L s^2 + C_L R_L s + 1}$$

**5.6** BS-6 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L(C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}\right)$$

Parameters:

$$Q: \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$

$$wo: \sqrt{\frac{1}{C_L L_L}}$$
bandwidth:  $\frac{R_L}{L_L}$ 

$$K-LP: R_L$$

$$K-HP: R_L$$

$$K-BP: 0$$

$$Qz: None$$

$$Wz: \sqrt{\frac{1}{C_L L_L}}$$

**5.7** BS-7 
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(C_LL_Ls^2+1\right)}{C_LL_Ls^2+C_LR_Ls+1}\right)$$

Parameters:

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

**5.8** BS-8 
$$Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \frac{R_L(C_LL_Ls^2+1)}{C_LL_Ls^2+C_LR_Ls+1}\right)$$

Parameters:

Q: 
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$
 bandwidth: 
$$\frac{R_L}{L_L}$$
 K-LP:  $R_L$  K-HP:  $R_L$  K-BP: 0 Qz: None Wz: 
$$\sqrt{\frac{1}{C_L L_L}}$$

6 **GE** 

7 AP

$$H(s) = \frac{C_L L_L R_L s^2 + R_L}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{C_L L_L R_L s^2 + R_L}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{C_L L_L R_L s^2 + R_L}{C_L L_L s^2 + C_L R_L s + 1}$$

## 8 INVALID-NUMER

## 9 INVALID-WZ

### 10 INVALID-ORDER

10.1 INVALID-ORDER-1  $Z(s) = (\infty, R_2, \infty, \infty, \infty, R_L)$ 

$$H(s) = R_L$$

10.2 INVALID-ORDER-2  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{1}{C_{L}s}$$

10.3 INVALID-ORDER-3  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$ 

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.4 INVALID-ORDER-4  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.5 INVALID-ORDER-5  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.6 INVALID-ORDER-6  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.7 INVALID-ORDER-7  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.8 INVALID-ORDER-8  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ 

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.9 INVALID-ORDER-9  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$ 

 $H(s) = R_L$ 

10.10 INVALID-ORDER-10  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$ 

 $H(s) = \frac{1}{C_L s}$ 

10.11 INVALID-ORDER-11  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$ 

 $H(s) = \frac{R_L}{C_L R_L s + 1}$ 

10.12 INVALID-ORDER-12  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$ 

 $H(s) = \frac{C_L R_L s + 1}{C_L s}$ 

10.13 INVALID-ORDER-13  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$ 

 $H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$ 

10.14 INVALID-ORDER-14  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

 $H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$ 

10.15 INVALID-ORDER-15  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$ 

 $H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$ 

10.16 INVALID-ORDER-16  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ 

 $H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$ 

10.17 INVALID-ORDER-17  $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, R_L\right)$ 

 $H(s) = R_L$ 

10.18 INVALID-ORDER-18  $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$ 

 $H(s) = \frac{1}{C_L s}$ 

10.19 INVALID-ORDER-19  $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty, \frac{R_L}{C_LR_Ls+1}\right)$ 

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.20 INVALID-ORDER-20  $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_Ls}\right)$ 

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.21 INVALID-ORDER-21  $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.22 INVALID-ORDER-22  $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

**10.23** INVALID-ORDER-23  $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

**10.24** INVALID-ORDER-24  $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ 

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.25 INVALID-ORDER-25  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$ 

$$H(s) = R_L$$

10.26 INVALID-ORDER-26  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{1}{C_L s}$$

10.27 INVALID-ORDER-27  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$ 

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.28 INVALID-ORDER-28  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.29 INVALID-ORDER-29  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.30 INVALID-ORDER-30  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.31 INVALID-ORDER-31  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.32 INVALID-ORDER-32  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ 

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.33 INVALID-ORDER-33  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$ 

$$H(s) = R_L$$

10.34 INVALID-ORDER-34  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{1}{C_L s}$$

10.35 INVALID-ORDER-35  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$ 

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.36 INVALID-ORDER-36  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.37 INVALID-ORDER-37  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.38 INVALID-ORDER-38  $Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.39 INVALID-ORDER-39 
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.40 INVALID-ORDER-40 
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.41 INVALID-ORDER-41 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.42 INVALID-ORDER-42 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$$

$$H(s) = \frac{1}{C_L s}$$

10.43 INVALID-ORDER-43 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.44 INVALID-ORDER-44 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.45 INVALID-ORDER-45 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

**10.46** INVALID-ORDER-46 
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.47 INVALID-ORDER-47 
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.48 INVALID-ORDER-48 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.49 INVALID-ORDER-49  $Z(s) = \left(\infty, \frac{L_2s}{C_2L_2s^2+1} + R_2, \infty, \infty, \infty, R_L\right)$ 

 $H(s) = R_L$ 

10.50 INVALID-ORDER-50  $Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right)$ 

 $H(s) = \frac{1}{C_{L}s}$ 

10.51 INVALID-ORDER-51  $Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_LR_Ls+1}\right)$ 

 $H(s) = \frac{R_L}{C_L R_L s + 1}$ 

10.52 INVALID-ORDER-52  $Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_Ls}\right)$ 

 $H(s) = \frac{C_L R_L s + 1}{C_L s}$ 

**10.53** INVALID-ORDER-53  $Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right)$ 

 $H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$ 

10.54 INVALID-ORDER-54  $Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1}\right)$ 

 $H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$ 

**10.55** INVALID-ORDER-55  $Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right)$ 

 $H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$ 

10.56 INVALID-ORDER-56  $Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ 

 $H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$ 

10.57 INVALID-ORDER-57  $Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \infty, R_L\right)$ 

 $H(s) = R_L$ 

10.58 INVALID-ORDER-58  $Z(s) = \left(\infty, \ \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right)$ 

 $H(s) = \frac{1}{C_L s}$ 

10.59 INVALID-ORDER-59 
$$Z(s) = \left(\infty, \ \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_LR_Ls+1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

**10.60** INVALID-ORDER-60 
$$Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.61 INVALID-ORDER-61 
$$Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, 1 + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

**10.62** INVALID-ORDER-62 
$$Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2+1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

**10.63** INVALID-ORDER-63 
$$Z(s) = \left(\infty, \frac{R_2(C_2L_2s^2+1)}{C_2L_2s^2+C_2R_2s+1}, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.64 INVALID-ORDER-64 
$$Z(s) = \left(\infty, \ \frac{R_2\left(C_2L_2s^2+1\right)}{C_2L_2s^2+C_2R_2s+1}, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

## 11 PolynomialError