Filter Summary Report: TIA,simple,Z1,Z4

Generated by MacAnalog-Symbolix

December 10, 2024

Contents

1 Examined $H(z)$ for TIA simple Z1 Z4: $\frac{Z_1Z_4g_m}{2Z_1g_m+2}$	2
2 HP	2
a. DD	
3 BP 3.1 BP-1 $Z(s) = \left(R_1, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$ 3.2 BP-2 $Z(s) = \left(L_1 s, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$	2
3.2 BP-2 $Z(s) = \left(L_1 s, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$	2
3.3 BP-3 $Z(s) = \left(\frac{L_1s}{C_1L_1s^2+1}, \infty, \infty, \infty, R_4, \infty, \infty\right)$	2
3.3 BP-3 $Z(s) = \left\langle \frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, R_4, \infty, \infty \right\rangle$	3
4. ID	
4 LP 4.1 LP-1 $Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$ 4.2 LP-2 $Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$ 4.3 LP-3 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$ 4.4 LP-4 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$	3
4.2 LP-2 $Z(s) = \left(\frac{R_1}{C_1R_1s+1}, \infty, \infty, \infty, \frac{R_4}{C_4R_4s+1}, \infty, \infty\right)$	3
4.3 LP-3 $Z(s) = \left(\frac{L_1 s}{C_1 \overline{L_1 s^2 + 1}}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$	4
4.4 LP-4 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \infty, \ \infty\right)$	4
$_{5}$ BS	4
$S = S = R_A(C_AL_As^2+1)$	4
5.1 BS-1 $Z(s) = \left(R_1, \ \infty, \ \infty, \ \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \ \infty, \ \infty\right)$ 5.2 BS-2 $Z(s) = \left(L_1s + \frac{1}{C_1s}, \ \infty, \ \infty, \ R_4, \ \infty, \ \infty\right)$ 5.3 BS-3 $Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ R_4, \ \infty, \ \infty\right)$	4
5.2 BS-2 $Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, R_4, \infty, \infty\right)$	5
5.3 BS-3 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ R_4, \ \infty, \ \infty\right)$	5
6 GE	5
6 GE 6.1 GE-1 $Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, R_4, \infty, \infty\right)$ 6.2 GE-2 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, R_4, \infty, \infty\right)$	5
6.2 GE-2 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, R_4, \infty, \infty\right)$	6
7 AP	6
8 INVALID-NUMER. 8.1 INVALID-NUMER-1 $Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$	6
8.2 INVALID-NUMER-2 $Z(s) = \left(\frac{L_1s}{C_1L_1s^2+1}, \infty, \infty, R_4 + \frac{1}{C_4s}, \infty, \infty\right)$	6
8.3 INVALID-NUMER-3 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$. 7
	_
9 INVALID-WZ $9.1 \text{INVALID-WZ-1} \ Z(s) = \left(\frac{L_1s}{C_1L_1s^2+1}, \ \infty, \ \infty, \ L_4s + \frac{1}{C_4s}, \ \infty, \ \infty\right) \dots $. 7
9.2 INVALID-WZ-2 $Z(s) = \left(\frac{L_1s}{C_1L_1s^2+1}, \infty, \infty, L_4s + R_4 + \frac{1}{C_4s}, \infty, \infty\right)$. 7
9.3 INVALID-WZ-3 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$ 9.4 INVALID-WZ-4 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$	8
9.4 INVALID-WZ-4 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$. 8

0 INVALID-ORDER
10.1 INVALID-ORDER-1 $Z(s) = (R_1, \infty, \infty, R_4, \infty, \infty)$
10.2 INVALID-ORDER-3 $Z(s) = \begin{pmatrix} R_1, \infty, \infty, \frac{R_4}{C_4 R_5}, \infty, \infty \end{pmatrix}$
10.4 INVALID-ORDER-4 $Z(s) = \left(R_1, \infty, \infty, \frac{1}{C_4 R_4 s + 1}, \infty, \infty\right)$
10.4 INVALID-ORDER-5 $Z(s) = \left(R_1, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$
10.5 INVALID-ORDER-5 $Z(s) = \left(R_1, \infty, \infty, \frac{L_4s}{C_4s}, \infty, \infty\right)$
10.0 INVALID-ORDER-7 $Z(s) = \left(R_1, \infty, \infty, \frac{C_4L_4s^2+1}{C_4s^2+1}, \infty, \infty\right)$
10.8 INVALID-ORDER-8 $Z(s) = \left(R_1, \infty, \infty, \frac{L_4s}{C_4s} + R_4 + \frac{S}{C_4s}, \infty, \infty\right)$
10.9 INVALID-ORDER-9 $Z(s) = (L_1s, \infty, \infty, R_4, \infty, \infty)$
10.10INVALID-ORDER-10 $Z(s) = \left(L_1 s, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$
10.11INVALID-ORDER-11 $Z(s) = \left(L_1 s, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$
$10.12 \text{INVALID-ORDER-} 12 \ Z(s) = \left(L_1 s, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \infty, \ \infty\right) \dots $
$10.13 \text{INVALID-ORDER-} 13 \ Z(s) = \left(L_1 s, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1}, \ \infty, \ \infty\right) \dots $
$10.14 \text{INVALID-ORDER-} 14 \ Z(s) = \left(L_1 s, \ \infty, \ \infty, \ L_4 s + R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) $
$10.15 \text{INVALID-ORDER-15 } Z(s) = \left(L_1 s, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right) $
$10.16 \text{INVALID-ORDER-} 16 \ Z(s) = \left(L_1 s, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) $
$10.17 \text{INVALID-ORDER-17 } Z(s) = \left(L_1 s, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right) \dots $
10.18INVALID-ORDER-18 $Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \infty, R_4, \infty, \infty\right)$
$10.19 \text{INVALID-ORDER-19 } Z(s) = \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \infty, \ \infty\right) \qquad . \qquad $
$10.20 \text{INVALID-ORDER-20 } Z(s) = \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) \qquad . \qquad $
$10.21 \text{INVALID-ORDER-21 } Z(s) = \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \infty, \ \infty\right) \dots $
$10.22 \text{INVALID-ORDER-} 22 \ Z(s) = \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 \overline{L}_4 s^2 + 1}, \ \infty, \ \infty\right) \qquad . \qquad $
$10.23 \text{INVALID-ORDER-} 23 \ Z(s) = \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ L_4 s + R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) \ \dots $
10.24INVALID-ORDER-24 $Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$
$10.25 \text{INVALID-ORDER-} 25 \ Z(s) = \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) \left(\frac{1}{C_1 s}, \ \infty, \ $
10.26INVALID-ORDER-26 $Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$
$10.27 \text{INVALID-ORDER-} 27 \ Z(s) = \left(\begin{array}{c} R_1 \\ \overline{C_1 R_1 s + 1}, \ \infty, \ \infty, \ R_4, \ \infty, \ \infty \end{array}\right) $
$10.28 \text{INVALID-ORDER-} 28 \ Z(s) = \left(\begin{array}{c} R_1 \\ \overline{C_1 R_1 s + 1}, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \infty, \end{array} \right) \ \dots $
$10.29 \text{INVALID-ORDER-} 29 \ Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \stackrel{\checkmark}{\infty}, \ \infty\right) \ \dots $
$10.30 \text{INVALID-ORDER-30 } Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \infty, \ \stackrel{\checkmark}{\infty} \right) \qquad . \qquad $
$10.31 \text{INVALID-ORDER-31 } Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$
$10.32 \text{INVALID-ORDER-} 32 \ Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \ \infty, \ \infty, \ L_4 s + R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) $
$10.33 \text{INVALID-ORDER-33 } Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right) $
10.34INVALID-ORDER-34 $Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$
$10.35 \text{INVALID-ORDER-35 } Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right) $
10.36INVALID-ORDER-36 $Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, R_4, \infty, \infty\right)$
10.37INVALID-ORDER-37 $Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$
$10.38 \text{INVALID-ORDER-38 } Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right) \qquad . \qquad $
10.39INVALID-ORDER-39 $Z(s) = (R_1 + \frac{1}{C_1 s}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty)$
$10.40 \text{INVALID-ORDER-40 } Z(s) = \left(R_1 + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1}, \ \infty, \ \infty\right)' $

$10.41 \text{INVALID-ORDER-41 } Z(s) = \left(R_1 + \frac{1}{C_1 s}, \ \infty, \ \infty, \ L_4 s + R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) $
10.42INVALID-ORDER-42 $Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$
$10.43 \text{INVALID-ORDER-} 43 \ Z(s) = \left(R_1 + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) $
$10.44 \text{INVALID-ORDER-} 44 \ Z(s) = \left(R_1 + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{R_4 \left(C_4 L_4 s^2 + 1 \right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \ \infty, \ \infty \right) \dots $
$10.45 \text{INVALID-ORDER-} 45 \ Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \infty, \ \infty\right) \ \dots $
$10.46 \text{INVALID-ORDER-} 46 \ Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ \infty, \ \infty\right) $
$10.47 \text{INVALID-ORDER-47 } Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) $
$10.48 \text{INVALID-ORDER-} 48 \ Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \infty, \ \infty\right) \dots $
$10.49 \text{INVALID-ORDER-49 } Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1}, \ \infty, \ \infty\right) $
$10.50 \text{INVALID-ORDER-50 } Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ \infty, \ \infty, \ L_4 s + R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) $
$10.51\text{INVALID-ORDER-51 } Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \ \infty, \ \infty\right) \dots $
$10.52 \text{INVALID-ORDER-52 } Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) $
10.53INVALID-ORDER-53 $Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$
$10.54 \text{INVALID-ORDER-} 54 \ Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ \infty, \ \infty\right) $
$10.55 \text{INVALID-ORDER-55 } Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1}, \ \infty, \ \infty\right) $
10.56INVALID-ORDER-56 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$
$10.57 \text{INVALID-ORDER-57 } Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) $
10.58INVALID-ORDER-58 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, \frac{R_4 (C_4 L_4 s^2 + 1)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$
$10.59 \text{INVALID-ORDER-59 } Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right) $
$10.60 \text{INVALID-ORDER-} 60 \ Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ \infty, \ \infty\right) $
$10.61 \text{INVALID-ORDER-61 } Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right) $
$10.62 \text{INVALID-ORDER-} 62 \ Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \infty, \ \infty\right) $
$10.63 \text{INVALID-ORDER-} 63 \ Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1}, \ \infty, \ \infty\right) $
$10.64 \text{INVALID-ORDER-} 64 \ Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \ \infty, \ \infty, \ L_4 s + R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) \dots $
10.65INVALID-ORDER-65 $Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$
10.65INVALID-ORDER-65 $Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$ 15 10.66INVALID-ORDER-66 $Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$ 15
10.67INVALID-ORDER-67 $Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$ 15
10.68INVALID-ORDER-68 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$ 15
10.69INVALID-ORDER-69 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$
$10.70 \text{INVALID-ORDER-} 70 \ Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \ \infty, \ \infty, \ \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \ \infty, \ \infty\right) $
$10.71 \text{INVALID-ORDER-71 } Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \ \infty, \ \infty\right) $
$10.72 \text{INVALID-ORDER-} 72 \ Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \ \infty, \ \infty, \ \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \ \infty, \ \infty\right) \ \dots $
$10.73 \text{INVALID-ORDER-} 73 \ Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \ \infty, \ \infty, \ \frac{1}{C_4 s}, \ \infty, \ \infty\right) $
$10.74 \text{INVALID-ORDER-} 74 \ Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \ \infty, \ \infty, \ \frac{R_4}{C_4 R_4 s + 1}, \ \infty, \ \infty\right) \ \dots $
$10.75 \text{INVALID-ORDER-} 75 \ Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \ \infty, \ \infty, \ R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) \dots $
$10.76 \text{INVALID-ORDER-} 76 \ Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \ \infty, \ \infty, \ L_4 s + \frac{1}{C_4 s}, \ \infty, \ \infty\right) \ \dots $
10.77INVALID-ORDER-77 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \ \infty, \ \infty, \ \frac{L_4 s}{C_4 L_4 s^2 + 1}, \ \infty, \ \infty\right)'$
$10.78 \text{INVALID-ORDER-} 78 \ Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \ \infty, \ \infty, \ L_4 s + R_4 + \frac{1}{C_4 s}, \ \infty, \ \infty\right) $
$10.79 \text{INVALID-ORDER-79 } Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \ \infty, \ \infty, \ \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \ \infty, \ \infty\right) \ \dots $

10.80INVALID-ORDER-80 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$.7
10.81INVALID-ORDER-81 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \ \infty, \ \infty, \ \frac{R_4 (C_4 L_4 s^2 + 1)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \ \infty, \ \infty\right)$	
$10.82 \text{INVALID-ORDER-82 } Z(s) = \left\langle \frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ \frac{1}{C_4s}, \ \infty, \ \infty \right\rangle $.7
10.83INVALID-ORDER-83 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, \frac{R_4}{C_4R_4s+1}, \infty, \infty\right)$.7
10.84INVALID-ORDER-84 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, R_4 + \frac{1}{C_4s}, \infty, \infty\right)$.7
10.85INVALID-ORDER-85 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, L_4s + \frac{1}{C_4s}, \infty, \infty\right)$.7
$10.86 \text{INVALID-ORDER-86 } Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ \frac{L_4s}{C_4L_4s^2+1}, \ \infty, \ \infty\right)'$ $10.87 \text{INVALID-ORDER-87 } Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ L_4s+R_4+\frac{1}{C_4s}, \ \infty, \ \infty\right)$ $10.87 \text{INVALID-ORDER-87 } Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ L_4s+R_4+\frac{1}{C_4s}, \ \infty, \ \infty\right)$.7
10.87INVALID-ORDER-87 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, L_4s + R_4 + \frac{1}{C_4s}, \infty, \infty\right)$.7
10.88INVALID-ORDER-88 $Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, \frac{L_4R_4s}{C_4L_4R_4s^2+L_4s+R_4}, \infty, \infty\right)$	8
$10.89 \text{INVALID-ORDER-89 } Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ \frac{L_4s}{C_4L_4s^2+1} + R_4, \ \infty, \ \infty\right)' $.8
$10.90 \text{INVALID-ORDER-90 } Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \ \infty, \ \infty\right) $.8

- 1 Examined H(z) for TIA simple Z1 Z4: $\frac{Z_1Z_4g_m}{2Z_1g_m+2}$
- 2 HP
- 3 BP
- **3.1 BP-1** $Z(s) = \left(R_1, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$

Q:
$$C_4 R_4 \sqrt{\frac{1}{C_4 L_4}}$$

wo: $\sqrt{\frac{1}{C_4 L_4}}$
bandwidth: $\frac{1}{C_4 R_4}$
K-LP: 0
K-HP: 0
K-BP: $\frac{R_1 R_4 g_m}{2(R_1 g_m + 1)}$
Qz: 0
Wz: None

3.2 BP-2 $Z(s) = \left(L_1 s, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$

Parameters:

Q:
$$\frac{C_4L_1R_4g_m\sqrt{\frac{1}{C_4L_1R_4g_m}}}{C_4R_4+L_1g_m}$$
 wo:
$$\sqrt{\frac{1}{C_4L_1R_4g_m}}$$
 bandwidth:
$$\frac{C_4R_4+L_1g_m}{C_4L_1R_4g_m}$$
 K-LP: 0 K-HP: 0 K-BP:
$$\frac{L_1R_4g_m}{2(C_4R_4+L_1g_m)}$$
 Qz: 0 Wz: None

3.3 BP-3 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, R_4, \infty, \infty\right)$

$$\begin{array}{c} \text{Q:} \frac{C_1 \sqrt{\frac{1}{C_1 L_1}}}{g_m} \\ \text{wo:} \ \sqrt{\frac{1}{C_1 L_1}} \\ \text{bandwidth:} \ \frac{g_m}{C_1} \\ \text{K-LP:} \ 0 \\ \text{K-HP:} \ 0 \\ \text{K-BP:} \ \frac{R_4}{2} \\ \text{Qz:} \ 0 \end{array}$$

$$H(z) = \frac{Z_1 Z_4 g_m}{2Z_1 g_m + 2}$$

$$H(s) = \frac{L_4 R_1 R_4 g_m s}{2 \left(R_1 g_m + 1\right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}$$

$$H(s) = \frac{L_1 R_4 g_m s}{2 \left(C_4 R_4 s + 1 \right) \left(L_1 g_m s + 1 \right)}$$

$$H(s) = \frac{L_1 R_4 g_m s}{2 \left(C_1 L_1 s^2 + L_1 g_m s + 1 \right)}$$

Wz: None

3.4 BP-4
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, R_4, \infty, \infty\right)$$

Parameters:

Q: $\frac{C_1R_1\sqrt{\frac{1}{C_1L_1}}}{R_1g_m+1}$ wo: $\sqrt{\frac{1}{C_1L_1}}$ bandwidth: $\frac{R_1g_m+1}{C_1R_1}$ K-LP: 0 K-HP: 0 K-BP: $\frac{R_1R_4g_m}{2(R_1g_m+1)}$ Qz: 0 Wz: None

4 LP

4.1 LP-1
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

Parameters:

Q:
$$\frac{C_1C_4R_4\sqrt{\frac{g_m}{C_1C_4R_4}}}{C_1+C_4R_4g_m}$$
 wo: $\sqrt{\frac{g_m}{C_1C_4R_4}}$ bandwidth: $\frac{C_1+C_4R_4g_m}{C_1C_4R_4}$ K-LP: $\frac{R_4}{2}$ K-HP: 0 K-BP: 0 Qz: None Wz: None

4.2 LP-2 $Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$

Q:
$$\frac{C_1C_4R_1R_4\sqrt{\frac{R_1g_m+1}{C_1C_4R_1R_4}}}{C_1R_1+C_4R_1R_4g_m+C_4R_4}$$
 wo:
$$\sqrt{\frac{R_1g_m+1}{C_1C_4R_1R_4}}$$
 bandwidth:
$$\frac{C_1R_1+C_4R_1R_4g_m+C_4R_4}{C_1C_4R_1R_4}$$
 K-LP:
$$\frac{R_1R_4g_m}{2(R_1g_m+1)}$$
 K-HP: 0 K-BP: 0 Qz: None Wz: None

$$H(s) = \frac{L_1 R_1 R_4 g_m s}{2 \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1 \right)}$$

$$H(s) = \frac{R_4 g_m}{2 (C_1 s + q_m) (C_4 R_4 s + 1)}$$

$$H(s) = \frac{R_1 R_4 g_m}{2 \left(C_4 R_4 s + 1 \right) \left(C_1 R_1 s + R_1 g_m + 1 \right)}$$

4.3 LP-3
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

Q:
$$\frac{C_1\sqrt{\frac{1}{C_1L_1}}}{g_m}$$
 wo:
$$\sqrt{\frac{1}{C_1L_1}}$$
 bandwidth:
$$\frac{g_m}{C_1}$$
 K-LP:
$$\frac{L_1g_m}{2C_4}$$
 K-HP: 0 K-BP: 0 Qz: None Wz: None

4.4 LP-4
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

Parameters:

Q:
$$\frac{C_1R_1\sqrt{\frac{1}{C_1L_1}}}{R_1g_m+1}$$
 wo: $\sqrt{\frac{1}{C_1L_1}}$ bandwidth: $\frac{R_1g_m+1}{C_1R_1}$ K-LP: $\frac{L_1g_m}{2C_4}$ K-HP: 0 K-BP: 0 Qz: None Wz: None

5 BS

5.1 BS-1
$$Z(s) = \left(R_1, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \infty, \infty\right)$$

$$\begin{array}{l} \text{Q:} \ \frac{L_4\sqrt{\frac{1}{C_4L_4}}}{R_4} \\ \text{wo:} \ \sqrt{\frac{1}{C_4L_4}} \\ \text{bandwidth:} \ \frac{R_4}{L_4} \\ \text{K-LP:} \ \frac{R_1R_4g_m}{2(R_1g_m+1)} \\ \text{K-HP:} \ \frac{R_1R_4g_m}{2(R_1g_m+1)} \\ \text{K-BP:} \ 0 \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \sqrt{\frac{1}{C_4L_4}} \end{array}$$

$$H(s) = \frac{L_1 g_m}{2C_4 \left(C_1 L_1 s^2 + L_1 g_m s + 1 \right)}$$

$$H(s) = \frac{L_1 R_1 g_m}{2C_4 \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1 \right)}$$

$$H(s) = \frac{R_1 R_4 g_m \left(C_4 L_4 s^2 + 1\right)}{2 \left(R_1 g_m + 1\right) \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right)}$$

5.2 BS-2
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, R_4, \infty, \infty\right)$$

Q:
$$L_1g_m\sqrt{\frac{1}{C_1L_1}}$$

wo: $\sqrt{\frac{1}{C_1L_1}}$
bandwidth: $\frac{1}{L_1g_m}$
K-LP: $\frac{R_4}{2}$
K-HP: $\frac{R_4}{2}$
K-BP: 0
Qz: None
Wz: $\sqrt{\frac{1}{C_1L_1}}$

5.3 BS-3
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, \infty, R_4, \infty, \infty\right)$$

Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{L_1\sqrt{\frac{1}{C_1L_1}}(R_1g_m+1)}{R_1} \\ \text{wo:} \ \sqrt{\frac{1}{C_1L_1}} \\ \text{bandwidth:} \ \frac{R_1}{L_1(R_1g_m+1)} \\ \text{K-LP:} \ \frac{R_1R_4g_m}{2(R_1g_m+1)} \\ \text{K-HP:} \ \frac{R_1R_4g_m}{2(R_1g_m+1)} \\ \text{K-BP:} \ 0 \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \sqrt{\frac{1}{C_1L_1}} \end{array}$$

6 GE

6.1 GE-1
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, R_4, \infty, \infty\right)$$

$$\begin{array}{l} \text{Q:} \ \frac{L_{1}g_{m}\sqrt{\frac{1}{C_{1}L_{1}}}}{R_{1}g_{m}+1} \\ \text{wo:} \ \sqrt{\frac{1}{C_{1}L_{1}}} \\ \text{bandwidth:} \ \frac{R_{1}g_{m}+1}{L_{1}g_{m}} \\ \text{K-LP:} \ \frac{R_{2}}{2} \\ \text{K-HP:} \ \frac{R_{4}}{2} \\ \text{K-BP:} \ \frac{R_{1}R_{4}g_{m}}{2(R_{1}g_{m}+1)} \\ \text{Qz:} \ \frac{L_{1}\sqrt{\frac{1}{C_{1}L_{1}}}}{R_{1}} \\ \text{Wz:} \ \sqrt{\frac{1}{C_{1}L_{1}}} \end{array}$$

$$H(s) = \frac{R_4 g_m \left(C_1 L_1 s^2 + 1 \right)}{2 \left(C_1 L_1 g_m s^2 + C_1 s + g_m \right)}$$

$$H(s) = \frac{R_1 R_4 g_m \left(C_1 L_1 s^2 + 1\right)}{2 \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + C_1 R_1 s + R_1 g_m + 1\right)}$$

$$H(s) = \frac{R_4 g_m \left(C_1 L_1 s^2 + C_1 R_1 s + 1 \right)}{2 \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m \right)}$$

6.2 GE-2
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, R_4, \infty, \infty\right)$$

 $H(s) = \frac{R_4 g_m \left(C_1 L_1 R_1 s^2 + L_1 s + R_1 \right)}{2 \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1 \right)}$

Parameters:

Q:
$$\frac{C_1\sqrt{\frac{1}{C_1L_1}}(R_1g_m+1)}{g_m}$$
 wo:
$$\sqrt{\frac{1}{C_1L_1}}$$
 bandwidth:
$$\frac{g_m}{C_1(R_1g_m+1)}$$
 K-LP:
$$\frac{R_1R_4g_m}{2(R_1g_m+1)}$$
 K-HP:
$$\frac{R_1R_4g_m}{2(R_1g_m+1)}$$
 K-BP:
$$\frac{R_4}{2}$$
 Qz:
$$C_1R_1\sqrt{\frac{1}{C_1L_1}}$$
 Wz:
$$\sqrt{\frac{1}{C_1L_1}}$$

7 AP

8 INVALID-NUMER

8.1 INVALID-NUMER-1 $Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$

$H(s) = \frac{R_4 g_m (C_1 R_1 s + 1)}{2 (C_4 R_4 s + 1) (C_1 R_1 q_m s + C_1 s + q_m)}$

Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{C_1C_4R_4\sqrt{\frac{g_m}{C_1C_4R_4(R_1g_m+1)}}(R_1g_m+1)}{C_1R_1g_m+C_1+C_4R_4g_m} \\ \text{Wo:} \ \sqrt{\frac{g_m}{C_1C_4R_4(R_1g_m+1)}} \\ \text{bandwidth:} \ \frac{C_1R_1g_m+C_1+C_4R_4g_m}{C_1C_4R_4(R_1g_m+1)} \\ \text{K-LP:} \ \frac{R_2}{2} \\ \text{K-HP:} \ 0 \\ \text{K-BP:} \ \frac{C_1R_1R_4g_m}{2(C_1R_1g_m+C_1+C_4R_4g_m)} \\ \text{Qz:} \ 0 \\ \text{Wz:} \ \text{None} \end{array}$$

8.2 INVALID-NUMER-2 $Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$

$$H(s) = \frac{L_1 g_m \left(C_4 R_4 s + 1 \right)}{2C_4 \left(C_1 L_1 s^2 + L_1 g_m s + 1 \right)}$$

Q:
$$\frac{C_1\sqrt{\frac{1}{C_1L_1}}}{g_m}$$
 wo:
$$\sqrt{\frac{1}{C_1L_1}}$$
 bandwidth:
$$\frac{g_m}{C_1}$$
 K-LP:
$$\frac{L_1g_m}{2C_4}$$
 K-HP:
$$0$$
 K-BP:
$$\frac{R_4}{2}$$
 Qz:
$$0$$
 Wz: None

8.3 INVALID-NUMER-3
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 R_1 g_m (C_4 R_4 s + 1)}{2C_4 (C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1)}$$

$$\begin{array}{l} \text{Q: } \frac{C_{1}R_{1}\sqrt{\frac{1}{C_{1}L_{1}}}}{R_{1}g_{m}+1} \\ \text{wo: } \sqrt{\frac{1}{C_{1}L_{1}}} \\ \text{bandwidth: } \frac{R_{1}g_{m}+1}{C_{1}R_{1}} \\ \text{K-LP: } \frac{L_{1}g_{m}}{2C_{4}} \\ \text{K-HP: } 0 \\ \text{K-BP: } \frac{R_{1}R_{4}g_{m}}{2(R_{1}g_{m}+1)} \\ \text{Qz: } 0 \\ \text{Wz: None} \end{array}$$

9 INVALID-WZ

9.1 INVALID-WZ-1
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m \left(C_4 L_4 s^2 + 1 \right)}{2C_4 \left(C_1 L_1 s^2 + L_1 g_m s + 1 \right)}$$

Parameters:

Q:
$$\frac{C_1\sqrt{\frac{1}{C_1L_1}}}{g_m}$$
 wo:
$$\sqrt{\frac{1}{C_1L_1}}$$
 bandwidth:
$$\frac{g_m}{C_1}$$
 K-LP:
$$\frac{L_1g_m}{2C_4}$$
 K-HP:
$$\frac{L_4g_m}{2C_1}$$
 K-BP: 0 Qz: None Wz:
$$\sqrt{\frac{1}{C_4L_4}}$$

9.2 INVALID-WZ-2
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2 C_4 \left(C_1 L_1 s^2 + L_1 g_m s + 1 \right)}$$

$$\begin{array}{l} \text{Q:} \ \frac{C_1 \sqrt{\frac{1}{C_1 L_1}}}{g_m} \\ \text{wo:} \ \sqrt{\frac{1}{C_1 L_1}} \\ \text{bandwidth:} \ \frac{g_m}{C_1} \\ \text{K-LP:} \ \frac{L_1 g_m}{2C_4} \\ \text{K-HP:} \ \frac{L_4 g_m}{2C_1} \\ \text{K-BP:} \ \frac{R_4}{2} \\ \text{Qz:} \ \frac{L_4 \sqrt{\frac{1}{C_1 L_1}}}{R_4} \\ \text{Wz:} \ \sqrt{\frac{1}{C_4 L_4}} \end{array}$$

9.3 INVALID-WZ-3 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$

 $H(s) = \frac{L_1 R_1 g_m \left(C_4 L_4 s^2 + 1\right)}{2C_4 \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1\right)}$

Parameters:

$$\begin{array}{l} \text{Q:} \ \frac{C_1 R_1 \sqrt{\frac{1}{C_1 L_1}}}{R_1 g_m + 1} \\ \text{wo:} \ \sqrt{\frac{1}{C_1 L_1}} \\ \text{bandwidth:} \ \frac{R_1 g_m + 1}{C_1 R_1} \\ \text{K-LP:} \ \frac{L_1 g_m}{2 C_4} \\ \text{K-HP:} \ \frac{L_4 g_m}{2 C_1} \\ \text{K-BP:} \ 0 \\ \text{Qz:} \ \text{None} \\ \text{Wz:} \ \sqrt{\frac{1}{C_4 L_4}} \end{array}$$

9.4 INVALID-WZ-4 $Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$

 $H(s) = \frac{L_1 R_1 g_m \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2C_4 \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1 \right)}$

Parameters:

$$\begin{aligned} &\text{Q: } \frac{C_1 R_1 \sqrt{\frac{1}{C_1 L_1}}}{R_1 g_m + 1} \\ &\text{wo: } \sqrt{\frac{1}{C_1 L_1}} \\ &\text{bandwidth: } \frac{R_1 g_m + 1}{C_1 R_1} \\ &\text{K-LP: } \frac{L_1 g_m}{2 C_4} \\ &\text{K-HP: } \frac{L_4 g_m}{2 C_1} \\ &\text{K-BP: } \frac{R_1 R_4 g_m}{2 (R_1 g_m + 1)} \\ &\text{Qz: } \frac{L_4 \sqrt{\frac{1}{C_1 L_1}}}{R_4} \\ &\text{Wz: } \sqrt{\frac{1}{C_4 L_4}} \end{aligned}$$

10 INVALID-ORDER

10.1 INVALID-ORDER-1 $Z(s) = (R_1, \infty, \infty, R_4, \infty, \infty)$

$$H(s) = \frac{R_1 R_4 g_m}{2(R_1 g_m + 1)}$$

10.2 INVALID-ORDER-2 $Z(s) = \left(R_1, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$

$$H(s) = \frac{R_1 g_m}{2C_4 s \left(R_1 g_m + 1\right)}$$

10.3 INVALID-ORDER-3 $Z(s) = \left(R_1, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$

$$H(s) = \frac{R_1 R_4 g_m}{2 (R_1 g_m + 1) (C_4 R_4 s + 1)}$$

11

10.4 INVALID-ORDER-4
$$Z(s) = \left(R_1, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m (C_4 R_4 s + 1)}{2C_4 s (R_1 g_m + 1)}$$

10.5 INVALID-ORDER-5
$$Z(s) = \left(R_1, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_4 L_4 s^2 + 1 \right)}{2 C_4 s \left(R_1 g_m + 1 \right)}$$

10.6 INVALID-ORDER-6
$$Z(s) = \left(R_1, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_1 g_m s}{2 (R_1 g_m + 1) (C_4 L_4 s^2 + 1)}$$

10.7 INVALID-ORDER-7
$$Z(s) = \left(R_1, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2C_4 s \left(R_1 g_m + 1 \right)}$$

10.8 INVALID-ORDER-8
$$Z(s) = \left(R_1, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_4 L_4 R_4 s^2 + L_4 s + R_4 \right)}{2 \left(R_1 g_m + 1 \right) \left(C_4 L_4 s^2 + 1 \right)}$$

10.9 INVALID-ORDER-9
$$Z(s) = (L_1 s, \infty, \infty, R_4, \infty, \infty)$$

$$H(s) = \frac{L_1 R_4 g_m s}{2(L_1 g_m s + 1)}$$

10.10 INVALID-ORDER-10
$$Z(s) = \left(L_1 s, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m}{2C_4 \left(L_1 g_m s + 1\right)}$$

10.11 INVALID-ORDER-11
$$Z(s) = \left(L_1 s, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m (C_4 R_4 s + 1)}{2C_4 (L_1 q_m s + 1)}$$

10.12 INVALID-ORDER-12
$$Z(s) = \left(L_1 s, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m \left(C_4 L_4 s^2 + 1 \right)}{2C_4 \left(L_1 g_m s + 1 \right)}$$

10.13 INVALID-ORDER-13
$$Z(s) = \left(L_1 s, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_{1}L_{4}g_{m}s^{2}}{2\left(C_{4}L_{4}s^{2} + 1\right)\left(L_{1}g_{m}s + 1\right)}$$

10.14 INVALID-ORDER-14
$$Z(s) = \left(L_1 s, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2C_4 \left(L_1 g_m s + 1 \right)}$$

10.15 INVALID-ORDER-15
$$Z(s) = \left(L_1 s, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 L_4 R_4 g_m s^2}{2 \left(L_1 g_m s + 1\right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}$$

10.16 INVALID-ORDER-16
$$Z(s) = \left(L_1 s, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m s \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}{2 \left(C_4 L_4 s^2 + 1\right) \left(L_1 g_m s + 1\right)}$$

10.17 INVALID-ORDER-17
$$Z(s) = \left(L_1 s, \infty, \infty, \frac{R_4(C_4 L_4 s^2 + 1)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 R_4 g_m s \left(C_4 L_4 s^2 + 1\right)}{2 \left(L_1 g_m s + 1\right) \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right)}$$

10.18 INVALID-ORDER-18
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, R_4, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m}{2\left(C_1 s + q_m\right)}$$

10.19 INVALID-ORDER-19
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m}{2C_4 s (C_1 s + g_m)}$$

10.20 INVALID-ORDER-20
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m (C_4 R_4 s + 1)}{2C_4 s (C_1 s + g_m)}$$

10.21 INVALID-ORDER-21
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m (C_4 L_4 s^2 + 1)}{2C_4 s (C_1 s + g_m)}$$

10.22 INVALID-ORDER-22
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 g_m s}{2 (C_1 s + g_m) (C_4 L_4 s^2 + 1)}$$

10.23 INVALID-ORDER-23
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2C_4 s \left(C_1 s + g_m \right)}$$

10.24 INVALID-ORDER-24
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_4 g_m s}{2 \left(C_1 s + g_m\right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}$$

10.25 INVALID-ORDER-25
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_4 L_4 R_4 s^2 + L_4 s + R_4 \right)}{2 \left(C_1 s + q_m \right) \left(C_4 L_4 s^2 + 1 \right)}$$

10.26 INVALID-ORDER-26
$$Z(s) = \left(\frac{1}{C_1 s}, \infty, \infty, \frac{R_4(C_4 L_4 s^2 + 1)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m \left(C_4 L_4 s^2 + 1\right)}{2 \left(C_1 s + g_m\right) \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right)}$$

10.27 INVALID-ORDER-27
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, R_4, \infty, \infty\right)$$

$$H(s) = \frac{R_1 R_4 g_m}{2 \left(C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.28 INVALID-ORDER-28
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m}{2C_4 s \left(C_1 R_1 s + R_1 g_m + 1\right)}$$

10.29 INVALID-ORDER-29
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_4 R_4 s + 1 \right)}{2 C_4 s \left(C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.30 INVALID-ORDER-30
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_4 L_4 s^2 + 1\right)}{2C_4 s \left(C_1 R_1 s + R_1 g_m + 1\right)}$$

10.31 INVALID-ORDER-31
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_1 g_m s}{2 \left(C_4 L_4 s^2 + 1 \right) \left(C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.32 INVALID-ORDER-32
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2 C_4 s \left(C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.33 INVALID-ORDER-33
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_1 R_4 g_m s}{2 \left(C_1 R_1 s + R_1 g_m + 1 \right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4 \right)}$$

10.34 INVALID-ORDER-34
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_4 L_4 R_4 s^2 + L_4 s + R_4 \right)}{2 \left(C_4 L_4 s^2 + 1 \right) \left(C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.35 INVALID-ORDER-35
$$Z(s) = \left(\frac{R_1}{C_1 R_1 s + 1}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 R_4 g_m \left(C_4 L_4 s^2 + 1\right)}{2 \left(C_1 R_1 s + R_1 g_m + 1\right) \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right)}$$

10.36 INVALID-ORDER-36
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, R_4, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m (C_1 R_1 s + 1)}{2 (C_1 R_1 g_m s + C_1 s + g_m)}$$

10.37 INVALID-ORDER-37
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m (C_1 R_1 s + 1)}{2C_4 s (C_1 R_1 g_m s + C_1 s + g_m)}$$

10.38 INVALID-ORDER-38
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m (C_1 R_1 s + 1) (C_4 R_4 s + 1)}{2C_4 s (C_1 R_1 g_m s + C_1 s + g_m)}$$

10.39 INVALID-ORDER-39
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m (C_1 R_1 s + 1) (C_4 L_4 s^2 + 1)}{2C_4 s (C_1 R_1 q_m s + C_1 s + q_m)}$$

10.40 INVALID-ORDER-40
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 g_m s \left(C_1 R_1 s + 1\right)}{2 \left(C_4 L_4 s^2 + 1\right) \left(C_1 R_1 g_m s + C_1 s + g_m\right)}$$

10.41 INVALID-ORDER-41
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m (C_1 R_1 s + 1) (C_4 L_4 s^2 + C_4 R_4 s + 1)}{2C_4 s (C_1 R_1 q_m s + C_1 s + q_m)}$$

10.42 INVALID-ORDER-42
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_4 g_m s \left(C_1 R_1 s + 1\right)}{2 \left(C_1 R_1 g_m s + C_1 s + g_m\right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}$$

10.43 INVALID-ORDER-43
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{g_m (C_1 R_1 s + 1) (C_4 L_4 R_4 s^2 + L_4 s + R_4)}{2 (C_4 L_4 s^2 + 1) (C_1 R_1 g_m s + C_1 s + g_m)}$$

10.44 INVALID-ORDER-44
$$Z(s) = \left(R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4(C_4 L_4 s^2 + 1)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m \left(C_1 R_1 s + 1\right) \left(C_4 L_4 s^2 + 1\right)}{2 \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right) \left(C_1 R_1 g_m s + C_1 s + g_m\right)}$$

10.45 INVALID-ORDER-45
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 s^2 + 1 \right)}{2C_4 s \left(C_1 L_1 g_m s^2 + C_1 s + g_m \right)}$$

10.46 INVALID-ORDER-46
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m \left(C_1 L_1 s^2 + 1\right)}{2 \left(C_4 R_4 s + 1\right) \left(C_1 L_1 g_m s^2 + C_1 s + g_m\right)}$$

10.47 INVALID-ORDER-47
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 s^2 + 1 \right) \left(C_4 R_4 s + 1 \right)}{2C_4 s \left(C_1 L_1 g_m s^2 + C_1 s + g_m \right)}$$

10.48 INVALID-ORDER-48
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 s^2 + 1 \right) \left(C_4 L_4 s^2 + 1 \right)}{2C_4 s \left(C_1 L_1 g_m s^2 + C_1 s + g_m \right)}$$

10.49 INVALID-ORDER-49
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 g_m s \left(C_1 L_1 s^2 + 1\right)}{2 \left(C_4 L_4 s^2 + 1\right) \left(C_1 L_1 g_m s^2 + C_1 s + g_m\right)}$$

10.50 INVALID-ORDER-50
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 s^2 + 1 \right) \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2C_4 s \left(C_1 L_1 g_m s^2 + C_1 s + g_m \right)}$$

10.51 INVALID-ORDER-51
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_4 g_m s \left(C_1 L_1 s^2 + 1\right)}{2 \left(C_1 L_1 g_m s^2 + C_1 s + g_m\right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}$$

10.52 INVALID-ORDER-52
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 s^2 + 1 \right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4 \right)}{2 \left(C_4 L_4 s^2 + 1 \right) \left(C_1 L_1 g_m s^2 + C_1 s + g_m \right)}$$

10.53 INVALID-ORDER-53
$$Z(s) = \left(L_1 s + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m \left(C_1 L_1 s^2 + 1\right) \left(C_4 L_4 s^2 + 1\right)}{2 \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right) \left(C_1 L_1 g_m s^2 + C_1 s + g_m\right)}$$

10.54 INVALID-ORDER-54
$$Z(s) = \left(\frac{L_1s}{C_1L_1s^2+1}, \ \infty, \ \infty, \ \frac{R_4}{C_4R_4s+1}, \ \infty, \ \infty\right)$$

$$H(s) = \frac{L_1 R_4 g_m s}{2 \left(C_4 R_4 s + 1 \right) \left(C_1 L_1 s^2 + L_1 g_m s + 1 \right)}$$

10.55 INVALID-ORDER-55
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 L_4 g_m s^2}{2 \left(C_4 L_4 s^2 + 1 \right) \left(C_1 L_1 s^2 + L_1 g_m s + 1 \right)}$$

10.56 INVALID-ORDER-56
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 L_4 R_4 g_m s^2}{2 \left(C_1 L_1 s^2 + L_1 g_m s + 1\right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}$$

10.57 INVALID-ORDER-57
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{L_1 g_m s \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}{2 \left(C_4 L_4 s^2 + 1\right) \left(C_1 L_1 s^2 + L_1 g_m s + 1\right)}$$

10.58 INVALID-ORDER-58
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 R_4 g_m s \left(C_4 L_4 s^2 + 1\right)}{2 \left(C_1 L_1 s^2 + L_1 g_m s + 1\right) \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right)}$$

10.59 INVALID-ORDER-59
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 s^2 + C_1 R_1 s + 1 \right)}{2C_4 s \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m \right)}$$

10.60 INVALID-ORDER-60
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m \left(C_1 L_1 s^2 + C_1 R_1 s + 1 \right)}{2 \left(C_4 R_4 s + 1 \right) \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m \right)}$$

10.61 INVALID-ORDER-61
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_4 R_4 s + 1 \right) \left(C_1 L_1 s^2 + C_1 R_1 s + 1 \right)}{2 C_4 s \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m \right)}$$

10.62 INVALID-ORDER-62
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_4 L_4 s^2 + 1 \right) \left(C_1 L_1 s^2 + C_1 R_1 s + 1 \right)}{2C_4 s \left(C_1 L_1 q_m s^2 + C_1 R_1 q_m s + C_1 s + q_m \right)}$$

10.63 INVALID-ORDER-63
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 g_m s \left(C_1 L_1 s^2 + C_1 R_1 s + 1\right)}{2 \left(C_4 L_4 s^2 + 1\right) \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m\right)}$$

10.64 INVALID-ORDER-64
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 s^2 + C_1 R_1 s + 1 \right) \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2C_4 s \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m \right)}$$

10.65 INVALID-ORDER-65
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_4 g_m s \left(C_1 L_1 s^2 + C_1 R_1 s + 1\right)}{2 \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right) \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m\right)}$$

10.66 INVALID-ORDER-66
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 s^2 + C_1 R_1 s + 1 \right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4 \right)}{2 \left(C_4 L_4 s^2 + 1 \right) \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m \right)}$$

10.67 INVALID-ORDER-67
$$Z(s) = \left(L_1 s + R_1 + \frac{1}{C_1 s}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m \left(C_4 L_4 s^2 + 1\right) \left(C_1 L_1 s^2 + C_1 R_1 s + 1\right)}{2 \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right) \left(C_1 L_1 g_m s^2 + C_1 R_1 g_m s + C_1 s + g_m\right)}$$

10.68 INVALID-ORDER-68
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 R_1 R_4 g_m s}{2 \left(C_4 R_4 s + 1 \right) \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1 \right)}$$

10.69 INVALID-ORDER-69
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 L_4 R_1 g_m s^2}{2 \left(C_4 L_4 s^2 + 1 \right) \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1 \right)}$$

10.70 INVALID-ORDER-70
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 L_4 R_1 R_4 g_m s^2}{2 \left(C_4 L_4 R_4 s^2 + L_4 s + R_4 \right) \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1 \right)}$$

10.71 INVALID-ORDER-71
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{L_1 R_1 g_m s \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right)}{2 \left(C_4 L_4 s^2 + 1\right) \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1\right)}$$

10.72 INVALID-ORDER-72
$$Z(s) = \left(\frac{L_1 R_1 s}{C_1 L_1 R_1 s^2 + L_1 s + R_1}, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_1 R_1 R_4 g_m s \left(C_4 L_4 s^2 + 1\right)}{2 \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right) \left(C_1 L_1 R_1 s^2 + L_1 R_1 g_m s + L_1 s + R_1\right)}$$

10.73 INVALID-ORDER-73
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 R_1 s^2 + L_1 s + R_1 \right)}{2C_4 s \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1 \right)}$$

10.74 INVALID-ORDER-74
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m \left(C_1 L_1 R_1 s^2 + L_1 s + R_1 \right)}{2 \left(C_4 R_4 s + 1 \right) \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1 \right)}$$

10.75 INVALID-ORDER-75
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_4 R_4 s + 1 \right) \left(C_1 L_1 R_1 s^2 + L_1 s + R_1 \right)}{2 C_4 s \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1 \right)}$$

10.76 INVALID-ORDER-76
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_4 L_4 s^2 + 1 \right) \left(C_1 L_1 R_1 s^2 + L_1 s + R_1 \right)}{2 C_4 s \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1 \right)}$$

10.77 INVALID-ORDER-77
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 g_m s \left(C_1 L_1 R_1 s^2 + L_1 s + R_1\right)}{2 \left(C_4 L_4 s^2 + 1\right) \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1\right)}$$

10.78 INVALID-ORDER-78
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right) \left(C_1 L_1 R_1 s^2 + L_1 s + R_1 \right)}{2C_4 s \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1 \right)}$$

10.79 INVALID-ORDER-79
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_4 g_m s \left(C_1 L_1 R_1 s^2 + L_1 s + R_1\right)}{2 \left(C_4 L_4 R_4 s^2 + L_4 s + R_4\right) \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1\right)}$$

10.80 INVALID-ORDER-80
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, \frac{L_4 s}{C_4 L_4 s^2 + 1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{g_m \left(C_1 L_1 R_1 s^2 + L_1 s + R_1 \right) \left(C_4 L_4 R_4 s^2 + L_4 s + R_4 \right)}{2 \left(C_4 L_4 s^2 + 1 \right) \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1 \right)}$$

10.81 INVALID-ORDER-81
$$Z(s) = \left(\frac{L_1 s}{C_1 L_1 s^2 + 1} + R_1, \infty, \infty, \frac{R_4 \left(C_4 L_4 s^2 + 1\right)}{C_4 L_4 s^2 + C_4 R_4 s + 1}, \infty, \infty\right)$$

$$H(s) = \frac{R_4 g_m \left(C_4 L_4 s^2 + 1\right) \left(C_1 L_1 R_1 s^2 + L_1 s + R_1\right)}{2 \left(C_4 L_4 s^2 + C_4 R_4 s + 1\right) \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + L_1 g_m s + R_1 g_m + 1\right)}$$

10.82 INVALID-ORDER-82
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_1 L_1 s^2 + 1 \right)}{2 C_4 s \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.83 INVALID-ORDER-83
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, \infty, \frac{R_4}{C_4R_4s+1}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 R_4 g_m \left(C_1 L_1 s^2 + 1\right)}{2 \left(C_4 R_4 s + 1\right) \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + C_1 R_1 s + R_1 g_m + 1\right)}$$

10.84 INVALID-ORDER-84
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, \infty, R_4 + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_1 L_1 s^2 + 1 \right) \left(C_4 R_4 s + 1 \right)}{2 C_4 s \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.85 INVALID-ORDER-85
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, L_4s + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_1 L_1 s^2 + 1 \right) \left(C_4 L_4 s^2 + 1 \right)}{2 C_4 s \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.86 INVALID-ORDER-86
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \infty, \infty\right)$$

$$H(s) = \frac{L_4 R_1 g_m s \left(C_1 L_1 s^2 + 1\right)}{2 \left(C_4 L_4 s^2 + 1\right) \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + C_1 R_1 s + R_1 g_m + 1\right)}$$

10.87 INVALID-ORDER-87
$$Z(s) = \left(\frac{R_1(C_1L_1s^2+1)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, L_4s + R_4 + \frac{1}{C_4s}, \infty, \infty\right)$$

$$H(s) = \frac{R_1 g_m \left(C_1 L_1 s^2 + 1 \right) \left(C_4 L_4 s^2 + C_4 R_4 s + 1 \right)}{2 C_4 s \left(C_1 L_1 R_1 g_m s^2 + C_1 L_1 s^2 + C_1 R_1 s + R_1 g_m + 1 \right)}$$

10.88 INVALID-ORDER-88
$$Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ \frac{L_4R_4s}{C_4L_4R_4s^2+L_4s+R_4}, \ \infty, \ \infty\right)$$

$$H(s) = \frac{L_4R_1R_4g_ms\left(C_1L_1s^2+1\right)}{2\left(C_4L_4R_4s^2+L_4s+R_4\right)\left(C_1L_1R_1g_ms^2+C_1L_1s^2+C_1R_1s+R_1g_m+1\right)}$$

10.89 INVALID-ORDER-89
$$Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \infty, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1} + R_4, \infty, \infty\right)$$

$$H(s) = \frac{R_1g_m\left(C_1L_1s^2+1\right)\left(C_4L_4R_4s^2+L_4s+R_4\right)}{2\left(C_4L_4s^2+1\right)\left(C_1L_1R_1g_ms^2+C_1L_1s^2+C_1R_1s+R_1g_m+1\right)}$$

$$\textbf{10.90} \quad \textbf{INVALID-ORDER-90} \ Z(s) = \left(\frac{R_1\left(C_1L_1s^2+1\right)}{C_1L_1s^2+C_1R_1s+1}, \ \infty, \ \infty, \ \frac{R_4\left(C_4L_4s^2+1\right)}{C_4L_4s^2+C_4R_4s+1}, \ \infty, \ \infty\right) \\ H(s) = \frac{R_1R_4g_m\left(C_1L_1s^2+1\right)\left(C_4L_4s^2+1\right)}{2\left(C_4L_4s^2+C_4R_4s+1\right)\left(C_1L_1R_1g_ms^2+C_1L_1s^2+C_1R_1s+R_1g_m+1\right)}$$

11 PolynomialError