## Filter Summary Report: TIA,some,parasitic,Z2,ZL

### Generated by MacAnalog-Symbolix

### December 5, 2024

### Contents

1 Ex	amined $H(z)$ for TIA some parasitic Z2 ZL: $Z_L$	4
2 HP		4
3 BP		4
3.1	BP-1 $Z(s) = \left(\infty, \ R_2, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$	4
		4
	BP-3 $Z(s) = \left( \infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right)$	4
	$BP-4 \ Z(s) = \left( \infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right) $	Ę
	BP-5 $Z(s) = \left( \infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right)$	١
3.6	$BP-6 \ Z(s) = \left( \infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right) $	Ę
3.7	$BP-7 \ Z(s) = \left( \infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls + \frac{1}{R_L} + \frac{1}{L_Ls}} \right)' $	(
3.8	$BP-8 \ Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right) \ \dots $	(
4 LP		•
5 RS		(
5 BS 5.1	BS-1 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$	(
5 BS 5.1		
5 BS 5.1 5.2 5.3	BS-1 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ BS-2 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ BS-3 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$	
5 BS 5.1 5.2 5.3 5.4	$BS-1 \ Z(s) = \left(\infty, \ R_2, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-2 \ Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-3 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-4 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$	
5.1 5.2 5.3 5.4 5.5	$BS-1 \ Z(s) = \left(\infty, \ R_2, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-2 \ Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-3 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-4 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-5 \ Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$	
5.1 5.2 5.3 5.4 5.5 5.6	$\begin{aligned} & \text{BS-1 } Z(s) = \left(\infty, \ R_2, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-2 } Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-3 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-4 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-5 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-6 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \end{aligned}$	
5.1 5.2 5.3 5.4 5.5 5.6	$\begin{aligned} & \text{BS-1 } Z(s) = \left(\infty, \ R_2, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-2 } Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-3 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-4 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-5 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \\ & \text{BS-6 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right) \end{aligned}$	
5.1 5.2 5.3 5.4 5.5 5.6	$BS-1 \ Z(s) = \left(\infty, \ R_2, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-2 \ Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-3 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-4 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ $BS-5 \ Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$	

7	$\mathbf{AP}$	ξ	9
3	INVALID-NUMER	(	9
)	INVALID-WZ	(	9
10	INVALID-ORDER	9	9
	10.1 INVALID-ORDER-1 $Z(s) = (\infty, R_2, \infty, \infty, \infty, R_L)$	. (	9
	10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$		
	10.4 INVALID-ORDER-4 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$		
	10.5 INVALID-ORDER-5 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$		
	10.6 INVALID-ORDER-6 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$		
	10.7 INVALID-ORDER-7 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$		
	10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$		
	10.9 INVALID-ORDER-9 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$		
	10.10INVALID-ORDER-10 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{1}{C_L s}\right)$		
	10.11INVALID-ORDER-11 $Z(s) = \left( \infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1} \right)$		
	10.12INVALID-ORDER-12 $Z(s) = \left( \infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_L s} \right)$		
	10.13INVALID-ORDER-13 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$		
	$10.14 \text{INVALID-ORDER-} 14 \ Z(s) = \left( \infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} \right)'  \dots $		
	10.15INVALID-ORDER-15 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$	. 11	1
	$10.16 \text{INVALID-ORDER-16 } Z(s) = \left( \infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L \right)' $	. 11	1
	$10.17 \text{INVALID-ORDER-17 } Z(s) = \left( \infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L \right) $	. 11	1
	10.18INVALID-ORDER-18 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, \frac{1}{C_L s}\right)$		
	$10.19 \text{INVALID-ORDER-19 } Z(s) = \left( \infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1} \right) $		
	$10.20 \text{INVALID-ORDER-20 } Z(s) = \left( \infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s} \right) $		
	$10.21 \text{INVALID-ORDER-21 } Z(s) = \left( \infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s} \right)  \dots $	. 12	2
	$10.22 \text{INVALID-ORDER-} 22 \ Z(s) = \left( \infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} \right) $	. 12	2
	$10.23 \text{INVALID-ORDER-23 } Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right) $	. 12	2
	$10.24 \text{INVALID-ORDER-} 24 \ Z(s) = \left( \infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L \right) $	. 12	2
	$10.25 \text{INVALID-ORDER-} 25 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L\right) \ \dots $	. 12	2
	$10.26 \text{INVALID-ORDER-26 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right)  \dots $		
	$10.27 \text{INVALID-ORDER-} 27 \ Z(s) = \left( \infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1} \right) $		
	10.28INVALID-ORDER-28 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$		
	$10.29 \text{INVALID-ORDER-} 29 \ Z(s) = \left( \infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s} \right)  \dots $		
	$10.30 \text{INVALID-ORDER-30 } Z(s) = \left( \infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} \right)'  \dots $		
	$10.31 \text{INVALID-ORDER-31 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right)  \dots $		
	$10.32 \text{INVALID-ORDER-32 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L \overline{L}_L s^2 + 1} + R_L\right) $	. 13	3
	10.33INVALID-ORDER-33 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$	. 13	3

$10.34 \text{INVALID-ORDER-34 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) \dots \dots$	13
$10.35 \text{INVALID-ORDER-35} \ Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right) \ \dots $	13
$10.36 \text{INVALID-ORDER-36 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) $	13
$10.37 \text{INVALID-ORDER-37 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right) \dots \dots$	13
$10.38 \text{INVALID-ORDER-38 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right) $	13
$10.39 \text{INVALID-ORDER-39 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right) $	14
$10.40 \text{INVALID-ORDER-} 40 \ Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)  \dots $	14
$10.41 \text{INVALID-ORDER-41 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L\right) $	14
$10.42 \text{INVALID-ORDER-} 42 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) $	
$10.43 \text{INVALID-ORDER-} 43 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right) \ \dots $	14
$10.44 \text{INVALID-ORDER-} 44 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right)  \dots $	14
$10.45 \text{INVALID-ORDER-} 45 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right) \ \dots $	
$10.46 \text{INVALID-ORDER-} 46 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)  \dots $	14
$10.47 \text{INVALID-ORDER-47 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right)  \dots $	
$10.48 \text{INVALID-ORDER-} 48 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)  \dots $	
$10.49 \text{INVALID-ORDER-49 } Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L\right) $	15
$10.50 \text{INVALID-ORDER-50 } Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right) $	
$10.51 \text{INVALID-ORDER-51 } Z(s) = \left( \infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1} \right) $	15
$10.52 \text{INVALID-ORDER-52 } Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) $	
$10.53 \text{INVALID-ORDER-53 } Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right) $	15
$10.54 \text{INVALID-ORDER-} 54 \ Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)  \dots $	
$10.55 \text{INVALID-ORDER-} 55 \ Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right) $	15
$10.56 \text{INVALID-ORDER-} 56 \ Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1} + R_L\right) \ \dots $	15
$10.57 \text{INVALID-ORDER-} 57 \ Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L\right) $	16
10.57INVALID-ORDER-57 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, R_L\right)$ 10.58INVALID-ORDER-58 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$	16
10.59INVALID-ORDER-59 $Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right)$	16
10.59INVALID-ORDER-59 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$ 10.60INVALID-ORDER-60 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$	16
$10.61 \text{INVALID-ORDER-} 61 \ Z(s) = \left( \infty, \ \frac{R_2\left(\frac{L_2s + \overline{C_2s}}{L_2s + R_2 + \frac{1}{2}}\right)}{L_2s + R_2 + \frac{1}{2}}, \ \infty, \ \infty, \ \infty, \ L_Ls + \frac{1}{C_Ls} \right) \ \dots $	16
$10.62 \text{INVALID-ORDER-} 62 \ Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)  \dots $	16
10.63INVALID-ORDER-63 $Z(s) = \left( \infty, \frac{R_2 \left( L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s} \right)$ 10.64INVALID-ORDER-64 $Z(s) = \left( \infty, \frac{R_2 \left( L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L \right)$	16
10.64INVALID-ORDER-64 $Z(s) = \left( \infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L \right)$	16

### 1 Examined H(z) for TIA some parasitic Z2 ZL: $Z_L$

$$H(z) = Z_L$$

2 HP

3 BP

**3.1** BP-1 
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

## $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L} \label{eq:hamiltonian}$

Parameters:

Q: 
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$
  
wo:  $\sqrt{\frac{1}{C_L L_L}}$   
bandwidth:  $\frac{1}{C_L R_L}$   
K-LP: 0  
K-HP: 0  
K-BP:  $R_L$   
Qz: 0  
Wz: None

**3.2** BP-2 
$$Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

## $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$

Parameters:

Q: 
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$
  
wo:  $\sqrt{\frac{1}{C_L L_L}}$   
bandwidth:  $\frac{1}{C_L R_L}$   
K-LP: 0  
K-HP: 0  
K-BP:  $R_L$   
Qz: 0  
Wz: None

**3.3** BP-3 
$$Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Parameters:

Q: 
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$
 wo:  $\sqrt{\frac{1}{C_L L_L}}$ 

bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ Qz: 0 Wz: None

**3.4** BP-4  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$ 

#### Parameters:

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ Qz: 0 Wz: None

3.5 BP-5  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$ 

#### Parameters:

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ Qz: 0 Wz: None

**3.6** BP-6  $Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$ 

#### Parameters:

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0  $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$ 

 $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$ 

 $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$ 

K-BP:  $R_L$ Qz: 0

Wz: None

3.7 BP-7  $Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$ 

 $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$ 

Parameters:

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ Qz: 0

3.8 BP-8  $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \frac{1}{C_Ls + \frac{1}{R_L} + \frac{1}{L_Ls}}\right)$ 

 $H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L} \label{eq:hamiltonian}$ 

Parameters:

Wz: None

Q:  $C_L R_L \sqrt{\frac{1}{C_L L_L}}$ wo:  $\sqrt{\frac{1}{C_L L_L}}$ bandwidth:  $\frac{1}{C_L R_L}$ K-LP: 0 K-HP: 0 K-BP:  $R_L$ Qz: 0 Wz: None

4 LP

5 BS

5.1 BS-1  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$ 

 $H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$ 

Parameters:

Q:  $\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$ 

wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$
  
bandwidth:  $\frac{R_L}{L_L}$   
K-LP:  $R_L$   
K-HP:  $R_L$   
K-BP: 0  
Qz: None  
Wz:  $\sqrt{\frac{1}{C_L L_L}}$ 

**5.2** BS-2 
$$Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

#### Parameters:

Q: 
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$
 bandwidth: 
$$\frac{R_L}{L_L}$$
 K-LP:  $R_L$  K-HP:  $R_L$  K-BP: 0 Qz: None Wz: 
$$\sqrt{\frac{1}{C_L L_L}}$$

**5.3** BS-3 
$$Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

#### Parameters:

Q: 
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$
 bandwidth: 
$$\frac{R_L}{L_L}$$
 K-LP:  $R_L$  K-HP:  $R_L$  K-BP: 0 Qz: None Wz: 
$$\sqrt{\frac{1}{C_L L_L}}$$

**5.4** BS-4 
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

#### Parameters:

Q: 
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

bandwidth:  $\frac{R_L}{L_L}$  K-LP:  $R_L$  K-HP:  $R_L$  K-BP: 0 Qz: None Wz:  $\sqrt{\frac{1}{C_L L_L}}$ 

**5.5** BS-5 
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

# $H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$

Parameters:

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

**5.6** BS-6 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

# $H(s) = \frac{R_L \left(C_L L_L s^2 + 1\right)}{C_L L_L s^2 + C_L R_L s + 1}$

Parameters:

Q: 
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$
 bandwidth: 
$$\frac{R_L}{L_L}$$
 K-LP:  $R_L$  K-HP:  $R_L$  K-BP: 0 Qz: None Wz: 
$$\sqrt{\frac{1}{C_L L_L}}$$

**5.7** BS-7 
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$$

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

Parameters:

Q: 
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
wo: 
$$\sqrt{\frac{1}{C_L L_L}}$$
bandwidth: 
$$\frac{R_L}{L_L}$$

K-LP:  $R_L$ K-HP:  $R_L$ K-BP: 0 Qz: None Wz:  $\sqrt{\frac{1}{C_L L_L}}$ 

**5.8** BS-8 
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$$

#### Parameters:

Q:  $\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$  wo:  $\sqrt{\frac{1}{C_L L_L}}$  bandwidth:  $\frac{R_L}{L_L}$  K-LP:  $R_L$  K-HP:  $R_L$  K-BP: 0 Qz: None Wz:  $\sqrt{\frac{1}{C_L L_L}}$ 

- 6 **GE**
- 7 AP
- 8 INVALID-NUMER
- 9 INVALID-WZ
- 10 INVALID-ORDER
- 10.1 INVALID-ORDER-1  $Z(s) = (\infty, R_2, \infty, \infty, \infty, R_L)$
- 10.2 INVALID-ORDER-2  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s}\right)$

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

 $H(s) = R_L$ 

 $H(s) = \frac{1}{C_L s}$ 

10.3 INVALID-ORDER-3  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$ 

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.4 INVALID-ORDER-4  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.5 INVALID-ORDER-5  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.6 INVALID-ORDER-6  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.7 INVALID-ORDER-7  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.8 INVALID-ORDER-8  $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ 

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.9 INVALID-ORDER-9  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$ 

$$H(s) = R_L$$

10.10 INVALID-ORDER-10  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{1}{C_L s}$$

10.11 INVALID-ORDER-11  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$ 

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.12 INVALID-ORDER-12  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.13 INVALID-ORDER-13  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.14 INVALID-ORDER-14  $Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.15 INVALID-ORDER-15  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.16 INVALID-ORDER-16  $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ 

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.17 INVALID-ORDER-17  $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, R_L\right)$ 

$$H(s) = R_L$$

10.18 INVALID-ORDER-18  $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{1}{C_L s}$$

10.19 INVALID-ORDER-19  $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty, \frac{R_L}{C_LR_Ls+1}\right)$ 

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.20 INVALID-ORDER-20  $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, R_L + \frac{1}{C_Ls}\right)$ 

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.21 INVALID-ORDER-21 
$$Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \infty, L_Ls + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.22 INVALID-ORDER-22 
$$Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2+1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.23 INVALID-ORDER-23 
$$Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.24 INVALID-ORDER-24 
$$Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.25 INVALID-ORDER-25 
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.26 INVALID-ORDER-26 
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$$

$$H(s) = \frac{1}{C_{L}s}$$

10.27 INVALID-ORDER-27 
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.28 INVALID-ORDER-28 
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.29 INVALID-ORDER-29 
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.30 INVALID-ORDER-30  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.31 INVALID-ORDER-31  $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.32 INVALID-ORDER-32  $Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$ 

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.33 INVALID-ORDER-33  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$ 

$$H(s) = R_L$$

10.34 INVALID-ORDER-34  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{1}{C_L s}$$

10.35 INVALID-ORDER-35  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$ 

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.36 INVALID-ORDER-36  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.37 INVALID-ORDER-37  $Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right)$ 

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.38 INVALID-ORDER-38  $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$ 

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.39 INVALID-ORDER-39 
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.40 INVALID-ORDER-40 
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.41 INVALID-ORDER-41 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.42 INVALID-ORDER-42 
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right)$$

$$H(s) = \frac{1}{C_L s}$$

10.43 INVALID-ORDER-43 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.44 INVALID-ORDER-44 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

**10.45** INVALID-ORDER-45 
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

**10.46** INVALID-ORDER-46 
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.47 INVALID-ORDER-47 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.48 INVALID-ORDER-48 
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.49 INVALID-ORDER-49 
$$Z(s) = \left(\infty, \frac{L_2s}{C_2L_2s^2+1} + R_2, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

**10.50** INVALID-ORDER-50 
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{1}{C_L s}$$

10.51 INVALID-ORDER-51 
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.52 INVALID-ORDER-52 
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.53 INVALID-ORDER-53 
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

**10.54** INVALID-ORDER-54 
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

**10.55** INVALID-ORDER-55 
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.56 INVALID-ORDER-56 
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.57 INVALID-ORDER-57 
$$Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.58 INVALID-ORDER-58 
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{1}{C_L s}$$

**10.59** INVALID-ORDER-59 
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.60 INVALID-ORDER-60 
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

**10.61** INVALID-ORDER-61 
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ L_Ls + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.62 INVALID-ORDER-62 
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

**10.63** INVALID-ORDER-63 
$$Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.64 INVALID-ORDER-64 
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$