Filter Summary Report: TIA,simple,Z2,ZL

Generated by MacAnalog-Symbolix

December 7, 2024

Contents

1 Examined $H(z)$ for TIA simple Z2 ZL: Z_L
${\bf 2} {\bf HP}$
3 BP
3.1 BP-1 $Z(s) = \left(\infty, \ R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right)$
3.2 BP-2 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right)$
3.3 BP-3 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$
3.4 BP-4 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$
3.5 BP-5 $Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$
3.6 BP-6 $Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right)$
3.7 BP-7 $Z(s) = \left(\infty, \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right)$
3.8 BP-8 $Z(s) = \left(\infty, \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \infty, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}} \right)^{\prime}$
4 LP
5 BS
5.1 BS-1 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$
5.2 BS-2 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s} \right)}{L_L s + R_L + \frac{1}{C_L s}} \right)$
5.3 BS-3 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s} \right)}{L_L s + R_L + \frac{1}{C_L s}} \right)$
5.4 BS-4 $Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L \left(L_L s + \frac{1}{C_L s} \right)}{L_L s + R_L + \frac{1}{C_L s}} \right)$
5.5 BS-5 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$
5.6 BS-6 $Z(s) = \left(\infty \ L_2 s + R_2 + \frac{1}{\pi} \ \infty \ \infty \ \infty \ \frac{R_L \left(L_L s + \frac{1}{C_L s} \right)}{R_L \left(L_L s + \frac{1}{C_L s} \right)} \right)$
5.7 BS-7 $Z(s) = \left(\infty, \frac{L_2s}{C_2L_2s^2+1} + R_2, \infty, \infty, \infty, \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$ 5.8 BS-8 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$
$5.8 \text{RS-8} Z(s) = \left(\sum_{k=0}^{\infty} \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{2 \cdot s} \right) \sum_{k=0}^{\infty} \frac{R_2 \left(L_2 s + \frac{1}{C_2 s} \right)}{2 \cdot s} $
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$
$6 \ \ \mathbf{GE}$
7 AP
8 INVALID-NUMER
9 INVALID-WZ

10 INVALID-ORDER
10.1 INVALID-ORDER-1 $Z(s) = (\infty, R_2, \infty, \infty, \infty, R_L)$
10.2 INVALID-ORDER-3 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$
10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{C_L R_L s + 1}{C_L R_L s + 1}\right)$
\rangle
10.5 INVALID-ORDER-5 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$
10.6 INVALID-ORDER-6 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$
10.7 INVALID-ORDER-7 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_S^2 + 1} + R_L\right)$
10.9 INVALID-ORDER-9 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \infty, \frac{1}{C_L L_L s^2 + 1} + R_L\right)$ 10.9 INVALID-ORDER-9 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$ 11.10 Invalidation of the second se
10.10INVALID-ORDER-10 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{1}{C_L s}\right)$
$10.10 \text{INVALID-ORDER-10 } Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s+1}\right)$ $10.11 \text{INVALID-ORDER-11 } Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s+1}\right)$
$10.12\text{INVALID-ORDER-}12 \ Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L R_L s + 1}\right) $ $10.12\text{INVALID-ORDER-}12 \ Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) $
$10.12\text{INVALID-ORDER-13} \ Z(s) = \left(\infty, \ \frac{1}{C_0 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) $ $10.13\text{INVALID-ORDER-13} \ Z(s) = \left(\infty, \ \frac{1}{C_0 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) $ $10.13\text{INVALID-ORDER-13} \ Z(s) = \left(\infty, \ \frac{1}{C_0 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) $
$10.14 \text{INVALID-ORDER-} 14 \ Z(s) = \left(\infty, \ \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right) $
$10.15 \text{INVALID-ORDER-15 } Z(s) = \left(\infty, \frac{1}{C_0 s}, \infty, \infty, \infty, \infty, \infty, \infty, \infty, \sum_{LL s} + \frac{1}{C_L s}\right) $
$10.16 \text{INVALID-ORDER-16 } Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right) $
$10.17 \text{INVALID-ORDER-17 } Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, R_L\right) $
$10.18 \text{INVALID-ORDER-18 } Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, \frac{1}{C_L s}\right) \dots \dots$
$10.19 \text{INVALID-ORDER-19 } Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s+1}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s+1}\right) \dots \dots$
$10.20 \text{INVALID-ORDER-} 20 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) $
$10.21 \text{INVALID-ORDER-21 } Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right) \dots \dots$
$10.22 \text{INVALID-ORDER-} 22 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right) \dots $
$10.23 \text{INVALID-ORDER-} 23 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right) $
$10.24 \text{INVALID-ORDER-} 24 \ Z(s) = \left(\infty, \ \frac{R_2}{C_2 R_2 s + 1}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right) $
$10.25 \text{INVALID-ORDER-} 25 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_{2s}}, \ \infty, \ \infty, \ \infty, \ R_L\right) \ \dots $
$10.26 \text{INVALID-ORDER-} 26 \ Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_1 s}\right) \dots \dots \dots \dots \dots \dots \dots \dots \dots $
$10.27 \text{INVALID-ORDER-27 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1} \right) $
$10.28 \text{INVALID-ORDER-28 } Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right) \dots \dots$
$10.29 \text{INVALID-ORDER-29 } Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s} \right) $
10.30INVALID-ORDER-30 $Z(s) = \left(\infty, R_2 + \frac{1}{C_{2s}}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$
10.31INVALID-ORDER-31 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$
$10.32 \text{INVALID-ORDER-32 } Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$
10.33INVALID-ORDER-33 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$
10.34INVALID-ORDER-34 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$
$10.35 \text{INVALID-ORDER-35 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1} \right) \dots $
$10.36 \text{INVALID-ORDER-36 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) $
10.37INVALID-ORDER-37 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$
10.38INVALID-ORDER-38 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)'$
10.39INVALID-ORDER-39 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$
$10.40 \text{INVALID-ORDER-40 } Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right) $

$10.41 \text{INVALID-ORDER-41 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L\right) \dots $	13
$10.42 \text{INVALID-ORDER-} 42 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right) \dots $	13
$10.43 \text{INVALID-ORDER-43 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1} \right) \dots $	13
$10.44 \text{INVALID-ORDER-} 44 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) \dots $	13
$10.45 \text{INVALID-ORDER-} 45 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s} \right) \ \dots $	13
$10.46 \text{INVALID-ORDER-} 46 \ Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right) $	13
$10.47 \text{INVALID-ORDER-47 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right) $	14
$10.48 \text{INVALID-ORDER-48 } Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right) \dots $	14
$10.49 \text{INVALID-ORDER-49 } Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L\right) \ \dots $	14
$10.50 \text{INVALID-ORDER-50 } Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right) \dots $	14
$10.51 \text{INVALID-ORDER-51 } Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_LR_Ls+1}\right) $	14
$10.52 \text{INVALID-ORDER-} 52 \ Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right) $	14
$10.53 \text{INVALID-ORDER-} 53 \ Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + \frac{1}{C_Ls}\right) $	14
$10.54 \text{INVALID-ORDER-} 54 \ Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1} \right) \dots $	14
$10.55 \text{INVALID-ORDER-} 55 \ Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s} \right) \dots $	14
$10.56 \text{INVALID-ORDER-} 56 \ Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right) \ \dots $	14
10.57INVALID-ORDER-57 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, R_L\right)$	15
10.58INVALID-ORDER-58 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$	15
10.59INVALID-ORDER-59 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$	15
10.60INVALID-ORDER-60 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, R_L + \frac{1}{C_Ls}\right)$	15
10.61INVALID-ORDER-61 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, L_Ls + \frac{1}{C_Ls}\right)$	15
10.62INVALID-ORDER-62 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1}\right)$	15
10.63INVALID-ORDER-63 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, L_Ls + R_L + \frac{1}{C_Ls} \right)$	15
10.64INVALID-ORDER-64 $Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L \right)'$	15

- 1 Examined H(z) for TIA simple Z2 ZL: Z_L
 - $H(z)=Z_L$

- 2 HP
- 3 BP
- 3.1 BP-1 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.2 BP-2 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$

Parameters:

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.3 BP-3 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

Wz: None

3.4 BP-4
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

Parameters:

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.5 BP-5
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

Parameters:

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.6 BP-6
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

3.7 BP-7
$$Z(s) = \left(\infty, \frac{L_{2s}}{C_2 L_2 s^2 + 1} + R_2, \infty, \infty, \infty, \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

3.8 BP-8
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s + \frac{1}{R_L} + \frac{1}{L_L s}}\right)$$

Parameters:

Q:
$$C_L R_L \sqrt{\frac{1}{C_L L_L}}$$

wo: $\sqrt{\frac{1}{C_L L_L}}$
bandwidth: $\frac{1}{C_L R_L}$
K-LP: 0
K-HP: 0
K-BP: R_L
Qz: 0
Wz: None

4 LP

5 BS

5.1 BS-1
$$Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L\left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{L_L R_L s}{C_L L_L R_L s^2 + L_L s + R_L}$$

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

5.2 BS-2
$$Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$\begin{aligned} & \text{Q:} \ \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ & \text{wo:} \ \sqrt{\frac{1}{C_L L_L}} \\ & \text{bandwidth:} \ \frac{R_L}{L_L} \\ & \text{K-LP:} \ R_L \\ & \text{K-HP:} \ R_L \\ & \text{K-BP:} \ 0 \\ & \text{Qz:} \ \text{None} \\ & \text{Wz:} \ \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

5.3 BS-3
$$Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

Parameters:

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

5.4 BS-4
$$Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

Parameters:

$$Q: \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$

$$wo: \sqrt{\frac{1}{C_L L_L}}$$
bandwidth: $\frac{R_L}{L_L}$

$$K-LP: R_L$$

$$K-HP: R_L$$

$$K-BP: 0$$

$$Qz: None$$

$$Wz: \sqrt{\frac{1}{C_L L_L}}$$

5.5 BS-5
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

Q:
$$\frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$
 wo:
$$\sqrt{\frac{1}{C_L L_L}}$$
 bandwidth:
$$\frac{R_L}{L_L}$$
 K-LP: R_L K-HP: R_L K-BP: 0 Qz: None Wz:
$$\sqrt{\frac{1}{C_L L_L}}$$

5.6 BS-6
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L \left(L_L s + \frac{1}{C_L s}\right)}{L_L s + R_L + \frac{1}{C_L s}}\right)$$

$$\begin{aligned} &\text{Q: } \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L} \\ &\text{wo: } \sqrt{\frac{1}{C_L L_L}} \\ &\text{bandwidth: } \frac{R_L}{L_L} \\ &\text{K-LP: } R_L \\ &\text{K-HP: } R_L \\ &\text{K-BP: } 0 \\ &\text{Qz: None} \\ &\text{Wz: } \sqrt{\frac{1}{C_L L_L}} \end{aligned}$$

5.7 BS-7
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$$

Parameters:

$$Q: \frac{L_L \sqrt{\frac{1}{C_L L_L}}}{R_L}$$

$$wo: \sqrt{\frac{1}{C_L L_L}}$$
bandwidth: $\frac{R_L}{L_L}$

$$K-LP: R_L$$

$$K-HP: R_L$$

$$K-BP: 0$$

$$Qz: None$$

$$Wz: \sqrt{\frac{1}{C_L L_L}}$$

5.8 BS-8
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L\left(L_Ls + \frac{1}{C_Ls}\right)}{L_Ls + R_L + \frac{1}{C_Ls}}\right)$$

Q:
$$\frac{L_L\sqrt{\frac{1}{C_LL_L}}}{R_L}$$
wo:
$$\sqrt{\frac{1}{C_LL_L}}$$
bandwidth:
$$\frac{R_L}{L_L}$$
K-LP: R_L K-HP: R_L K-BP: 0

$$H(s) = \frac{R_L (C_L L_L s^2 + 1)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1 \right)}{C_L L_L s^2 + C_L R_L s + 1}$$

$$H(s) = \frac{R_L \left(C_L L_L s^2 + 1 \right)}{C_L L_L s^2 + C_L R_L s + 1}$$

Qz: None Wz:
$$\sqrt{\frac{1}{C_L L_L}}$$

6 **GE**

7 AP

8 INVALID-NUMER

9 INVALID-WZ

10 INVALID-ORDER

10.1 INVALID-ORDER-1 $Z(s) = (\infty, R_2, \infty, \infty, \infty, R_L)$

 $H(s) = R_L$

10.2 INVALID-ORDER-2 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{1}{C_L s}\right)$

 $H(s) = \frac{1}{C_L s}$

10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$

 $H(s) = \frac{R_L}{C_L R_L s + 1}$

10.4 INVALID-ORDER-4 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L R_L s + 1}{C_L s}$

10.5 INVALID-ORDER-5 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$

10.6 INVALID-ORDER-6 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_{Ls}}{C_L L_L s^2 + 1}\right)$

 $H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$

10.7 INVALID-ORDER-7 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$

10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, R_2, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$

 $H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$

10.9 INVALID-ORDER-9 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, R_L\right)$

 $H(s) = R_L$

10.10 INVALID-ORDER-10 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$

 $H(s) = \frac{1}{C_L s}$

10.11 INVALID-ORDER-11 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$

 $H(s) = \frac{R_L}{C_L R_L s + 1}$

10.12 INVALID-ORDER-12 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L R_L s + 1}{C_L s}$

10.13 INVALID-ORDER-13 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$

10.14 INVALID-ORDER-14 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$

 $H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$

10.15 INVALID-ORDER-15 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$

10.16 INVALID-ORDER-16 $Z(s) = \left(\infty, \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$

 $H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$

10.17 INVALID-ORDER-17 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, R_L\right)$

 $H(s) = R_L$

10.18 INVALID-ORDER-18 $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \frac{1}{C_Ls}\right)$

 $H(s) = \frac{1}{C_L s}$

10.19 INVALID-ORDER-19 $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \frac{R_L}{C_LR_Ls+1}\right)$

 $H(s) = \frac{R_L}{C_L R_L s + 1}$

10.20 INVALID-ORDER-20 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L R_L s + 1}{C_L s}$

10.21 INVALID-ORDER-21 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$

10.22 INVALID-ORDER-22 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$

 $H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$

10.23 INVALID-ORDER-23 $Z(s) = \left(\infty, \frac{R_2}{C_2 R_2 s + 1}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$

 $H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$

10.24 INVALID-ORDER-24 $Z(s) = \left(\infty, \frac{R_2}{C_2R_2s+1}, \infty, \infty, \infty, \frac{L_Ls}{C_LL_Ls^2+1} + R_L\right)$

 $H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$

10.25 INVALID-ORDER-25 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$

 $H(s) = R_L$

10.26 INVALID-ORDER-26 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$

 $H(s) = \frac{1}{C_L s}$

10.27 INVALID-ORDER-27 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.28 INVALID-ORDER-28 $Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right)$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.29 INVALID-ORDER-29 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.30 INVALID-ORDER-30 $Z(s) = \left(\infty, \ R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.31 INVALID-ORDER-31 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.32 INVALID-ORDER-32 $Z(s) = \left(\infty, R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.33 INVALID-ORDER-33 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$

$$H(s) = R_L$$

10.34 INVALID-ORDER-34 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$

$$H(s) = \frac{1}{C_L s}$$

10.35 INVALID-ORDER-35 $Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.36 INVALID-ORDER-36 $Z(s) = \left(\infty, \ L_2 s + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_L s}\right)$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.37 INVALID-ORDER-37
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.38 INVALID-ORDER-38
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.39 INVALID-ORDER-39
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.40 INVALID-ORDER-40
$$Z(s) = \left(\infty, L_2 s + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.41 INVALID-ORDER-41
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.42 INVALID-ORDER-42
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{1}{C_L s}\right)$$

$$H(s) = \frac{1}{C_{L}s}$$

10.43 INVALID-ORDER-43
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.44 INVALID-ORDER-44
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.45 INVALID-ORDER-45
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.46 INVALID-ORDER-46
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.47 INVALID-ORDER-47
$$Z(s) = \left(\infty, \ L_2 s + R_2 + \frac{1}{C_2 s}, \ \infty, \ \infty, \ \infty, \ L_L s + R_L + \frac{1}{C_L s}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.48 INVALID-ORDER-48
$$Z(s) = \left(\infty, L_2 s + R_2 + \frac{1}{C_2 s}, \infty, \infty, \infty, \frac{L_L s}{C_L L_L s^2 + 1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.49 INVALID-ORDER-49
$$Z(s) = \left(\infty, \frac{L_2s}{C_2L_2s^2+1} + R_2, \infty, \infty, \infty, R_L\right)$$

$$H(s) = R_L$$

10.50 INVALID-ORDER-50
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_L s}\right)$$

$$H(s) = \frac{1}{C_{L}s}$$

10.51 INVALID-ORDER-51
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_L R_L s + 1}\right)$$

$$H(s) = \frac{R_L}{C_L R_L s + 1}$$

10.52 INVALID-ORDER-52
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L R_L s + 1}{C_L s}$$

10.53 INVALID-ORDER-53
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$$

10.54 INVALID-ORDER-54
$$Z(s) = \left(\infty, \ \frac{L_2 s}{C_2 L_2 s^2 + 1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

$$H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$$

10.55 INVALID-ORDER-55
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right)$$

$$H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$$

10.56 INVALID-ORDER-56
$$Z(s) = \left(\infty, \ \frac{L_2s}{C_2L_2s^2+1} + R_2, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2+1} + R_L\right)$$

$$H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1}$$

10.57 INVALID-ORDER-57
$$Z(s) = \left(\infty, \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \infty, \infty, \infty, R_L\right)$$

 $H(s) = R_L$

10.58 INVALID-ORDER-58
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{1}{C_Ls}\right)$$

 $H(s) = \frac{1}{C_L s}$

10.59 INVALID-ORDER-59
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{R_L}{C_LR_Ls + 1}\right)$$

 $H(s) = \frac{R_L}{C_L R_L s + 1}$

10.60 INVALID-ORDER-60
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ R_L + \frac{1}{C_Ls}\right)$$

 $H(s) = \frac{C_L R_L s + 1}{C_L s}$

10.61 INVALID-ORDER-61
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ L_Ls + \frac{1}{C_Ls}\right)$$

 $H(s) = \frac{C_L L_L s^2 + 1}{C_L s}$

10.62 INVALID-ORDER-62
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2 s + \frac{1}{C_2 s}\right)}{L_2 s + R_2 + \frac{1}{C_2 s}}, \ \infty, \ \infty, \ \infty, \ \frac{L_L s}{C_L L_L s^2 + 1}\right)$$

 $H(s) = \frac{L_L s}{C_L L_L s^2 + 1}$

10.63 INVALID-ORDER-63
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ L_Ls + R_L + \frac{1}{C_Ls}\right)$$

 $H(s) = \frac{C_L L_L s^2 + C_L R_L s + 1}{C_L s}$

10.64 INVALID-ORDER-64
$$Z(s) = \left(\infty, \ \frac{R_2\left(L_2s + \frac{1}{C_2s}\right)}{L_2s + R_2 + \frac{1}{C_2s}}, \ \infty, \ \infty, \ \infty, \ \frac{L_Ls}{C_LL_Ls^2 + 1} + R_L\right)$$

 $H(s) = \frac{C_L L_L R_L s^2 + L_L s + R_L}{C_L L_L s^2 + 1} \label{eq:hamiltonian}$