Filter Summary Report: CG,TIA,simple,Z4

Generated by MacAnalog-Symbolix January 16, 2025

Contents

1 Examined H(z) for CG TIA simple Z4: $\frac{Z_4}{2}$

 $H(z) = \frac{Z_4}{2}$

- 2 HP
- 3 BP
- **3.1** BP-1 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4 R_4 s}{C_4 L_4 R_4 s^2 + L_4 s + R_4}, \infty, \infty\right)$

Parameters:

Q:
$$C_4R_4\sqrt{\frac{1}{C_4L_4}}$$

wo: $\sqrt{\frac{1}{C_4L_4}}$
bandwidth: $\frac{1}{C_4R_4}$
K-LP: 0
K-HP: 0
K-BP: $\frac{R_4}{2}$
Qz: 0
Wz: None

- 4 LP
- 5 BS
- **5.1** BS-1 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4(C_4L_4s^2+1)}{C_4L_4s^2+C_4R_4s+1}, \infty, \infty\right)$

Parameters:

Q:
$$\frac{L_4\sqrt{\frac{1}{C_4L_4}}}{R_4}$$
 wo: $\sqrt{\frac{1}{C_4L_4}}$ bandwidth: $\frac{R_4}{L_4}$ K-LP: $\frac{R_4}{2}$ K-HP: $\frac{R_4}{2}$ K-BP: 0 Qz: None Wz: $\sqrt{\frac{1}{C_4L_4}}$

- 6 **GE**
- 7 AP

$$H(s) = \frac{L_4 R_4 s}{2C_4 L_4 R_4 s^2 + 2L_4 s + 2R_4}$$

$$H(s) = \frac{C_4 L_4 R_4 s^2 + R_4}{2C_4 L_4 s^2 + 2C_4 R_4 s + 2}$$

8 INVALID-NUMER

9 INVALID-WZ

10 INVALID-ORDER

10.1 INVALID-ORDER-1 $Z(s) = (\infty, \infty, \infty, R_4, \infty, \infty)$

$$H(s) = \frac{R_4}{2}$$

10.2 INVALID-ORDER-2 $Z(s) = \left(\infty, \infty, \infty, \frac{1}{C_4 s}, \infty, \infty\right)$

$$H(s) = \frac{1}{2C_4 s}$$

10.3 INVALID-ORDER-3 $Z(s) = \left(\infty, \infty, \infty, \frac{R_4}{C_4 R_4 s + 1}, \infty, \infty\right)$

$$H(s) = \frac{R_4}{2C_4R_4s + 2}$$

10.4 INVALID-ORDER-4 $Z(s) = \left(\infty, \infty, \infty, R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$

$$H(s) = \frac{C_4 R_4 s + 1}{2C_4 s}$$

10.5 INVALID-ORDER-5 $Z(s) = \left(\infty, \infty, \infty, L_4 s + \frac{1}{C_4 s}, \infty, \infty\right)$

$$H(s) = \frac{C_4 L_4 s^2 + 1}{2C_4 s}$$

10.6 INVALID-ORDER-6 $Z(s) = \left(\infty, \infty, \infty, \frac{L_4s}{C_4L_4s^2+1}, \infty, \infty\right)$

$$H(s) = \frac{L_4 s}{2C_4 L_4 s^2 + 2}$$

10.7 INVALID-ORDER-7 $Z(s) = \left(\infty, \infty, \infty, L_4 s + R_4 + \frac{1}{C_4 s}, \infty, \infty\right)$

$$H(s) = \frac{C_4 L_4 s^2 + C_4 R_4 s + 1}{2C_4 s}$$

10.8 INVALID-ORDER-8 $Z(s) = \left(\infty, \infty, \infty, \frac{C_4L_4R_4s^2 + L_4s + R_4}{C_4L_4s^2 + 1}, \infty, \infty\right)$

$$H(s) = \frac{C_4 L_4 R_4 s^2 + L_4 s + R_4}{2C_4 L_4 s^2 + 2}$$

11 PolynomialError